

PRICE LIST of PARTS



Model T



PRICE LIST OF PARTS

FORD MODEL T 1909-1910-1911-1912-1913-1914-1915

EFFECTIVE OCTOBER 1, 1914

Ford Motor Company

FORD FACTORIES AND BRANCHES

Ford Factory, Detroit—Parent Plant

Ford Factory, Ford, Ont., Canada

Ford Factory, Manchester, England

American Branches and Service Stations

Atlanta—380 Peachtree St.
Buffalo—Kensington Ave. and
Erie R. R.
Boston, Mass.
Bronx, N. Y.—607 Berger Ave.
Brooklyn—Bedford Ave. and
Sterling Pl.
Cambridge—Brookline St. and
Charles River Rd.
Charlotte, N. C.—222 N. Tryon St.
Chicago—3915 Wabash Ave. (39th
and Wabash)
Cincinnati—911 Race St.
Cleveland—4400 Euclid Ave.
Columbus—Cleveland Ave. and
Buckingham St.

Dallas—2800 Williams St.
Denver—920 S. Broadway
(Broadway and Kentucky)
Detroit—1550 Woodward Ave.
 Fargo—209 North Pacific Ave.
Houston—4006 Harrisburg Road
Indianapolis—526 N. Capitol Ave.
Kansas City—Eleventh and
Winchester Ave.
Long Island City—Jackson Ave. and
Honeywell St.
Los Angeles—Seventh St. and Santa
Fe Ave.
Louisville—931 S. Third St.
Memphis—495-501 Union Ave.
Milwaukee—137-143 Eighth St.

Minneapolis—616-620 S. Third St.
Newark, N. J.
New York—1723 Broadway
Oklahoma City—205-7-9 W. 1st St.
Omaha—1916 Harney St.
Philadelphia—Cor. Broad and Lehigh
Ave. (N. Philadelphia)
Pittsburgh—5925-27 Baum St.
Portland, Ore.—481 E. 11th St. (Cor.
E. 11th and Division Sts.)
San Francisco—21st and Harrison St.
Seattle—Fairview and Valley
St. Louis—4100 Forest Park Blvd.
(Forest Park Blvd. and Sarah St.)
St. Paul—117 University Ave.

Ford Assembling Plants are located in the following Cities

Buffalo Cambridge Chicago Columbus Dallas Denver Houston Kansas City Long Island City
Los Angeles Memphis Minneapolis Philadelphia Pittsburgh Portland, Ore. San Francisco Seattle St. Louis

Foreign Branches and Service Stations

Bordeaux, France—63 Rue
Fondaudeye
Buenos Aires, Argentina—Calle
Lavalle 1776
Calgary, Alta.—127-129 11th Ave. E.
Gibraltar, Spain
Hamburg, Germany

Hamilton, Ont.—74-78 John St. West
London, Eng.—57 Shaftsbury Ave.
London, Ontario—291 Dundas St.
Manchester, Eng.—Trafford Park
Melbourne, Aus.—103 William St.
Montreal, Que.—973 St. Catherine
Street W.

Paris, France—61-63 Rue de Cormeilles
Saskatoon, Sask.—1st Av. and 25th St.
St. John, N. B.—Rochesay Avenue
Toronto, Ont.—106 Richmond St.
Vancouver, B. C.—1531-15th Ave. West
Winnipeg, Manitoba—81 Water St.

Foreign Department—1136 Whitehall Bldg., 17 Battery Place, New York
There are Ford Agents in all other Principal Cities

Instructions for Ordering Parts

- 1—Order all parts through the nearest Branch or Dealer in your territory, as parts for the Model T car are carried in stock by them.
- 2—Always specify **Model** and **give Number** of your car. Give **Number** and **Name** of each part ordered.
- 3—**Cash should accompany all orders.** If it is desired to have parts shipped C. O. D., a deposit sufficient to guarantee transportation charges must be remitted with the order.
- 4—Mail and Parcels Post orders must be accompanied by an amount sufficient **to cover Postage.**
- 5—All prices are net f. o. b. Detroit.
- 6—Specify whether shipments are to be forwarded by mail, express or freight.
- 7—Orders for parts should be written separately from correspondence pertaining to other matters, as this will insure prompt handling by the Service Department at the factory.

Telegraph Code

To save expense, to expedite ordering and for the convenience of those purchasing parts, we have arranged a code word for each part of the Ford Model T car. In addition to the Parts Code we list below a brief General Code covering miscellaneous instructions, questions and answers relative to the entering and shipping of parts ordered.

In telegraphing an order for parts start with the code telling us how to ship, then use the word for the part wanted, stating the number required and then give the number of your car.

The following will illustrate how to send in an express order for Eight Push Rods No. 3058, and Three Transmission Band Springs No. 3425:

FORD MOTOR COMPANY, DETROIT, MICHIGAN.

Toperig eight Carat three Dispark for car No. 2841.

Signed.....

Toperig—Ship to me (us) by express.

Toperkleur—Ship by express to——

Topermolen—Ship to me (us) by American Express.

Toperal—Ship to me (us) by Wells, Fargo Express.

Toperpool—Ship to me (us) by Dominion Express.

Topersteen—Ship to me (us) by freight.

Toper—Ship to me (us) by mail.

Topfton—When and how did you ship parts called for in my (our) telegram of——

Topflutch—When and how will you ship parts called for in my (our) telegram of——

Topfwasser—When and how will you ship parts called for in my (our) letter of——

Topfgeld—Cancel order for parts our (my) telegram of——

Topfgicht—Cancel order for parts my (our) letter of——

Topfkiemer—Add to our (my) telegraph order of——

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
REAR AXLE									
2500	Rear axle assembly	1909-14	56-inch tread	\$60 00	Aband		95E	1	
*2501	Axle housing—right	1909-12	Dia. of bell, 10 $\frac{1}{8}$ "	obsolete					
2501D	Axle housing—right	1913-14	26" L., dia. of bell, 9 $\frac{1}{4}$ "	7 50	Abat	2835B		1	
*2502	Axle housing—left	1909-12	Dia. of bell, 10 $\frac{1}{8}$ "	obsolete					
2502D	Axle housing—left	1913-14	26" L., dia. of bell, 9 $\frac{1}{4}$ "	7 50	Abel	2836B		1	
2503B	Axle housing bolt and nut		$\frac{1}{2}$ " x $\frac{3}{4}$ "	05	Abide	42B		5	
2503C	Axle housing bolt and nut		$\frac{1}{2}$ " x 1 $\frac{1}{8}$ "	05	Abject	42C		7	
2503E	Axle housing bolt and nut		$\frac{1}{2}$ " x 1 $\frac{1}{8}$ "	05	Ajoy	2854		7	
2505	Axle shaft—substitute 2505A	1909-10	Obsolete						
2505A	Axle shaft with gear and taper hub	1912-14	56" tread, 31 $\frac{1}{8}$ " long	6 00	Abscond			2	9 lb., 6 oz.
2505D	Axle shaft—tapered	1912-14	56" tread, 1 $\frac{1}{2}$ " x 31 $\frac{1}{8}$ "	2 50	Abode	2818		2	8 lb.
2506	Axle shaft washer	1909-14	1 $\frac{1}{2}$ " dia. fibre	05	Abound	39		1	
2508	Axle shaft roller bearing	1909-14	2 $\frac{1}{2}$ " x 4"	1 00	Abrase	200	97	4	1 lb. 3 oz.
2509	Axle shaft roller bearing sleeve—right	1909-14	4" long	25	Abray	200	170	2	8 oz.
2509B	Axle shaft roller bearing sleeve—left	1909-14		25	Abate		161	2	8 oz.
2510	Axle housing cap	1909-14	2 $\frac{1}{2}$ " dia.	05	Abroad	100	56	2	2 oz.
2510A	Axle outer roller bearing steel washer	1909-14	2 $\frac{1}{2}$ " dia.	05	Absinthe	150	199	2	
2510B	Axle outer roller bearing felt washer	1909-14	2 $\frac{1}{2}$ " dia.	05	Absist	100	54	2	
2512B	Diff. case—left (includes bushing)	1909-13		2 50	Absurd	50	10D	1	4 $\frac{1}{4}$ lb.
2512C	Diff. case—left (no bushing used)	1914-15		2 00	Abut		10D		
2513B	Diff. case—right (includes bushing)	1909-13		1 50	Abyssa	50	11C	1	2 lb., 11 oz.
2513C	Diff. case—right (no bushing used)	1914-15		1 00	Ache		11D		
2514	Diff. case stud and nut	1909-14	$\frac{3}{4}$ " x 2 $\frac{1}{4}$ "	10	Arcadian	150	52-8	3	2 oz.
2515	Diff. case stud nut			02	Ark		8		
2517	Diff. case bushing	1909-13	1 $\frac{1}{8}$ " bore—1 $\frac{1}{2}$ " dia.	30	Accite	100	19	2	4 oz.
2518	Diff. drive gear	1909-14	40 teeth	4 00	Accost	50	12B	1	3 lb., 5 oz.
2519	Diff. drive gear screw	1909-14	$\frac{1}{2}$ " x $\frac{3}{4}$ "	02	Accoy	500	103	10	

*Substitute 2501D and 2502D. Write nearest Branch or Factory for exchange proposition.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
REAR AXLE—Continued									
2519A...	Diff. gear lock ring	1909-14		\$ 0 05	Acetic	100	118	2	
*2520...	Diff. gear	1909-14	24 teeth drilled for pin	1 50	Acme	50	13	2	1 lb., 6 oz.
*2520B...	Diff. gear	1913-14	24 teeth not drilled for pin	1 50	Ace		13B	2	1 lb., 6 oz.
2521...	Diff. gear key	1909-10	11" long	05	Acqulet		21B	2	
2521B...	Diff. gear key	1911-14	1 1/8" long	05	Acrid	100	137	2	
2522...	Diff. gear pin	1909-10	1 3/8" long	05	Actor		36	2	
2522B...	Diff. gear pin	1913-14	1 3/8" long	05	Acher		2866	2	
2523...	Diff. gear thrust washer	1909-14	Fibre, 3 1/4" dia.	15	Actress	100	32	2	
2524...	Diff. pinion	1909-10	1 1/8" bore, 12 teeth	60	Acute		14B	3	5 oz.
2524B...	Diff. pinion	1911-14	3/8" bore, 12 teeth	60	Adage	150	14C	3	5 oz.
2525...	Diff. pinion bushing	1909-10	1 1/8" bore	10	Adder		93B	3	
2525B...	Diff. pinion bushing	1911-14	3/8" bore	10	Addict	150	93C	3	
2526...	Diff. spider with bushing	1909-10	1 1/8" dia. arm	1 50	Addlet		15C	1	13 oz.
2526B...	Diff. spider with bushing	1911-14	3/8" dia. arm	1 50	Adduce	50	15D	1	15 oz.
2527...	Diff. spider bushing	1909-14	1 1/8" bore, brass	20	Addict	50	18	1	3 oz.
2528...	Diff. thrust plate	1909-14	3 3/4" dia. babbit	40	Adieu	100	30	2	6 oz.
2529...	Diff. thrust plate	1909-14	3 3/4" dia. steel	15	Adjoin	200	31	4	3 oz.
2530...	Diff. thrust plate pin	1909-14	11" long	05	Admix	100	17	2	
2531...	Diff. thrust plate pin	1909-14	11" long	05	Adgase	200	37	4	
2532...	Diff. housing oil plug	1909-14	3/4" x 24 thds	05	Agger	100	817	1	
2545B...	Rear axle grease cup	1909-14	3/8" pipe thds	15	Agat	150	76	3	1 oz.
2547...	Rear radius rod	1909-14		2 50	Altar		152	2	4 lb., 9 oz.
2548...	Radius rod nut	1909-14	1 1/8" x 18 thds	05	Amass	500	77	2	1 oz.
2549...	Radius rod lock nut	1909-14	1 1/8" x 18 thds	05	Amber	100	78	2	1 oz.
2550...	Radius rod lock washer	1909-14	1 1/8"	01	Ambush	100	2823	2	
2551...	Radius rod bolt and nut	1909-14	1/2" x 1 1/2"	05	Ampte	200	83-60	4	2 oz.
2554...	Ball joint support bolt and nut	1909-14	3/4" x 1 3/4"	05	Amlabe	350	79 & 8	4	
2557...	Hub cam shaft—right	1909-14	3 1/8" long	30	Amuck	50	92B	1	3 oz.
2558...	Hub cam shaft—left	1909-14	3 1/8" long	30	Anchor	50	61B	1	3 oz.

*When used in place of the gear having the thin hub, remove the differential case bushings, and fibre washers.




Plate No. 1—Rear Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
REAR AXLE—Continued									
2559	Hub cam shaft bushing	1909-14	$\frac{1}{2}$ " bore, $\frac{1}{4}$ " dia.	\$ 0	15. Ancient	100	173	2	1 oz.
2560	Hub brake spring	1909-13	Flat		05. Anger		63	2	
2561	Hub brake spring rivet, per doz	1909-14	$\frac{1}{4}$ " x $\frac{1}{4}$ "		05. Anoint	200	64	4	
2562	Cam shaft lever	1909-14	$\frac{1}{2}$ " bore		30. Arab	100	62	2	2 oz.
2563	Cam shaft lever pin	1909-14	$\frac{1}{4}$ " x $\frac{3}{8}$ "		02. Arbor	200	7	4	
2564	Lever clevis pin	1909-14	$\frac{1}{4}$ " x 1"		02. Arcade	200	65	4	
2566	Hub brake shoe	1909-14	Cast iron		30. Arctic	100	55	2	1 lb., 9 oz.
2567	Brake shoe support bolt	1909-14	$\frac{1}{2}$ " x $1\frac{1}{4}$ "		05. Argus	100	59	2	2 oz.
2568	Brake shoe support nut	1909-14	$\frac{1}{2}$ " x 20 thds.		63. Armor	1050	60	2	
2570	Brake shoe coil spring	1909-12	$1\frac{1}{4}$ " long		05. Arsen		67	2	
2570B	Brake shoe coil spring	1913-14	$3\frac{3}{8}$ " long		05. Asug	2862		2	
2571	UNIVERSAL JOINT ASSEMBLY	1909-14		2	00. Ashore	50	151B	1	2 lb., 12 oz.
2572	Joint knuckle (male)	1909-14			60. Ashust		45B	1	1 lb.
2573	Joint knuckle (female)	1909-14			80. Askew		46B	1	1 lb.
2574	Joint knuckle pin	1909-14	$\frac{1}{2}$ " x $1\frac{1}{2}$ "		02. Asleep	50	6	2	
2575	Joint ring, complete	1909-14	$3\frac{1}{4}$ " dia.		60. Astert		49B	1	13 oz.
2576	Joint ring rivets (per set 4)	1909-14	$\frac{1}{4}$ " x $1\frac{1}{8}$ "		05. Atche	200	50	4	
2577	Joint housing	1909-14	$4\frac{1}{4}$ " long		75. Atlas	50	70	1	2 lb.
2578	Joint housing plug	1909-14	$\frac{1}{2}$ " x 20 thds.		05. Atom	50	75	1	
2579	Ball joint grease cup	1909-14	$\frac{1}{4}$ " pipe thds.		15. Attle	50	195	1	5 oz.
2580	Ball cap gasket	1909-14	Felt		05. Auburn	50	151B	1	
2580B	DRIVE SHAFT AND HOUSING ASSEMBLY	1909-14		14	00. Balken	50	2805	1	
2582	D. S. tubing	1911-14	$40\frac{1}{2}$ " long	4	00. Ballard		153D	1	
2583	D. S. roller bearing housing	1911-14	$3\frac{1}{2}$ " long		75. Ballot	50	191B	1	2 lb., 12 oz.
2584	D. S. roller bearing stud and nut	1911-13	$\frac{3}{4}$ " x $4\frac{1}{4}$ "		10. Bamilly		183-8	6	3 oz.
2584B	D. S. roller bearing stud and nut	1911-14	$\frac{1}{2}$ " x $4\frac{3}{4}$ "		10. Balneal	300	183B-184	6	3 oz.
2586	D. S. roller bearing housing set screw	1911-14	$\frac{1}{2}$ " x 20 thds.		05. Banco	50	101	1	
2587	D. S. roller bearing	1911-14	$2\frac{3}{4}$ " long	1	50. Balsam	50	108	1	1 lb., 3 oz.
2588	D. S. roller bearing distance plate	1911-14	$2\frac{1}{2}$ " dia.		05. Bandlet	50	106	1	
2589B	D. S. ball bearing assembly	1911-14		1	00. Bander	50	185	1	9 oz.




Plate No. 2—Rear Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued									
2589...	D. S. ball race	1911-14.	2 3/4" dia.	\$ 0 35.	Bandon		186	1	5 oz.
2590...	D. S. ball retainer	1911-14.	2 3/4" dia.	05.	Bandroe		190	1	
2591...	D. S. ball thrust collar	1911-14.	2 3/4" dia.	45.	Bandault	50	188	1	3 oz.
2592...	D. S. ball bearings, each	1911-14.	3/4" ball	04.	Bandy		249	15	
2593...	D. S. roller bearing sleeve	1911-14.	2 5/8" dia., 2 1/8" long	1 00.	Bangle	50	107	1	13 oz.
2595B...	D. S. only (tapered)	1911-14.	1 1/8" x 53 1/4"	3 00.	Banjo		87D	1	
2595C...	D. S. with sleeve and ball bearing	1911-14.	1 1/8" x 53 1/4"	4 00.	Bannock		2859	1	
2595D...	D. S. with pinion, complete	1911-14.	1 1/8" x 53 1/4"	6 00.	Banquet		154D	1	
2596...	D. S. sleeve	1911-14.	1" bore, 3 1/8" long	85.	Banshee	50	163B	1	6 oz.
2597B...	D. S. pinion	1911-14.	Taper bore, 11 teeth	1 50.	Banewort	50	16C	1	11 oz.
2598...	D. S. castle nut	1911-14.	5/8" x 18 thds.	05.	Banket	50	124	1	
2598B...	D. S. pinion key	1911-14.		05.	Banker	50	57B	1	
2540...	D. S. housing front bushing	1909-14.	1" bore, 1 3/4" babbitt	60.	Balkish	50	69	1	5 oz.

REAR AXLE—60 INCH TREAD

2599...	Rear axle assembly	1909-14.	60" tread	60 00.	Bankrupt		1727C	1	
*2600...	Rear axle housing—right	1909-12.	28" long, dia. of bell 10 1/4", obsolete		Bantam		1701G	1	
2600B...	Rear axle housing—right	1913-14.	28" long, dia. of bell 9 1/4"	7 50.	Bantor		2728A	1	
*2601...	Rear axle housing—left	1909-12.	28" long, dia. of bell 10 1/4", obsolete		Bantling		1702G	1	
2601B...	Rear axle housing—left	1913-14.	28" long, dia. of bell 9 1/4"	7 50.	Bamon		2729A	1	
2602B...	Rear axle shaft—tapered	1911-14.	1 1/4" x 33 1/8"	2 50.	Baptism		2725	2	8 lb., 10 oz.
2604...	Rear radius rod	1909-14.	53 3/4" tube only	2 50.	Barbett		1726	2	

FRONT AXLE

2690...	Front axle assembly	1909-14.	56" tread	22 00.	Barila		261B	1	
2691...	Front axle only	1909-14.	56" tread	8 00.	Barber		202B	1	
2694...	Spindle body—right	1912-14.		2 00.	Bardash		203B	1	2 lb., 11 oz.
2695...	Spindle body—left	1912-14.		2 00.	Bardish		204B	1	2 lb., 11 oz.
2696...	Spindle arm—left	1912-14.		75.	Bardiam	50	270	1	12 oz.

*Substitute 2600B and 2601B. Write nearest Branch or Factory for exchange proposition.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
FRONT AXLE—Continued									
2696B...	Spindle arm—right	1912-14		\$ 0 75	Bardo	50	282	1	12 oz.
2697	Spindle arm nut	1912-14	$\frac{1}{8}$ " x 18 thds.	05	Bardling	500	77	2	1 oz.
2702	Spindle assembly—right	1909-10		2 75	Barkate		203A	1	3 lb., 8 oz.
2703	Spindle assembly—left	1909-10		2 75	Barker		204A	1	3 lb., 8 oz.
2704	Stationary cone	1909-14	1 $\frac{1}{8}$ " bore	20	Barkless	100	205	2	4 oz.
2705	Adjusting cone—right thread	1909-14	$\frac{3}{4}$ " x 16 thds., R. T.	15	Barley	50	206	1	2 oz.
2706	Adjusting cone—left thread	1909-14	$\frac{3}{4}$ " x 16 thds., L. T.	15	Barrack	50	207	1	2 oz.
2707	Spindle nut—right thread	1909-14	$\frac{3}{4}$ " x 16 R. H. thds.	10	Barrow	50	209B	1	2 oz.
2708	Spindle nut—left thread	1909-14	$\frac{3}{4}$ " x 16 L. H. thds.	10	Baron	50	208B	1	2 oz.
2709	Spindle washer	1909-14	$\frac{3}{16}$ " hole x 1 $\frac{3}{4}$ "	02	Barras	100	210	2	
2710	Spindle bolt	1909-14	$\frac{1}{2}$ " x 6 $\frac{3}{4}$ "	40	Barter	100	211B	2	7 oz.
2711	Spindle bolt nut	1909-14	$\frac{1}{2}$ " x 20 thds.	05	Barton	1050	60	2	
2713	Spindle body bushing (pair)	1909-14	$\frac{1}{2}$ " bore	20	Bartram	200	223	2	2 oz.
2714	Spindle arm bushing	1909-14	$\frac{1}{8}$ " bore, $\frac{1}{4}$ " dia., 1" L.	10	Barwood	100	225	2	
2715	Spindle oller	1909-14	$\frac{1}{4}$ " pipe thds.	10	Baryta	600	218	2	
2717	Spindle con rod	1909-14	46 $\frac{3}{4}$ " long	1 00	Basalt		268	1	3 lb., 2 oz.
2718	Spindle con rod bolt	1909-14	$\frac{1}{2}$ " x 2 $\frac{1}{4}$ "	05	Basan	200	216	2	3 oz.
2719	Spindle con rod bolt nut	1909-14	$\frac{1}{2}$ " x 20 thds.	02	Bashful	800	220	2	
2721	Spindle con rod yoke	1909-14	2 $\frac{1}{4}$ " long	30	Bashule	50	248	1	5 oz.
2722	Steering yoke clamp bolt and nut	1909-14	$\frac{3}{8}$ " x 1 $\frac{1}{2}$ "	05	Basil	350	79-8	1	
2725B	Steering gear con rod	1909-14	Includes ball sockets	75	Baslard	50	289	1	2 lb., 2 oz.
2728	Ball socket cap	1909-14		15	Basent	50	254B	2	2 oz.
2729	Ball socket bolt and nut	1909-14	$\frac{3}{8}$ " x 1 $\frac{1}{2}$ "	05	Basined	200	255-8	4	
2733	Front radius rod	1909-14		3 00	Beardless		263	1	
2734	Front radius rod nut	1909-14	$\frac{1}{2}$ " x 18 thds.	05	Beatish	500	77	2	2 oz.
2736	Front radius rod ball cap	1909-14		15	Beaufet	50	217	1	3 oz.
2737	Front radius rod ball socket	1911-14		20	Beckon	50	809B	1	11 oz.
2738	Front radius rod ball cap screw	1909-10	$\frac{3}{8}$ " x 24 thds.	05	Beaver		810A	2	




Plate No. 3—Front Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
FRONT AXLE—Continued									
2739	Front radius rod ball cap screw	1909-14	$\frac{3}{8}$ " x 16 thds.	\$ 0	05	Bebiot	100	810B	2
2740	Speedometer swivel joint support	1912-14		20	Belack	50	4760		1 5 oz.
2741	Radius rod ball cap stud and nut	1914			05	Berth			2
2742	Radius rod ball cap spring	1914			02	Bicep			2
2760	FRONT AXLE ONLY	1909-14	.60" tread	8	00	Bechance		1720B	1
2761	Steering spindle con rod with yoke	1909-14	.60" tread	1	30	Becket		1725	1 3 lb., 7 oz.
2762	Steering gear con rod	1909-14	.60" trd. includes ball sockets	75	Becloud		2739		1

WHEELS

2800B	Front wheel (specify color)	1909-14	.30" x 3"	5	00	Becomb		291	2
2803C	Front hub assembly	1909-14		2	00	Bedew	50	232	2 4 lb., 9 oz.
2804	Outer race	1909-14	1 $\frac{1}{4}$ " dia.	25	Bedfere		234		2 2 oz.
2805	Inner race	1909-14	2 $\frac{3}{4}$ "	35	Bedight		235		2 5 oz.
2806	Outer ball retainer	1909-14	1 $\frac{3}{4}$ " dia.	05	Bedim		236		2
2807	Inner ball retainer	1909-14	2 $\frac{1}{4}$ " dia.	05	Bedside		237		2
2808	Dust ring	1909-14	Steel, 2 $\frac{3}{4}$ " dia.	10	Bedward		238		2 1 oz.
2809	Felt washer	1909-14	2 $\frac{1}{2}$ " dia.	05	Bedije		239		2
2810	Large balls, each	1909-14	$\frac{3}{8}$ "	05	Beefing		241		24
2811	Small balls, each	1909-14	$\frac{3}{8}$ "	04	Beemol		249		22
2812A	Rear wheel (specify color)	1909-10	.30" x 3 $\frac{1}{2}$ " straight hub	5	00	Beemine		99	2
2814C	Rear wheel—blue (taper hub)	1912-14	.30" x 3 $\frac{1}{2}$ "	5	00	Beggah		2815	2
2814D	Rear wheel less hub and brake drum	1912-14		3	00	Behest			2
2815B	Rear hub (straight bore)	1909-11	1 $\frac{1}{8}$ " bore x 4 $\frac{1}{4}$ "	3	00	Beggart		40B	2 4 lb., 7 oz.
2815C	REAR HUB (TAPERED)	1912-14	3 $\frac{1}{2}$ " long	1	50	Begol	50	2819	2 4 lb., 3 oz.
2816	Rear hub key (for straight axle)	1909-10	$\frac{1}{4}$ " x $\frac{3}{4}$ " x 4 $\frac{1}{8}$ "		05	Begone		26	2 2 oz.
2816B	Rear hub key (for taper axle)	1912-14	$\frac{1}{4}$ " x $\frac{1}{2}$ " x 2 $\frac{1}{8}$ "		05	Begloom	100	2820	2 1 oz.
2817	Rear hub pin	1909-10	$\frac{3}{8}$ " x 2"		02	Begore		27	2 1 oz.
2818	Rear hub brake drum	1909-14	3" hole, 8" dia.		50	Beguiler		3	2 2 lb., 9 oz.
2819	Hub cap	1909-14	2 $\frac{3}{8}$ " x 24 thds.	15	Behave		200	240	4 3 oz.
2 720	Hub bolt and nut	1909-10	$\frac{1}{8}$ " x 2 x 18 thds.		05	Beheld		28A	24

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
WHEELS—Continued									
2825	Hub bolt and nut	1911-14	$\frac{5}{8}$ " x $2\frac{1}{8}$ " x 10 thds.	\$0 05	Belay	1200	28B	24	
2827	Hub flange	1911-14	6" dia.	30	Bellow		233B	4	1 lb., 5 oz.
2828	Rear hub lock nut	1912-14	$\frac{5}{8}$ " x 18 thds.	05	Bengal	200	242	2	2 oz.
2829	Rear hub felt washer	1913-14		05	Bedpost		2864	2	

FRAME

*2850	Frame assembly	1909-14	Specify Car No.	8 00	Belone		2916	1	
2851	Side member—right	1909-13	$1\frac{1}{2}$ " x 101 $\frac{1}{8}$ " long	3 00	Belowt		301	1	
2851B	Side member—right	1914		3 00	Benign		2914		
2852	Side member—left	1909-13	$1\frac{1}{2}$ " x 101 $\frac{1}{8}$ " long	3 00	Beltane		302	1	
2852B	Side member—left	1914		3 00	Berdash		2915		
2853	Front cross member	1909-13	$22\frac{3}{4}$ " long	1 00	Beluga		303	1	3 lb., 15 oz.
2854	Rear cross member	1909-13	$22\frac{1}{8}$ " long	1 00	Bemoan		304	1	6 lb., 3 oz.
2854B	Rear cross member	1914		1 00	Bendlet		2913		7 lb., 8 oz.
2855	Front corner bracket—right	1909-14		30	Benumb		305	1	8 oz.
2856	Front corner bracket—left	1909-14		30	Bequest		306	1	8 oz.
2857	Rear corner bracket—right	1909-14		30	Besiege		307	1	9 oz.
2858	Rear corner bracket—left	1909-14		30	Bespawl		308	1	9 oz.
2863	Body bracket	1909-14	On frame	15	Bestow		344	4	4 oz.

GASOLINE TANK—RUNABOUT

2875	Gasoline tank	1911-12	$16\frac{1}{2}$ gallons	6 00	Bethel		2083	1	
2876	Filler cap	1911-12	$2\frac{1}{4}$ " out. dia.	30	Bethump	50	2315	1	7 oz.
2877	Sediment bulb	1911-12	$3\frac{1}{4}$ " long	30	Bethony	50	2085	1	9 oz.
2878	Feed pipe	1911-12	Brass, 78" long	25	Betrap	50	1394	1	8 oz.

* Rear cross member extension must be cut off when used on 1909-12



2803 C



2805



2804



2827



2808



2809



2807



2806



2815 B



2816



2819




2816 B



2818



2815 C



2875



2907



2877



2901



2876



2908

2909



2900

Plate No. 4—Wheel and Gasoline Tank Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Pac. No.	No. Req. per Car	Mailing Weight
GASOLINE TANK—TOURING CAR									
2900	Gasoline tank	1909-14	10 gallons	\$ 3 00	Bibber	1303		1	
2901	Filling plug	1909-14	2 1/4"	30	Biblist	50	1317	1	1 oz.
2902B	Sediment bulb	1909-14	1012, brass	1 00	Bickers	50	2088	1	1 lb., 2 oz.
2903	Tank bolt and nut	1909-14	Specify length	10	Bight		1320	3	1 oz.
2907	Stop cock	1909-14		20	Bigot	50	1343	1	3 oz.
2908	Pet cock	1909-14	1/2" pipe thds.	20	Bibb	200	1515	1	2 oz.
2909	Feed pipe	1909-14	3/4" x 40 3/4" long	25	Billet	50	1364	1	4 oz.
2910	Feed pipe pack nut	1909-14	1/2" x 18 thds.	05	Billow	100	1374	1	
MOTOR									
3000	Cylinder	1909-14	Cars above 2500	15 00	Gabal		400C	1	
3001	Cylinder head	1909-14	Cars above 2500	3 00	Cabin		401C	1	
3002	Cyl. head gasket	1909-14	Copper-Asbestos	30	Caboose	50	402B	1	5 oz.
3003	Cyl. head cap screw	1909-14	1 1/4" x 2 1/4"	05	Cackle	650	483B	13	2 oz.
3004	Cyl. head outlet connection	1909-14	Cast iron	20	Caddow	50	446C	1	11 oz.
3005	Cyl. head outlet con gasket	1909-14	Copper	05	Caddy	50	445B	1	
3006	Cyl. head outlet hose	1909-14	2" x 3 1/2"	10	Cadet	50	448B	1	4 oz.
3007	Cyl. head outlet hose clip	1909-14	2 3/4" dia.	05	Cadger	200	607B	2	1 oz.
3008	Cyl. head outlet con screw	1909-14	1/2" x 1 1/2"	05	Cadmean	100	550C	2	1 oz.
3009B	Cyl. front cover with set screw	1909-14	Cars above 2500	75	Cage	50	690	1	2 lb., 1 oz.
3010	Cyl. cover bolt	1909-14	3/8" x 1 1/2"	05	Cafe	50	589	1	1 oz.
3011	Cyl. cover cap screw	1909-14	3/8" x 1 1/2"	05	Cahoot	200	432	4	
3012	Cyl. cover felt	1909-14	Felt	05	Caitiff	50	504	1	
3013	Cyl. cover liner	1909-14	Paper	05	CaJole	50	505B	1	
3014	Cyl. cover and crank case bolt and nut	1909-14	3/8" x 1 1/2"	05	Calash	800	484	16	
3015	Cyl. water inlet connection	1909-14	Cast iron	20	Catfene	50	442B	1	1 lb., 3 oz.
3016	Cyl. inlet con screw	1909-14	1/2" x 1 1/2"	05	Caldron	100	597	2	
3018	Cyl. water inlet gasket	1909-14	Copper	05	Calefy	50	596	1	
3019	Cyl. water jacket plug	1909-14	1/2" pipe plug	05	Capin	200	557	6	1 oz.
3020	PISTON COMPLETE	1909-14	3 3/4" dia.	1 50	Caliph		586C	4	3 lb., 9 oz.




Plate No. 5—Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued									
3021.	Piston only	1909-14.	3 $\frac{3}{4}$ " dia.	4 0 85.	Callous.	200.	418.	4	2 lb., 15 oz.
3022.	Piston pin	1909-14.	$\frac{1}{2}$ " dia. x 3 $\frac{1}{2}$ " long.	20.	Callot.	200.	419B.	4	4 oz.
3022 $\frac{1}{2}$.	Piston pin bushing (pair)	1909-14.	$\frac{1}{2}$ " dia. x 1 $\frac{1}{4}$ " long.	20.	Callow.	400.	668.	8	3 oz.
3023.	Piston ring	1909-14.	$\frac{1}{4}$ " x 3 $\frac{3}{4}$ "	15.	Calmy.	600.	422.	12	2 oz.
*3024.	CONNECTING ROD	1909-14.	Includes bearings.	1 50.	Calvish.	200.	641.	4	1 lb., 9 oz.
3025.	Con. rod cap bolt and nut	1909-14.	$\frac{3}{8}$ " x 2" x 24 thds.	10.	Calyz.	400.	489B.	8	
3029.	Con. rod clamp screw	1909-14.	$\frac{3}{8}$ " x 1 $\frac{1}{16}$ "	05.	Cambric.	200.	578.	4	
3030.	CRANK SHAFT	1909-14.	25 $\frac{1}{32}$ " long.	10 00.	Camel.		498B.	1	
3031.	C. S. rear bearing cap	1909-14.	3 $\frac{1}{8}$ " long, babbitted.	60.	Cameo.	50.	405B.	1	1 lb., 1 oz.
3032.	C. S. front bearing cap	1909-14.	1 $\frac{1}{8}$ " long, babbitted.	50.	Camera.	50.	406B.	1	10 oz.
3033.	C. S. center bearing cap	1909-14.	2 $\frac{1}{4}$ " long, babbitted.	50.	Camlet.	50.	407B.	1	10 oz.
3034.	C. S. bearing bolt—center and front	1909-14.	$\frac{1}{2}$ " x 6 $\frac{1}{2}$ " x 20 thds.	15.	Camphor.	200.	408.	4	6 oz.
3035.	C. S. bearing bolt nut	1909-14.	$\frac{1}{2}$ " x 20 thds.	05.	Canal.	1050.	60.	6	
3036.	C. S. rear bearing bolt	1909-14.	$\frac{1}{2}$ " x 4 $\frac{1}{32}$ "	15.	Candle.	100.	478.	2	4 oz.
3037.	C. S. center bearing liner	1909-14.	2 $\frac{1}{4}$ " long, brass.	01.	Canker.	50.	501B.		
3038.	C. S. bearing liner, front	1909-14.	1 $\frac{1}{8}$ " long, brass.	01.	Cannon.	50.	502B.		
3039.	C. S. rear bearing liner	1909-14.	3" long, brass.	01.	Canny.	50.	503B.		
3040.	C. S. starting pin	1909-14.	$\frac{1}{2}$ " x 2 $\frac{1}{4}$ "	05.	Canos.	50.	529B.	1	2 oz.
3041.	CAM SHAFT	1909-14.	Drop forging	4 50.	Canteen.	50.	410.	1	3 lb., 4 oz.
3042.	Cam shaft front bearing	1909-14.	Cast iron, 2" long	25.	Canter.	50.	411.	1	6 oz.
3043.	Cam shaft center bearing	1909-14.	Cast iron, 2 $\frac{1}{2}$ " long	25.	Canthus.	50.	412B.	1	6 oz.
3044.	Cam shaft rear bearings	1909-14.	Bronze, 1 $\frac{1}{8}$ " long.	30.	Canzo.	50.	413.	1	3 oz.
3045.	Cam shaft bearing ring	1909-14.	$\frac{1}{2}$ " x 1 $\frac{1}{2}$ "	05.	Canvas.	100.	534.	4	
3046.	Cam shaft bearing set screw	1909-14.	$\frac{1}{4}$ " x $\frac{3}{8}$ "	05.	Capelin.	100.	414.	2	
3047.	Cam shaft gear—large	1909-14.	42 teeth	75.	Caper.	50.	415.	1	1 lb., 10 oz.
3048.	Cam shaft gear—small	1909-14.	21 teeth	60.	Capat.	50.	416.	1	11 oz.
3049.	Cam shaft gear dowel pin	1909-14.	$\frac{3}{8}$ " x $\frac{1}{2}$ "	03.	Capra.	100.	417.	2	
3050.	Cam shaft large gear lock nut	1909-11.	Used with com. No. 3200.	15.	Caprice.		475.	1	2 oz.

*Connecting rods requiring new bearings will be exchanged at Branch or Factory for 75c each.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued									
3050B.	Cam shaft large gear lock nut.	1912-14.	Used with com. No. 3160.	\$ 0 15.	Captive.	50.	4453.	1	2 oz.
3051.	Cam shaft small gear key.	1909-14.	Special Woodruff key.	05.	Capsize.	50.	477.	1	
3052.	Valve.	1909-14.	Exhaust and inlet.	25.	Capstan.	400.	424.	3	3 oz.
3053.	Valve bushing.	1909-10.	3/4" dia. x 2" long.	15.	Capsule.	400.	428.	8	2 oz.
3053 1/2.	Valve bushing.	1911-12.	3/4" O. D. x 2" long.	15.	Captain.	400.	428B.	8	2 oz.
3054.	Valve spring.	1909-14.	2 1/4" long.	05.	Capture.	400.	431.	8	1 oz.
3056.	Valve spring seat.	1909-14.	1 1/8" dia.	02.	Carack.	400.	425.	8	
3057.	Valve spring seat pin.	1909-14.	1/8" x 1 1/8".	01.	Caranx.	400.	429.	8	
3058.	Push rod.	1909-14.	1/8" dia., 2 1/4".	20.	Carat.	400.	426.	8	2 oz.
3059 1/2.	Push rod bushing.	1909-14.	Iron.	15.	Chippy.	400.	427B.	8	2 oz.
3060.	Exhaust pipe.	1909-12.	Iron.	1 00.	Chisley.	50.	511.	1	4 1/2 lb.
3060B.	Exhaust pipe.	1913-14.	Iron.	1 00.	Chirp.	400.	4483.	1	4 1/2 lb.
3061.	Exhaust pipe pack nut.	1909-14.	1 1/2" x 18 thdn., brass.	40.	Chitter.	50.	518.	1	4 oz.
3062.	Inlet pipe.	1909-14.	Iron.	1 50.	Chloris.	50.	512B.	1	2 lb., 8 oz.
3063.	Inlet and exhaust pipe gasket.	1909-14.	1 1/2" O. D. copper.	05.	Choker.	300.	513.	6	1 oz.
3064.	Inlet and exhaust pipe gland.	1909-14.	1 1/4" dia., iron.	05.	Chopper.	300.	514.	6	
3065.	Inlet and exhaust pipe clamp.	1909-14.	2 1/4" long.	10.	Choral.	200.	515.	4	3 oz.
3066.	Inlet and exhaust clamp stud and nut.	1909-14.	3/8" x 3 1/4".	05.	Chorus.	200.	516-517.	4	2 oz.
3068.	Breather pipe.	1909-14.	1 1/2" long, brass.	15.	Chuck.	200.	4468.	1	2 oz.
3069.	Crank case (substitute 3100 and 3376).	1909-10.	Used with No. 3300.		Chunky.		1526A.	1	
3069 1/2.	Crank case front end bearing.	1909-10.	Riveted on case.	1 50.	Cicely.	50.	801C.	1	1 lb., 1 oz.
3070.	Crank case and cyl. gasket—left.	1909-14.	Felt.	05.	Cider.	50.	886.	1	
3071.	Crank case and cyl. gasket—right.	1909-14.	Felt.	05.	Cigar.	50.	887.	1	
3072.	Crank case and cyl. cover cap screw.	1909-14.	3/8" x 1 1/2".	05.	Cinter.	100.	1388.	2	
3073.	Crank case arm bolt and nut—side.	1909-14.	3/8" x 2 1/4".	10.	Cippers.	100.	479.	2	2 oz.
3074.	Crank case arm bolt and nut—top.	1909-14.	3/8" x 1 1/2".	05.	Circlet.	200.	480.	2	
3076.	Crank case front frame bearing.	1909-14.	Iron.	60.	Circus.	50.	320H.	1	1 lb., 6 oz.
3077.	Crank case front bearing cap.	1909-14.	Iron.	15.	Cizar.		321.	1	3 oz.
3078.	Crank case front bearing screw.	1909-14.	1/4" x 3 1/2".	05.	Clabber.	100.	322.	2	1 oz.
3079.	Crank case oil cock.	1909-14.	3/8" pipe thdn., brass.	25.	Glammy.	200.	1515.	2	2 oz.




Plate No. 6—Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued									
3080...	Crank case drain cup plug	1909-14	$\frac{1}{8}$ " x 24 thds.	\$ 0 05	Clapper	100	817	1	1 oz.
3080B...	Crank case drain cup plug gasket	1909-14		05	Cliff		4339	1	
3081...	Crank case oil tube	1909-14	Brass	30	Cleavast	50	543B	1	2 oz.
3082...	Crank case oil tube clamp	1909-14		05	Cleaver	50	548B	1	
3083...	Crank case arm block	1909-14	Wood	05	Clergy	100	890	2	3 oz.
3084...	Engine pan—right	1909-14		40	Clicket	50	1330	1	1 lb., 14 oz.
3085...	Engine pan—left	1909-14		40	Clintage	50	1331B	1	1 lb., 11 oz.
3088...	Engine pan bolt and nut	1909-12	$\frac{1}{4}$ " x $\frac{1}{8}$ "	04	Cloggy	200	1335-1900	7	
3088B...	Engine pan and hood board bolt and nut	1909-14		05	Clog		4074-1309	4	
3100...	CRANK CASE WITH LOWER COVER	1912-14	Used only with No. 3376	10 00	Closet		1526C	1	
3101...	Crank case lower cover	1912-14	$6\frac{1}{4}$ " x $15\frac{1}{2}$ "	60	Closure	50	1582	1	2 lb., 13 oz.
3101B...	Crank case lower cover reinforcement	1912-14		30	Clothes	50	1583	1	1 lb., 11 oz.
3102...	Crank case lower cover gasket	1912-14	Felt	10	Clotting	50	1586	1	
3103...	Crank case lower cover screw	1912-14	$\frac{1}{8}$ " x $\frac{1}{8}$ "	03	Cloudlet	700	4328	14	
3110...	Cylinder valve cover	1912-14	$3\frac{1}{2}$ " x 8"	20	Clovate	100	656	2	9 oz.
3111...	Cylinder valve cover gasket	1912-14	Felt	06	Cloven	200	660	2	
3112...	Cylinder valve cover stud	1912-14	$\frac{3}{8}$ " x $3\frac{1}{2}$ "	10	Compone	100	654	2	2 oz.
3113...	Cylinder valve cover nut	1912-14	$\frac{3}{8}$ " x 24 thds.	02	Comport	700	517	2	
COMMUTATOR									
3155...	Commutator only	1912-14	Used with No. 3009B	1 50	Cook			1	9 oz.
3162...	Com. case support bolt	1912-14	$\frac{3}{8}$ " x $2\frac{1}{4}$ " x 24 thds.	05	Connote	50	4441	1	2 oz.
3163...	Com. case spring	1912-14	$3\frac{1}{4}$ " C. to C.	05	Conoid	50	689	1	1 oz.
3165...	Com. brush assembly	1912-14		50	Conquest	50	4481	1	3 oz.
3167...	Com. roller	1912-14	$\frac{1}{2}$ " out. dia., $\frac{1}{4}$ " long	10	Consense		673	1	
3168...	Com. roller pin	1912-14	$\frac{1}{8}$ " x $\frac{1}{2}$ "	03	Conserve		675	1	
3169...	Com. arm with roller	1912-14		25	Console		4474	1	1 oz.
3170...	Com. roller arm spring	1912-14	Coil spring	05	Consort	50	469	1	
3171...	Com. roller pin locking pin	1912-14	$\frac{1}{8}$ " x $\frac{1}{2}$ "	01	Constat		676	1	
3173...	Com. arm pin	1912-14	$\frac{1}{8}$ " x $\frac{1}{2}$ "	05	Conter		465C	1	



3201



3206



3200



3163



3221



3169



3176



3162



3165



3175



3272



3269 B



3279



3255 B



3256 B



3277 B



3260



3257 B



3278



3270



3257



3271



3277



3250 C



3276



3269 C

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
COMMUTATOR—Continued									
3176	Com. oiler	1912-14	$\frac{1}{16}$ " pipe thds.	\$ 0	10	Coomb	50	2383	1
3177	Com. felt ring	1912-14	Felt		05	Coombox	50	4467	1
3206	Com. brush cap	1909-14	$\frac{3}{8}$ " dia.		05	Convert		468	1
3207	Com. brush cap pin	1909-14	$\frac{1}{8}$ " x $\frac{1}{4}$ "		01	Convict		466	1
3210	Com. contact point nut	1909-14	$\frac{1}{8}$ " hex.		02	Cooper	200	472B	4
3211	Com. contact point fibre insulator	1909-14	$\frac{1}{8}$ " x $\frac{1}{4}$ " long		05	Copol		473B	4
3212	Com. thumb nut	1909-14	No. 10, 32 thds.		05	Copeck		467	4
3220	Com. lock nut	1909-14	$\frac{1}{8}$ " x 18 thds.		10	Crater	50	471	1
3221	Com. case with fibre assembled	1912-14			90	Crato		5908	1
3222	Com. shield	1912-15			02			5923	1

MAGNETO

3250B	Magneto coil assembly	1909-10	Used with $\frac{1}{8}$ " magnets	7	50	Coquet		591B	1	11 lb., 8 oz.
3250C	Magneto coil assembly	1911-14	Used with $\frac{3}{8}$ " magnets	7	50	Corel	25	591C	1	11 lb., 4 oz.
3252	Magneto spool support screw	1909-14	$\frac{3}{8}$ " x $\frac{5}{8}$ "		05	Corban	200	486	4	
3254	Magnet bolt	1909-14	$\frac{3}{8}$ " x $1\frac{1}{2}$ "		05	Corbell	800	537B	16	1 oz.
3255B	Magnet bolt washer	1911-14	$\frac{1}{4}$ " hole, $\frac{3}{8}$ " dia.		01	Corrupt		624	16	
3256B	Magnet washer screw	1909-10	2" x 24 thds., brass		05	Cordals		541B	16	
3257	Magnet brass support	1911-13	$\frac{1}{2}$ " x $\frac{1}{2}$ ", brass		10	Cordial	800	535C	16	
3257B	Magnet brass support	1910	$\frac{5}{8}$ " x $\frac{1}{2}$ ", brass		10	Cordon		535B	16	1 oz.
3260	Magneto contact assembly	1909-14	On trans. cover		50	Cormus	50	1545	1	2 oz.
3261	Magneto contact thumb nut	1909-14	Brass		10	Cornet	50	1508	1	
3262	Magneto contact spring	1909-11	Coil spring		05	Cornise	50	1509	1	
3262B	Magneto primary contact point	1909-14	$\frac{1}{8}$ " dia.		05	Corpae		4350	1	
3264	Magneto contact tube with fibre	1909-14	$\frac{1}{8}$ " x $1\frac{1}{2}$ "		20	Cortex		1516B	1	1 oz.
3266	Magneto contact fibre screw	1909-14	$\frac{1}{2}$ " long		01	Cortile	150	1505B	1	
3269C	Fly wheel	1911-14	Used on cars over 20700	5	00	Cosmic		701B	1	
3269D	Fly wheel with magnets assembled	1912-14	Used with 3250C only	14	00	Cosmitag		684	1	
3270	Fly wheel cap screw	1909-14	$\frac{1}{4}$ " x $1\frac{1}{2}$ "		10	Cosack	200	721	4	2 oz.
3271	Fly wheel dowel pin	1909-14	$\frac{1}{16}$ " x $1\frac{1}{2}$ "		10	Costard	100	722	2	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
MAGNETO—Continued									
3272...	Magneto coil support shim	1909-14	Sheet steel	\$ 0 10	Costrel	50	584	1	
3275...	Magnet (16) per set	1909-10	Thickness at face $\frac{3}{16}$ "	12 00	Core		536B	16	
3276...	Magnet (16) per set	1911-14	Thickness at face $\frac{3}{8}$ "	4 00	Coupon		536C	16	
3277...	Magnet clamp	1911-12		05	Corland	800	623	16	
3277B...	Magnet clamp	1913-14		05	Cotta		4499	16	
3278...	Magnet clamp screw	1911-14	2 $\frac{3}{4}$ " x 24 thds., brass	05	Cottage	800	625	16	
3279...	Magneto contact washer	1909-14	Felt on trans. cover	01	Cough	50	560	1	

TRANSMISSION

3300...	Transmission assembly	1909-14		40 00	Delester		744B	1	
3301...	Trans. reverse plate assembly	1909-14		2 75	Dacolt		747	1	4 lb., 14 oz.
3304...	Trans. reverse gear bushing	1909-14	2 $\frac{5}{16}$ " rear	50	Daddy	50	705	1	9 oz.
3305...	Trans. reverse and S. S. rivet	1909-14	$\frac{5}{16}$ " x $\frac{11}{16}$ "	01	Dado	800	708	8	
3306...	TRANS. SLOW SPEED PLATE ASSEMBLY	1909-14		3 00	Dagger		748	1	4 lb., 8 oz.
3309...	Trans. slow speed gear bushing	1909-14	1 $\frac{3}{4}$ " ream	50	Dairy	50	745	1	5 oz.
3310...	Trans. brake drum rivet	1909-14	$\frac{1}{2}$ " x $\frac{11}{16}$ "	01	Daisy		711	8	
3311...	TRANS. BRAKE DRUM ASSEMBLY	1909-14		2 50	Dakir		750	1	6 lb., 2 oz.
3313...	TRANS. TRIPLE GEAR ASSEMBLY	1909-14		4 00	Dallop		751B	3	2 lb.
3314...	Trans. triple gear bushing	1909-10	1" dia. x 1 $\frac{1}{4}$ " long	30	Dally		716A	3	3 $\frac{1}{2}$ oz.
3314 $\frac{1}{2}$...	Trans. triple gear flanged bushing	1911-14	1 $\frac{1}{2}$ " dia. x 1 $\frac{1}{4}$ "	30	Dalriad	150	716B	3	4 oz.
3315...	Trans. triple gear shaft	1909-14	1 $\frac{1}{2}$ " dia. x 2 $\frac{1}{2}$ "	30	Dalrotz	150	715	3	4 oz.
3316...	Trans. triple gear riveting pin	1909-14	$\frac{3}{8}$ " x 1 $\frac{1}{8}$ "	02	Damar	1200	720	24	
3317...	Trans. driven gear	1909-14	27 teeth	1 00	Damask	50	713	1	13 oz.
3318...	Trans. driven gear key	1909-14	"B" Woodruff key	05	Dampen	100	714	2	4 oz.
3320B...	Trans. driven gear sleeve bushing	1909-14	1" ream x flange 2 $\frac{3}{4}$ "	50	Danklah	50	769	1	4 oz.
3320C...	Trans. driven gear sleeve bushing	1909-14	1 $\frac{1}{4}$ " long	30	Dark	50	712	1	3 oz.
3321...	TRANS. DRIVING PLATE ASSEMBLY	1909-14		4 00	Dannock		749	1	5 lb.
3323...	Trans. driving plate screw	1909-14	$\frac{3}{8}$ " x $\frac{1}{4}$ "	05	Daphine	300	1568	6	
3324...	Trans. driving plate key	1909-14	"A" Woodruff	05	Dapple		734	1	
3325...	Trans. driving plate rivet	1909-14	$\frac{3}{8}$ " x $\frac{3}{8}$ "	01	Darner	400	736	8	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION—Continued									
3327...	Trans. driving plate bushing	1909-14.	1 1/4" O. D. x 2" long	\$ 0 30	Darals	50	724	1	3 oz.
3327B	Trans. driving plate bushing	1914-15.	1 1/8" x 1 1/4"	25			77	1	
3328...	Trans. thrust plate—small	1909-14.	6" dia.	10	Dauphin	650	727	13	3 oz.
3329...	Trans. thrust plate—large	1909-14.	6 1/4"	10	Davine	650	728	13	3 oz.
3330...	Trans. distance plate	1909-14.	6" O. D.	15	Decry	50	729	1	7 oz.
3331...	Trans. gear shaft	1909-14.	1" dia. x 7 1/4" over all	2 00	Decurt	50	723B	1	2 lb., 10 oz.
3332...	Trans. clutch disc drum	1909-14.	4 1/8" dia.	1 50	Deeply	50	725B	1	1 lb., 11 oz.
3333...	Trans. clutch disc drum key	1909-14.	"C" Woodruff	10	Defalk		726B	1	
3334...	Trans. clutch disc drum set screw	1909-14.	3/8" x 3/4"	05	Defeat	50	752	1	
3336...	Trans. clutch push ring	1909-14.	6 1/8" O. D.	1 50	Defile	50	704	1	1 lb., 1 oz.
3337...	Trans. clutch finger	1909-14.		30	Define	150	732B	3	3 oz.
3337 1/2	Trans. clutch finger screw	1909-14.	3/8" x 3/4" x 24 thds.	05	Deffour	150	756	3	
3337 1/4	Trans. clutch finger washer	1909-14.	1/8" hole, 3/4" dia.	01	Deforce		759	3	
3338...	Trans. clutch finger pin	1909-14.	1 1/8" x 1 5/8"	05	Deform	150	735	3	1 oz.
3340...	Trans. clutch spring	1909-14.	2 3/8" dia. x 2 3/4" long	30	Defoue	50	737	1	10 oz.
3341...	Trans. clutch spring support	1909-14.		20	Delator	50	738	1	4 oz.
3342...	Trans. clutch spring thrust ring pin	1909-14.	1/8" x 2 3/8"	05	Delete	50	739	1	
3343...	Trans. clutch spring thrust ring	1909-14.	1/8" x 2 1/8" dia.	25	Dellac	50	740	1	3 oz.
3344...	Trans. clutch shift	1909-14.		1 00	Delight	50	733	1	14 oz.

TRANSMISSION COVER

3361...	Trans. cover with square door	1909-10.	Aluminum	9 00	Delude		826A	1	10 lb., 14 oz.
3362...	Trans. cover bolt and nut	1909-14.	3/8" x 1 1/8"	05	Defunct	500	825B	8	1 oz.
3363...	Trans. cover felt gasket (front)	1909-14.	1/8" x 1/4" x 15 3/8"	05	Defy		872B	1	
3365...	Trans. cover door (square)	1909-10.	5 1/8" x 6 1/2"	75	Degust		1546C	1	15 oz.
3366...	Trans. cover door gasket	1909-10.	Felt	10	Delver		1547B	1	
3367...	Trans. cover door screw	1909-14.	1/8" x 3/4"	05	Demaln	300	1564	6	
3368...	Universal ball cap (rear)	1909-14.	5 3/4"	60	Demarch	50	818	1	15 oz.
3369...	Universal ball cap (front)	1909-14.	Bearing included	1 00	Demarga	50	819D	1	1 lb., 14 oz.
3371...	Universal ball cap bolt	1909-14.	3/4" x 1 1/8"	05	Demlee		1568	2	
3372...	Universal ball cap bolt and nut	1909-14.	3/4" x 1 1/4"	05	Demtr	350	79-8	2	




Plate No. 8—Transmission Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION COVER—Continued									
3374	Trans. cover bolt	1909-14	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	\$ 0	05. Demur	500	484	2	1 oz.
3375	Trans. cover screw	1909-14	$\frac{3}{8}$ " x $1\frac{1}{2}$ "		05. Dengue		1388	2	
3376	TRANS. COVER WITH SLOPING DOOR	1911-14	Used with No. 3100	9	00. Denier		826D	1	
3377	Trans. cover felt gasket (pair)	1909-14	Felt	10	05. Dennet	100	885B	2	
3378	Trans. cover sloping door	1911-14	$9\frac{1}{4}$ " long	30	05. Dental	50	1546D	1	1 lb., 5 oz.
3379	Trans. cover sloping door gasket	1911-14	Felt	05	05. Denude		1547C	1	
TRANSMISSION CONTROL									
3400	Trans. clutch release ring	1909-14	$3\frac{1}{8}$ " long, brass	60	05. Detail	50	741	1	6 oz.
3401	Clutch lever	1909-14		30	05. Derby	50	806B	1	4 oz.
*3402	Clutch lever shaft	1909-12	$\frac{3}{8}$ " x $9\frac{3}{8}$ "	25	05. Dermal	50	833B	1	12 oz.
3402B	Clutch lever shaft	1913-14		25	05. Dine		4344	1	12 oz.
3402C	Clutch lever shaft with release forks	1913-14		85	05. Dirk			1	1 lb., 8 oz.
3403	Clutch lever screw and nut	1909-14	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	10	05. Dervish	50	1542	1	
3405	Clutch lever pin	1909-14	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	03	05. Detour		1553	1	
3406	Clutch release fork—right or left	1909-12		40	05. Detrude	100	4345	1	3 oz.
3406B	Clutch release fork—right or left	1913-14		30	05. Deuce		4345	2	3 oz.
3406C	Clutch release fork pin	1913-14		02	05. Devil		1553	2	
3408	Clutch release fork key	1909-14	No. 7 Woodruff	05	05. Dilate	100	836	2	
3409	Clutch release fork clamp screw	1909-14	$\frac{3}{8}$ " x $\frac{1}{2}$ "	05	05. Dipper	100	835	2	
3411	Clutch lever clevis pin	1909-14	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	02	05. Disbase		65	1	
3413	TRANSMISSION BAND ASSEMBLY (Bands will be exchanged at Branch or Factory at 50c each)	1909-14		1	00. Disblame	150	838B	3	1 lb., 2 oz.
3415	Trans. band washer	1909-14	$\frac{1}{2}$ " hole x $\frac{3}{8}$ " dia.	02	05. Discure	100	840	2	
3416	Trans. band lining	1909-14		30	05. Disedge	150	1562	3	3 oz.
3419	Trans. band adjusting screw	1909-14	$\frac{3}{4}$ " x $3\frac{1}{2}$ "	10	05. Disfriar	50	1533	1	4 oz.
3420	Trans. band adjusting screw nut	1909-14	$\frac{3}{4}$ " x $1\frac{1}{2}$ "	05	05. Disilimb	50	1532	1	
3421B	Trans. band ear iron rivet, per doz	1909-14	$\frac{1}{2}$ " x $\frac{3}{8}$ "	02	05. Dismal	900	843	12	

*Order Number 3402C for use on cars numbered below 175000

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION CONTROL—Continued									
3422B...	Trans. band brass rivet, per doz.	1909-14.	$\frac{1}{8}$ " x $\frac{1}{2}$ "	\$ 0 05	Dismast	300	844B	6	
3423B...	Trans. band brass rivet, per doz.	1909-14.	$\frac{1}{8}$ " x $\frac{3}{8}$ "	05	Dismaw	900	845B	18	
3425...	Trans. band spring	1909-14.	Coil	05	Dispark	150	841B	3	
3426...	Trans. band adjusting nut	1909-14.	$\frac{1}{8}$ " x 20 thds.	03	Displat	100	851	2	
3427...	Slow speed shaft	1909-14.	$\frac{5}{8}$ " x 9 $\frac{3}{4}$ "	30	Disputz	50	848B	1	11 oz.
3428...	Slow speed notch	1909-14.	On slow speed shaft	35	Disstrand	50	4327	1	5 oz.
3429...	Slow speed notch pin	1909-14.	$\frac{1}{4}$ " x 1 $\frac{1}{8}$ "	03	Disrobe		1560	1	
3432...	Speed lever	1909-14.		40	Distaff		862B	1	7 oz.
3433...	Speed lever clevis pin	1909-14.	$\frac{1}{8}$ " x 1"	02	Distill		65	1	
3434...	Reverse pedal	1909-14.		75	Disting	50	4324	1	1 lb.
3435...	Brake and rev. pedal shaft	1909-14.	$\frac{5}{8}$ " dia. x 7 $\frac{1}{2}$ "	20	Distrite	100	849B	2	8 oz.
3436...	Brake and rev. pedal support	1909-14.		20	Distune	100	4325	2	3 oz.
3437...	Brake and rev. support bolt and nut	1909-14.	$\frac{3}{8}$ " x 1 $\frac{1}{2}$ "	10	Ditcher	100	1534-8	2	
3439...	Brake pedal	1909-14.		75	Dittost	50	4323	1	1 lb., 2 oz.
3440...	Clutch pedal	1909-14.		75	Ditty	50	854B	1	1 lb., 2 oz.
3441...	Pedal pin	1909-14.	$\frac{1}{4}$ " x 1 $\frac{1}{8}$ "	03	Doodle		1553	3	
3442...	Clutch pedal support	1909-14.		20	Doekad	50	4326	1	3 oz.
3443...	Clutch pedal support bolt and nut	1909-14.	$\frac{3}{8}$ " x 2"	05	Doorga		1536-8	1	
3445...	Slow speed connection	1909-14.		10	Doree	50	1540	1	
3446...	Slow speed con. lock nut	1909-14.	$\frac{1}{8}$ " x 24 thds.	02	Doric	350	850	1	
3447...	Slow speed con. clevis	1909-14.		20	Dormer	150	802	1	2 oz.
3448...	Controller quadrant	1909-14.	On frame	40	Dormouse	50	309B	1	9 oz.
3449...	CONTROLLER SHAFT WITH SPEED LEVER	1909-14.		1 00	Doron	50	1557	1	3 lb., 15 oz.
3450...	Controller shaft bracket	1909-14.	On frame	15	Dorrer	100	311	2	5 oz.
3451...	Controller shaft bracket felt	1909-14.		02	Dorsal	100	314	2	
3452...	Controller shaft bracket bolt and nut	1909-14.	$\frac{1}{8}$ " x $\frac{11}{16}$ "	05	Dorture	200	315-316	4	
3455...	HAND BRAKE LEVER ASSEMBLY	1909-14.		2 00	Dotant	50	1550	1	2 lb., 2 oz.
3456...	Hand brake lever pin	1909-14.	$\frac{1}{4}$ " x 1 $\frac{1}{8}$ "	02	Dottree	50	1560	1	
3457...	Hand brake lever key	1909-14.	No. 9 Woodruff	05	Doublet	50	874	1	
3458...	Hand brake lever pawl	1909-14.		15	Doucar	50	875	1	




Plate No. 9—Transmission Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION CONTROL—Continued									
3459	Hand brake lever pawl pin	1909-14	$\frac{1}{16}$ " x $\frac{1}{16}$ "	\$ 0	05	Doura	150	876	1
3460	Hand brake lever pawl rod	1909-14		15		Dovecote	50	877	1 3 oz.
3462	Hand brake lever pawl lift	1909-14	Handle	20		Dovekie	50	879	1 2 oz.
3463	Hand brake lever pawl lift spring	1909-14		05		Dawcet		888	1
3465	HUB BRAKE LEVER ON CONTROLLER SHAFT	1909-14		40		Dawdy	50	864	1 3 oz.
3466	Hub brake lever pin	1909-14	$\frac{1}{4}$ " x $1\frac{1}{16}$ "	02		Downcast	200	1533	1
3467	Hub brake lever clevis	1909-14	$\frac{3}{16}$ "	20		Dragon	150	802	2 1 oz.
3468	Hub brake pull rod—right	1909-14	$54\frac{1}{2}$ " long	45		Drongo		891B	1
3469	Hub brake pull rod—left	1909-14	$54\frac{1}{2}$ " long	45		Dropax	50	1513B	1
3470	Hub brake rod support—right	1909-14		15		Dropsy	50	1367	1 4 oz.
3471	Hub brake rod support—left	1909-14		15		Drugger	50	1398	1 4 oz.
3472	Hub brake rod support bolt and nut	1909-14	$\frac{1}{2}$ " x $1\frac{1}{2}$ "	05		Duchess	100	1399B-1900	2
STEERING GEAR									
3500	Steering gear assembly	1909-10	50 " long, cars below 34600	16	00	Eagle		900A	1
3500C	Steering gear assembly	1912-14	51 " long	16	00	Estopped		5005	1
3500D	Steering gear assembly	1911	60 " long, runabout	16	00	Eurus		979	1
3501	Steering gear rim	1909-10	15 " dia., wood, Order 3503C						
3501B	Steering gear rim	1911-14	15 " dia., wood	1	00	Estrade	50	901B	1 1 lb., 6 oz.
3502	Steering gear rim screw	1909-14	No. 12, $\frac{1}{4}$ "	02		Eblis		919	4
3503B	Steering gear spider	1911-14	$13\frac{3}{8}$ " over all	1	00	Estrepe		902B	1 1 lb., 10 oz.
3503C	Steering gear spider and rim	1909-14	15 " dia., spider and rim	2	00			995	1
3504	Steering gear cover	1909-14	$2\frac{1}{16}$ " x 18 thds.	80		Echole	50	903	1 10 oz.
3505	Steering gear cover screw	1909-14	No. 6, 32 x $\frac{1}{16}$ "	02		Eccope		910	2
3506	Steering gear cover bushing	1909-14	$1\frac{1}{16}$ " long, brass	20		Echo		914	1 2 oz.
3507	Steering gear internal gear case	1909-14	3 " x 18 thds.	1	00	Eclat	50	904	1 11 oz.
3508	Steering gear case bushing	1909-14	$\frac{1}{16}$ " x $2\frac{1}{16}$ "	80		Eclipse		905A	1 11 oz.
3509	Steering gear quadrant	1909-14	Brass	80		Ectype	50	906	1 7 oz.
3510	Steering gear quadrant pin	1909-14	$\frac{1}{4}$ " x $1\frac{1}{2}$ " brass	03		Eden		907	2

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
STEERING GEAR—Continued									
3511...	Steering gear wheel nut.....	1909-14...	$\frac{3}{8}$ " x 16 thds.....	\$ 0 20	Edict.....	50.....	913.....	1	2 oz.
3512...	Steering gear tubing assembly.....	1909-10...	Applies to No. 3500.....	8 00	Edile.....		964A.....	1	
3512B...	Steering gear tubing assembly.....	1911...	Used on Town Cars.....	8 00	Ethic.....		964B.....	1	
3512C...	Steering gear tubing assembly.....	1912-14...	Applies to No. 3500C.....	8 00	Ethicer.....		5016.....	1	
3512D...	Steering gear tubing assembly.....	1911...	Applies to No. 3500D.....	8 00	Euryale.....		5011.....	1	
3513B...	Steering tubing flange screw.....	1911-14...	$\frac{1}{2}$ " x $1\frac{1}{8}$ ".....	05	Ethule.....	200.....	5019.....	3	
3513C...	Steering tubing flange screw.....	1911-14...	$\frac{1}{2}$ " x $1\frac{1}{8}$ ".....	05	Ettle.....		5018.....	1	
3514...	Steering tubing flange screw nut.....	1909-14...		05	Ettlor.....		926.....		
3516...	Steering gear post.....	1909-10...	Applies to No. 3500.....	2 00	Effray.....		915A.....	1	
3516B...	Steering gear post.....	1911...	Used on Town Cars.....	2 00	Estrick.....		915B.....	1	
3516C...	Steering gear post.....	1912-14...	Applies to No. 3500C.....	2 00	Estricked.....		5002.....	1	
3516D...	Steering gear post.....	1911...	Applies to No. 3500D.....	2 00	Eutaxy.....		959.....	1	
3517...	Steering gear pinions, each.....	1909-14...	12 teeth.....	25	Egad.....		916.....	3	
3518...	Steering gear pinion pin.....	1909-14...	$\frac{3}{8}$ " x $1\frac{1}{8}$ ".....	05	Egest.....		917.....	3	
3519...	Steering gear drive pinion.....	1909-14...	12 teeth.....	75	Egger.....		911.....	1	7 oz.
3520...	Steering gear drive pinion key.....	1909-14...	$\frac{1}{2}$ " sq. x $\frac{3}{4}$ ".....	05	Egma.....	100.....	909.....	2	
3521...	Steering gear pinion shaft bushing.....	1909-14...	$\frac{3}{4}$ " bore x $1\frac{1}{2}$ ".....	20	Egress.....		912.....	1	
3523...	Steering gear post castle nut.....	1909-14...	$\frac{1}{2}$ " x 20 thds.....	05	Elder.....	1050.....	60.....	1	
3524E...	Throttle rod.....	1912-14...	$47\frac{1}{2}$ " Applies to 3500C.....	40	Euter.....		5003.....	1	1 lb., 3 oz.
3525E...	Lead rod.....	1912-14...	$51\frac{1}{2}$ " Applies to 3500C.....	40	Evans.....		5004.....	1	1 lb., 4 oz.
3526...	Lead and throttle handle.....	1909-14...	1 $\frac{1}{8}$ " long, rubber.....	20	Elfin.....		918.....	2	
3527...	Lead and throttle rod spring.....	1909-14...		05	Elite.....	100.....	935.....	2	
3528...	Lead and throttle rod collar.....	1909-14...	$\frac{1}{2}$ " bore x $\frac{1}{4}$ ".....	05	Elope.....	100.....	936.....	2	
3529...	Lead and throttle rod pin.....	1909-14...	$\frac{1}{2}$ " x $1\frac{1}{8}$ ".....	02	Elvan.....		937.....	2	
3530...	Lead rod lever.....	1909-14...		20	Embank.....	50.....	946.....	1	
3531...	Throttle rod lever.....	1909-14...		25	Ember.....	50.....	947.....	1	
3532...	Throttle rod guide.....	1909-14...	$\frac{3}{4}$ " bore.....	25	Emblem.....		938.....	1	
3534...	Commutator pull rod.....	1909-11...	14" long.....	20	Embroil.....		1325B.....	1	3 oz.
3534B...	Commutator pull rod.....	1912-14...		20	Embrace.....	50.....	2082.....	1	3 oz.
3535...	Carburetor pull rod.....	1909-14...	13 $\frac{1}{2}$ " long.....	20	Emboas.....	50.....	1329B.....	1	3 oz.




Plate No. 10—Steering Gear Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
STEERING GEAR—Continued									
3536	Ball and socket joint	1909-14		\$ 0 20	Embrald	50	1326	2	1 oz.
3537	Ball and socket joint nut	1909-14	$\frac{1}{8}$ " x 32 thds.		03, Embrute	50	1327	2	
3538	Carburetor pull rod adjustment	1909-14	$\frac{1}{8}$ " x 32 thds.		15, Empale	50	1904	1	
3539	Steering post bracket with bushing	1909-10		1 50	Empeach		932A	1	1 lb., 12 oz.
3539B	Steering post bracket with bushing	1911-12	Touring	1 50	Eupon		932B	1	1 lb., 14 oz.
3539C	Steering post bracket with bushing	1911	Runabout	1 50	Exlle		953	1	1 lb., 15 oz.
3540	Steering post bracket bolt	1909-14	$\frac{3}{8}$ " x 2 $\frac{1}{4}$ "		05, Empearl	100	479	1	2 oz.
3541	Steering post bracket bolt and nut	1909-14	$\frac{3}{8}$ " x $\frac{1}{2}$ "		05, Endive		480	2	
3544	Steering post bracket felt washer	1909-14			05, Endow		943	1	
3545	Steering post bracket bushing	1909-14	$\frac{3}{4}$ " bore, brass		60, Envault	50	944	1	2 oz.
3546	Steering post bracket block	1909-14	Wood		10, Empact	50	945	1	3 oz.
3547	Steering gear ball arm	1909-14			75, Eparch	50	929B	1	11 oz.
3548	Steering gear ball arm key	1909-14	Woodruff		05, Ephod		930	1	
3563	Steering post bracket grease cup	1909-14	$\frac{1}{8}$ " pipe thds.		15, Eurite		76	1	1 oz.

BODY PARTS

3601	Body bracket on body	1910-12	Front end		10, Fabius		1002	2	4 oz.
3601B	Body bracket on body	1910-14	Center and rear		10, Fabric	300	1624	6	8 oz.
3601C	Body bracket on frame	1911-12	Rear		40, Faber	300	2435	2	8 oz.
3602D	Body bracket con. bolt and nut	1910-12	Specify size		05, Facade	100		2	
3611	Tonneau door handle	1910-11	3 $\frac{1}{2}$ " long, brass		60, Fairy		1443	2	7 oz.
3611B	Door knob	1912			15, Faro		2620	3	
3617B	Tonneau door hinge assembly		Specify year		50, Flavor			1	
3624B	Front floor rubber matting	1912	29 $\frac{1}{8}$ " x 29 $\frac{1}{8}$ " Runabout	2 00	Fitch		5215	1	5 lb., 8 oz.
3624C	Front floor rubber matting	1909-14	27 $\frac{1}{8}$ " x 29 $\frac{1}{8}$ "	2 00	Piton		5401	1	
3624D	Front floor rubber matting	1912	Delivery car	1 00	Xixit		5251	1	
3626	Floor board (first from dash)	1909-14			35, Farness		1098	1	2 lb., 9 oz.
3627	Floor board (second)	1909-14	Specify size		35, Farrier		1402	1	2 lb.
3628	Floor board (third)	1909-14	Specify size		35, Pasces		1404	1	5 lb.
3629	Floor board (fourth)	1909-14	Specify size		35, Fastl		1403	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	--------------------------------------	----------	------------------	----------------

BODY PARTS—Continued

3630	Floor board forward plate for pedals	1909-14	2 $\frac{1}{8}$ " x 3 $\frac{1}{8}$ "	\$ 0 40	Fateful	50	1400C	1	6 oz.
3632	Floor board rear plate for pedals	1909-14	2 $\frac{1}{8}$ " x 4 $\frac{1}{8}$ "	50	Father	50	1095C	1	12 oz.
3633	Floor board plate for side lever	1909-14	2 $\frac{3}{8}$ " x 8 $\frac{1}{4}$ "	35	Fathom	50	1094B	1	5 oz.
3634B	Dash	1909-10-11	21 $\frac{1}{2}$ " x 31 $\frac{1}{8}$ "	5 00	Flamen		1091B	1	9 lb., 4 oz.
3634C	Dash	1912	28" x 32 $\frac{1}{4}$ "	5 00	Flamemer		5257	1	10 lb., 12 oz.
3634D	Dash	1913-14	21 $\frac{1}{2}$ " x 32 $\frac{1}{4}$ "	5 00	Flamgo		5336	1	9 lb., 4 oz.
3635D	Dash brass moulding	1913-14		1 00	Flesh		5426	1	13 oz.
3638	Dash shield	1909-14	$\frac{1}{8}$ " x 3 $\frac{1}{8}$ " x 13 $\frac{1}{4}$ "	20	Faubit		1097B	1	5 oz.
3639	Dash shield guide	1909-14	$\frac{1}{8}$ " x 1" x 14 $\frac{1}{4}$ "	20	Fausen		1093	1	3 oz.
3640B	Dash bracket—left	1911-14	10 $\frac{1}{2}$ "	50	Flanker		1017B	1	10 oz.
3641B	Dash bracket—right	1911-14	10 $\frac{1}{2}$ "	50	Flannel		1018B	1	10 oz.
3642	Dash bracket bolt and nut	1909-14	$\frac{1}{4}$ " x $\frac{1}{2}$ " on frame	05	Faunist	200	1028-8	4	
3645	Dash bracket top bolt and nut	1909-14	$\frac{1}{8}$ " x 1 $\frac{1}{4}$ " x 18 thds.	05	Favos	250	2427-926	2	
3651	Dash to body bracket	1909-14	$\frac{1}{4}$ " x 1 $\frac{1}{2}$ " x 4 $\frac{1}{8}$ "	15	Febid	100	1489	2	2 oz.
3655	Oil lamp bracket—right	1909-14	Touring cars	30	Feline	50	1497	1	12 oz.
3656	Oil lamp bracket—left	1909-14	Touring cars	30	Felsire	50	1498	1	12 oz.
3657	Oil lamp bracket screw and nut	1909-14	$\frac{1}{4}$ " x 1 $\frac{1}{8}$ "	10	Felwort	200	1603-1608	4	
3660	Tail lamp bracket	1909-12	Also 1913-14 Torpedo	25	Fennel	50	2634	1	9 oz.
3660B	Tail lamp bracket	1913-14	Touring car	25	Fenor		5442	1	12 oz.
3660C	Tail lamp bracket	1912	Delivery car	25	Sperm		1698	1	1 lb., 1 oz.
3661	Tail lamp bracket bolt and nut	1909-14	$\frac{1}{8}$ " x 1 $\frac{1}{4}$ "	05	Ferial	100	1662-341	2	1 oz.
3663	Gas lamp bracket (right)	1909-14		50	Fertile	50	1301B	1	1 lb., 3 oz.
3664	Gas lamp bracket (left)	1909-14		50	Fervid	50	1348B	1	1 lb., 3 oz.
3665	Gas lamp bracket nut	1909-14	$\frac{1}{2}$ " x 20 thds.	05	Festal		1302	2	
3667D	Seat cushion	1913	Runabout	8 00	Fanax		5565	1	
3667E	Front seat cushion	1909-14		10 00	Farce		7027		
3670D	Rear seat cushion	1909-14		10 00	Forum		7032	1	
3671	Oil lamp bracket—right (Town Car)	1909-12		1 00	Fibster		1645	1	1 lb., 6 oz.
3672	Oil lamp bracket—left (Town Car)	1909-12		1 00	Fibrine		1659	1	1 lb., 6 oz.
3676B	Cocoa mat	1911-14	30" x 28"	2 50	Flatus		1606B	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
SPRINGS									
3800	Front spring	1909-14	Specify color	\$ 4 00	Gadan	332		1	17 lb., 8 oz.
3801	First leaf (main leaf)	1909-14		1 00	Gabbler	354		1	4 lb., 3 oz.
3802	Second leaf	1909-14		80	Gablet	355		1	3 lb., 8 oz.
3803	Third leaf	1909-14		70	Gaddiah	356		1	2 lb., 12 oz.
3804	Fourth leaf	1909-14		60	Gadold	357		1	2 lb., 9 oz.
3805	Fifth leaf	1909-14		50	Gallie	358		1	1 lb., 13 oz.
3806	Sixth leaf	1909-14		40	Gafol	359		1	1 lb., 7 oz.
3807	Seventh leaf	1909-14		25	Gaiter	360		1	15 oz.
3808	Front spring clip	1909-14		20	Galena	100 325B		2	10 oz.
3809	Front spring clip nut	1909-14	$\frac{1}{2}$ " x 20 thds.	05	Gallant	1050 60		4	
3811	Front spring tie bolt and nut	1909-14	$\frac{1}{8}$ " x 2 $\frac{1}{4}$ "	10	Galley	50 1362-1363		1	1 oz.
3813	Front spring hanger	1909-14		50	Gambit	246		4	4 oz.
3815	Front and rear spring hanger nut	1909-14	$\frac{3}{4}$ " x 20 thds.	02	Gambage	800 220		8	
3817	Front and rear spring hanger oiler	1909-14		10	Gamin	600 218		8	
3818	Front spring perch—right	1909-14		75	Ganut	50 222		1	15 oz.
3819	Front spring perch—left	1909-14		75	Gander	50 222 $\frac{1}{2}$		1	15 oz.
3820	Front spring perch bushing	1909-14	$\frac{1}{4}$ " x 1 $\frac{1}{2}$ ", brass	10	Gangue	200 230		4	1 oz.
3821	Front spring perch nut	1909-14	$\frac{5}{8}$ " x 18 thds.	05	Ganil	200 242		2	2 oz.
3823	Front spring leather	1909-14	1 $\frac{1}{2}$ " x 5 $\frac{3}{4}$ "	10	Gannet	50 262		1	2 oz.
3824	REAR SPRING	1909-14	.56" tread, 8 leaf	12 00	Ganoid		333	1	
3825	First leaf (main leaf)	1909-14		2 60	Gantlope		361	1	9 lb.
3826	Second leaf	1909-14		2 25	Gantols		362	1	7 lb., 7 oz.
3827	Third leaf	1909-14		2 00	Ganza		363	1	6 lb., 14 oz.
3828	Fourth leaf	1909-14		1 75	Gaphare		364	1	6 lb., 5 oz.
3829	Fifth leaf	1909-14		1 60	Garden		365	1	5 lb., 13 oz.
3830	Sixth leaf	1909-14		1 50	Garland		366	1	5 lb., 11 oz.
3831	Seventh leaf	1909-14		1 30	Garlic		367	1	5 lb., 7 oz.
3832	Eighth leaf	1909-14		1 10	Garner		368	1	3 lb., 8 oz.
3833	Rear spring clip	1909-14	$\frac{1}{2}$ " x 18 thds.	20	Game	100 326		2	11 oz.
3834	Rear spring clip nut	1909-14	$\frac{3}{8}$ " x 18 thds.	05	Garter	50 77		4	1 oz.




Plate No. 11—Spring Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
SPRINGS—Continued									
3835	Rear spring clip bar	1909-14	$\frac{3}{8}$ " x $1\frac{1}{8}$ " x 4" x $\frac{1}{8}$ "	\$ 0 10	Gascon	100	329	2 7 oz.	
3837	Rear spring tie bolt and nut	1909-14	$\frac{3}{8}$ " x $2\frac{1}{4}$ "	10	Gastric	50	1352	1 2 oz.	
3840	Rear spring hanger	1909-14		50	Gaulus	200	91 $\frac{1}{2}$	4 5 oz.	
3842	Rear spring leather pad	1909-14	2" x $10\frac{1}{4}$ "	10	Gavel	50	94	1 2 oz.	
3843	Rear spring perch	1909-14		60	Gavot	100	41	2 12 oz.	
3844	Rear spring perch bushing	1909-14	$\frac{1}{8}$ " bore x $\frac{3}{4}$ " dia. x 2"	10	Gawky	100	172	2 2 oz.	
3845	Rear spring perch nut	1909-14	$\frac{1}{8}$ " x 16 thds.	05	Gazara	100	174	2 2 oz.	
3847	Front spring retainer clip with bolt and nut	1909-14		10	Gazzam		373-2909	2 3 oz.	
3848	Rear spring retainer clip with bolt and nut	1909-14		10	Gecko		375-2907	2 4 oz.	

REAR SPRING—60 INCH TREAD

3850	Rear spring	1909-14	48 $\frac{1}{2}$ " long, 8 leaf	12 00	Geddur		1704	1	
3851	Rear spring clip	1909-14	$\frac{8}{16}$ " x $4\frac{7}{16}$ "	20	Gelder	100	1737	2 12 oz.	
3852	Rear spring tie bolt and nut	1909-14	$\frac{3}{8}$ " x $3\frac{1}{2}$ "	10	Gemote	50	1738-1353	1 3 oz.	
3853	First leaf (main leaf)	1909-14		2 60	Gemsbok		1739	1 10 lb., 10 oz.	
3854	Second leaf	1909-14		2 25	Gershon		1740	1 9 lb., 1 oz.	
3855	Third leaf	1909-14		2 00	Gerper		1741	1 8 lb., 3 oz.	
3856	Fourth leaf	1909-14		1 75	Gherkin		1742	1 6 lb.	
3857	Fifth leaf	1909-14		1 60	Gibbet		1743	1 5 lb., 8 oz.	
3858	Sixth leaf	1909-14		1 50	Ginger		1744	1 6 lb., 10 oz.	
3859	Seventh leaf	1909-14		1 30	Gipsire		1745	1 4 lb., 6 oz.	
3860	Eighth leaf	1909-14		1 10	Gisarm		1746	1 3 lb., 9 oz.	

STARTING CRANK

3900	Starting crank only	1909-14	Cars above 2500	75	Hernia		519B	1 1 lb., 10 oz.	
3901	Starting crank handle	1909-14	Aluminum	25	Heron	50	520	1 2 oz.	
3902	Starting crank handle bolt	1909-14	$\frac{1}{2}$ " x $4\frac{5}{8}$ "	10	Herpes	50	521	1 4 oz.	
3903	Starting crank sleeve	1909-14	$\frac{1}{8}$ " bore x $\frac{1}{2}$ " x $2\frac{1}{4}$ "	20	Hesper	50	523B	1 4 oz.	
3905	Starting crank ratchet pin	1909-14	1 $\frac{1}{2}$ "	05	Hestern	50	527B	1	
3906	Starting crank ratchet	1909-14		25	Hetman	50	528B	1 8 oz.	
3908	Starting crank spring	1909-14	Brass	05	Hilding	50	626	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
RADIATOR-THERMO SYPHON									
3925...	Radiator.....	1909-14..	Cars above 2500.....	\$20 00..	Hominy.....	1100C.....	1		
3926...	Radiator cap.....	1909-14..		50..	Hoithr.....	1103B.....	1	2 oz.	
3928...	Radiator pad.....	1909-14..	Leather.....	05..	Hovel.....	1105.....	2		
3929...	Radiator stud and nut.....	1909-14..	$\frac{3}{8}$ " x $2\frac{1}{4}$ ".....	05..	Hoxv.....	1162-8.....	2	1 oz.	
3930...	Radiator stud spring.....	1909-14..		05..	Hubby.....	1152.....	2		
3931 $\frac{1}{2}$...	Radiator stud washer nut.....	1909-14..	$\frac{3}{8}$ " x 24 thds.....	05..	Huffish.....	1161.....	2		
3932...	Radiator rod.....	1909-14..	20 $\frac{3}{4}$ " long.....	15..	Huller.....	1111B.....	1	8 oz.	
3934...	Radiator rod nut.....	1909-14..	$\frac{3}{8}$ " x 24 thds.....	02..	Humbler.....	517.....	1		
3939...	Outlet connection pipe.....	1909-14..	1 $\frac{1}{4}$ " x 12".....	25..	Humlc.....	1121.....	1	12 oz.	
3940...	Outlet connection cock.....	1909-14..	$\frac{1}{2}$ " pet cock.....	20..	Humine.....	1515.....	1	2 oz.	
3944...	Outlet connection hose.....	1909-14..	1 $\frac{1}{4}$ " x 2 $\frac{3}{4}$ ".....	10..	Hungry.....	507B.....	2	3 oz.	
3945...	Outlet connection hose clip.....	1909-14..	2 $\frac{1}{2}$ " dia.....	05..	Hunter.....	554B.....	4	1 oz.	
3946...	Radiator stay rod.....	1911.....	22 $\frac{3}{4}$ " long, runabout.....	15..	Hurden.....	1167.....	1	8 oz.	

RADIATOR FAN

3960...	Fan and pulley assembly.....	1909-14..	Cars above 2500.....	1 25..	Hurten.....	50.....	619.....	1	1 lb., 8 oz.
3961...	Fan blade.....	1909-14..		10..	Hyades.....	200.....	611.....	4	3 oz.
3961B...	Fan blade rivets, per dozen.....	1909-14..		05..	Hyad.....	800.....	612.....	16	
3962...	Driven fan pulley.....	1909-14..	Brass, upper.....	80..	Hydra.....	50.....	618.....	1	13 oz.
3963...	Fan drive pulley.....	1909-14..	Steel, lower.....	30..	Hydrant.....	50.....	602.....	1	8 oz.
3964...	Fan belt.....	1909-14..		30..	Hydrate.....	50.....	609.....	1	2 oz.
3966...	Fan shaft.....	1909-14..	$\frac{1}{4}$ " x 4 $\frac{1}{2}$ ".....	25..	Hyper.....	50.....	606.....	1	4 oz.
3967...	Fan bracket.....	1909-14..		30..	Hypo.....	50.....	604.....	1	7 oz.
3968...	Fan bracket bolt.....	1909-14..	$\frac{1}{2}$ " x 2 $\frac{3}{4}$ ".....	15..	Hyper.....	50.....	605.....	1	3 oz.
3970...	Fan grease cup.....	1909-14..		15..	Hyppish.....	50.....	601.....	1	
3973...	Fan adjusting screw and nut.....	1909-14..	$\frac{3}{8}$ " x 1 $\frac{1}{4}$ ".....	10..	Hyssop.....	50.....	645.....	1	1 oz.

MUFFLER

4025...	Muffler assembly.....	1909-14..		2 00..	Jobal.....	1200B.....	1	8 lb.	
4026...	Muffler head—intake.....	1909-14..	1 $\frac{1}{2}$ " bore x 5 $\frac{1}{2}$ " dia.....	30..	Jobesh.....	1202B.....	1	1 lb., 8 oz.	



Plate No. 12—Radiator Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
MUFFLER—Continued									
4027	Muffler shell—outer	1909-14	5" dia. x 12"	\$ 0 20	Jabin	1203		1	1 lb., 1 oz.
4028	Muffler shell (middle)	1909-14	3½" dia. x 13"	15	Jackal	1204		1	12 oz.
4029	Muffler shell (inner)	1909-14	2" dia. x 14"	30	Jaday	1205		1	1 lb., 3 oz.
4030	Muffler rod only	1909-14	½" x 13½"	05	Jadish	150 1206		3	4 oz.
4031	Muffler rod nut	1909-14	½" x 24 thds.	02	Jagger	1207		6	
4032	Muffler bracket—exhaust	1909-14		30	Jambee	1217		1	4 oz.
4033	Muffler bracket—intake	1909-14		30	Janu	1218		1	4 oz.
4034	Muffler bracket bolt and nut	1909-14	⅜" x ⅝"	05	Janus	480-517		4	
4037B	Long exhaust pipe	1909-14		1 20	Jaunty	1829		1	1 lb., 12 oz.
4038	Muffler asbestos	1909-14		15	Jahud	1215		1	7 oz.
4039	Muffler asbestos bands	1909-14	Tin	05	Jerboa	150 1216		3	
4040	Rear muffler head with outlet pipe	1909-14		50	Jetson	1221		1	2 lb.

HOOD

4050	Hood	1909-14	22" long (specify color)	6 50	Jibsam	1300		1	7 lb., 8 oz.
4051	Hood handle	1909-14	5½" long	25	Jingal	100 1314		2	2 oz.
4052	Hood clip	1909-14	3 ⅜"	05	Jippo	200 1310		4	2 oz.
4053	Hood clip spring	1909-14		05	Jockey	200 1311		4	
4056	Hood board—left	1909-14	22 ¾" long	40	Johim	50 1339		1	11 oz.
4057	Hood board—right	1909-14	22 ¾" long	40	Jorum	50 1340		1	11 oz.
4058	Hood board bolt and nut	1909-12	¾" x 1 ⅞"	05	Jowter	200 1308-1309		4	
4060	Hood support on dash	1909-14		1 00	Jupon	50 1334		1	2 lb., 2 oz.
4061	Hood support screw	1909-14	No. 10, ⅝" wood screw	01	Jurist	450 1350		9	
4070	Hood	1911	24" long, runabout	6 50	Junta	2313		1	8 lb., 8 oz.
4071	Hood block—right	1911	24 ¾" long, runabout	40	Justle	2305		1	11 oz.
4072	Hood block—left	1911	24 ¾" long, runabout	40	Juzil	2306		1	11 oz.

WIRING

4350	Spark plug wire	1909-14	15", No. 1 cyl.	20	Nehob	100 1365		1	2 oz.
4351	Spark plug wire (also magneto to coil)	1909-14	11 ½", No. 2 cyl.	20	Nachor	50 1366		1	2 oz.




Plate No. 13—Muffler and Hood Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
WIRING—Continued									
4353...	Spark plug wire.....	1909-14..	8", No. 3 and 4 cyls.....	\$ 0 15	Nafad	100	1376	1	1 oz.
4354...	Spark plug wire terminal.....	1909-14..	Copper.....	03	Nailer	400	1381	8	
4355...	COMMUTATOR WIRES WITH LOOM.....	1909-14..		60	Nandu	50	1951	1	8 oz.
4356...	Commutator wires with terminal, each.....	1909-14..		10	Napaw			4	
4357...	Commutator wire terminal (coil end).....	1909-14..	Copper.....	03	Napher		1385	4	
4359...	Commutator wire loom support.....	1909-14..		05	Napple	100	1390	2	
4361...	Commutator loom rubber nipple.....	1909-14..		03	Nargil	100	1964	2	
4362...	Commutator wire rubber nipple.....	1909-14..	1/4" dia. x 5/8"	02	Narsal	200	1965	4	
4366...	Spark plug wire.....	1911	17 1/2", No. 1 cyl, runabout	20	Nashon		2357	1	2 oz.

KINGSTON CARBURETOR—1913-14

4400...	Carburetor complete.....	1909-14..		7 50	Mason		553D	1	3 lb., 14 oz.
4401...	Float with lever.....	1913		1 00	Mark		6311	1	1 oz.
4401A...	Float with lever.....	1914		1 00	Mugil		6311	1	
4402...	Gasoline valve.....	1913		50	Mask		3002	1	2 oz.
4402A...	Gasoline valve.....	1914		40	Musca		3002	1	2 oz.
4403...	Gasoline needle valve.....	1913		40	Medal		4871	1	
4403A...	Gasoline needle valve.....	1914		40	Musty		4871	1	

Parts for 1909-10-11 Carburetors supplied by Byrne Kingston Co., Kokomo, Ind.

HOLLEY CARBURETOR—1913-14

4450...	Carburetor complete.....	1909-14..		7 50	Mire		553D	1	3 lb., 3 oz.
4451...	Float with lever.....	1913		1 00	Match		6312	1	1 oz.
4451A...	Float with lever.....	1914		1 00	Muzzle		6333	1	
4452...	Spray needle assembly.....	1913		60	Meek		4854	1	2 oz.
4452A...	Spray needle assembly.....	1914		50	Myrtle		6335	1	
4453...	Gasoline inlet needle.....	1913		30	Mend		4860	1	
4453A...	Gasoline inlet needle.....	1914		40	Myrtle		6324	1	




Plate No. 14—1913 Kingston and Holley Carburetor Parts



Plate No. 15—1912 Holley Carburetor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
HOLLEY CARBURETOR—1912									
4554	Float with lever	1912		\$ 1 00	Man	6314		1	2 oz.
4559	Spray needle	1912		60	Mare	4807		1	2 oz.
4572	Gasoline inlet elbow assembly	1912		55	Mermaid	4838		1	3 oz.
4573	Gasoline inlet needle	1912		30	Monarch	4828		1	
4581	Air throttle pull rod			15	Monger	2000		1	1 oz.

(Other parts required may be ordered by plate numbers; prices quoted on application.)

Parts for 1909-10-11 Carburetors supplied by Holley Bros. Co., Detroit, Mich.

CARBURETOR ATTACHMENTS

4126	Carburetor adjusting rod head	1909-14		15	Lascar	1356B		1	
4127A	Carb. adjusting rod bracket		On dash	05	Lastage	1357		1	
4129A	Carb. adjusting rod with head	1909-14		25	Latten	1359A		1	4 oz.
4130	Carb. flange bolt and nut	1909-14		05	Leaper	1388		2	1 oz.
4134	Carb. flange gasket	1909-14		05	Lecturn	1380B		1	
4431	Carb. priming rod	1909-14		10	Loach	2000		1	1 oz.
4181	Carb. hot air pipe connection		Used with 4180-4538	10	Lost	691		1	8 oz.
4582	Carb. hot air pipe	1912-14		20	Monkey	686		1	6 oz.

HEINZE COIL

4602	Coil cover	1910-13	Wood	1 50	Mezzo	4602		1	8 oz.
4604	Coil box with cover	1910-13	Wood	6 00	Micher	4604		1	3 lb., 14 oz.
4611	Coil unit with tungsten points	1910-13	Size, 2 $\frac{1}{8}$ " x 3 $\frac{1}{8}$ " x 5"	4 00	Michtam	4611		4	1 lb., 7 oz.
4616	Vibrator with platinum point	1910-13		75	Mile	4616		4	
	Vibrator with tungsten points	1910-13	Order No. 4736A	50	Mirage	6724		4	
4618	Vibrator bridge with platinum point	1910-13		75	Mileped	4618		4	
	Vibrator bridge with tungsten points	1910-13	Order No. 4737A	50	Mirza	6729		4	
4638	Switch assembly	1910-13		1 50	Milepore	4638		1	7 oz.
4639	Switch plug	1910-13		15	Militer	4639		1	
4644	Switch lever with knob	1910-13		25	Minnock	4644		1	




Plate No. 16—Heinze, K. W. and Ford Coil Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
K. W. COIL									
4676...	Coil box with cover	1913...	Wood	\$6 00.	Nectar	4692	1	3 lb., 12 oz.	
4677...	Coil box cover	1913...	Wood	1 25.	Nerve	4691	1	7 oz.	
4678...	Switch assembly	1913...		1 50.	Nestle	4600	1	10 oz.	
4679...	Switch plug	1913...		15.	Nitre	4657	1		
4680...	Switch lever with knob	1913...		45.	Noble	4635	1	2 oz.	
4681...	Coil unit	1913...	Size, 5 $\frac{3}{8}$ " x 3 $\frac{1}{4}$ " x 2 $\frac{1}{4}$ "	4 00.	Nomad	4693	4	2 lb., 2 oz.	
4682...	Vibrator spring with tungsten point—lower	1913...		50.	Nostril	4708	4		
4683...	Vibrator bridge with tungsten point—upper	1913...		50.	Nugget	4711	4		
4682A...	Vibrator spring with tungsten point	1913...	For K-W unit used	50.	Nedder	6710	4		
4683A...	Vibrator bridge with tungsten point	1913...	In place of T-4611	50.	Nihil	6712	4		

KINGSTON COIL—1913

4705...	Switch assembly	1911-13...		1 50.	Merop	3072D	1	11 oz.	
4713...	Coil unit	1909-13...	Size, 2 $\frac{1}{8}$ " x 2 $\frac{1}{8}$ " x 5 $\frac{1}{4}$ "	4 00.	Maslach	4715	4		
4714...	Coil box with cover	1909-13...	Wood	6 00.	Martyr	3032D	1	3 lb., 13 oz.	
4715...	Coil cover	1909-13...	Wood	1 50.	Marvel	3031	1	10 oz.	
4716...	Vibrator spring with tungsten point	1912-13...		50.	Mator	4720	4		
4717...	Vibrator bridge with tungsten point	1912-13...		50.	Matis	4717	4		
4718...	Switch key	1911-13...		15.	Mastpod	3065D	1		

We recommend replacing all makes of wood box coils with the present type coil(T-4725), Exchange price \$10.00 net F. O. B. Branch or Factory.

FORD SPARK COIL

4725...	Coil	1914...	Applies to all cars	18 00.	Negus	1383	1	6 lb., 8 oz.	
4726...	Coil box with cover	1914...	Metal	3 00.	Nenla	5858	1	4 lb.	
4727...	Coil box cover	1914...	Metal	75.	Nephew	5856	1	11 oz.	
4728...	Switch assembly	1914...		1 00.	Nldor	5873	1	9 oz.	
4729...	Switch base assembly	1914...		75.	Noddy	5841	1	6 oz.	
4730...	Switch cover	1914...		25.	Nones	5835	1	1 oz.	
4731...	Switch plug	1914...		10.	Nopal	5815	1		
4732...	Coil unit	1914...	Size, 3 $\frac{1}{2}$ " x 2 $\frac{1}{4}$ " x 5"	3 75.	Noggin	5845	4	2 lb.	




Plate No. 17—Kingston Coil Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
FORD SPARK COIL—Continued									
4733...	K. W. vibrator with tungsten point.....	1914.....		\$0 50	Nonce.....	4708.....		4	
4734...	K. W. vibrator bridge with tungsten point.....	1914.....		50	Novia.....	4711.....		4	
4736...	Heinze vibrator with platinum point.....	1914.....		75	Nowel.....	4612.....		4	
4736A...	Heinze vibrator with tungsten points.....	1914.....	3-ply vibrator.....	50	Nico.....	6724.....		4	
4737...	Heinze vibrator bridge with platinum point.....	1914.....		75	Nullah.....	4618.....		4	
4737A...	Heinze vibrator bridge with tungsten points.....	1914.....	Used with 3-ply vibrator.....	50	Nitric.....	6729.....		4	
4739...	Kingston vibrator spring with tungsten point.....	1914.....		50	Nyas.....	6705.....		4	
4740...	Kingston vibrator bridge with tungsten point.....	1914.....		50	Nymph.....	6703.....		4	

Units designed for platinum points should not be provided with tungsten points and vice versa.

FENDERS AND RUNNING BOARDS—56 INCH TREAD

4800...	Front fender—right.....	1911-14.....	Touring Car & Runabout.....	3 00	Scorch.....	1414C.....		1	
4801...	Front fender—left.....	1911-14.....	Touring Car & Runabout.....	3 00	Scoul.....	1413C.....		1	
4802...	Rear fender—right.....	1911-14.....	Touring Car & Runabout.....	3 00	Sexton.....	1416C.....		1	
4803...	Rear fender—left.....	1911-14.....	Touring Car & Runabout.....	3 00	Shark.....	1415C.....		1	
4802B...	Rear fender—right.....	1912.....	Torpedo-Roadster.....	3 50	Saxis.....	5206.....		1	
4803B...	Rear fender—left.....	1912.....	Torpedo-Roadster.....	3 50	Shaker.....	5218.....		1	
4804...	Rear fender iron—right and left.....	1912.....	10 1/2" long, touring.....	40	Shear.....	379.....		2	14 oz.
4804B...	Rear fender irons—right and left.....	1912.....	Torpedo-Roadster.....	75	Sheco.....	2903.....		2	1 lb., 11 oz.
4804D...	Rear fender iron—right and left.....	1913-14.....	Touring car.....	40	Smile.....	5405.....		2	12 oz.
4804E...	Rear fender iron—right.....	1913.....	Torpedo.....	75	Shire.....	5563.....		1	1 lb., 7 oz.
4804F...	Rear fender iron—left.....	1913.....	Torpedo.....	75	Shrub.....	5390.....		1	1 lb., 7 oz.
4805...	Rear fender iron bolt and nut.....	1912-14.....	3/8" x 1 1/2".....	10	Shoal.....	340A-341.....		6	
4808...	Front fender iron bolt.....	1912-14.....	3/8" x 1 1/4".....	05	Shovel.....	389.....		2	1 oz.
4809...	Front fender iron—right or left.....	1909-14.....		1 00	Sistom.....	343.....		2	1 lb., 14 oz.
4812...	Running board—right or left.....	1909-14.....	44 1/2" long.....	75	Shrew.....	5418.....		1	
4814...	Running board metal shield—right.....	1912-14.....	Touring and Torpedo.....	2 00	Skylark.....	1409C.....		1	
4815...	Running board metal shield—left.....	1912-14.....	Touring and Torpedo.....	2 00	Skylight.....	1408C.....		1	
4816...	Running board truss rod—front with nuts.....	1909-14.....	Old No. 2947.....	25	Skybird.....	5804.....		1	2 lb., 2 oz.
4817...	Running board truss rod—rear with nuts.....	1909-14.....	Old No. 2917B.....	25	Skyman.....	5805.....		1	2 lb., 2 oz.
4818...	Running board bracket.....	1909-14.....	Old No. 2946.....	75	Skyhawk.....	336.....		4	1 lb., 13 oz.




Plate No. 18—Fender Parts




Plate No. 19—Fender Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
FENDERS AND RUNNING BOARDS—60 INCH TREAD—BLUE									
4820	Front fender—right	1911-12	Touring and Roadster	\$3 00	Tablet	1715B		1	
4820B	Front fender—right	1913	Touring and Torpedo	3 00	Table	2742		1	
4821	Front fender—left	1911-12	Touring and Roadster	3 00	Tabor	1716B		1	
4821B	Front fender—left	1913	Touring and Torpedo	3 00	Tabula	2743		1	
4822	Rear fender—right	1911-12	Touring	3 00	Talent	1749		1	
4822B	Rear fender—right	1913	Touring and Torpedo	3 00	Tallion	2741		1	
4823	Rear fender—left	1911-12	Touring	3 00	Tallow	1748		1	
4823D	Rear fender—left	1913	Touring and Torpedo	3 00	Talma	2740		1	
4823R	Rear fender—left	1912	Torpedo and Roadster	4 00	Tallox	2732		1	
4823C	Rear fender—right	1912	Torpedo and Roadster	4 00	Tallis	2733		1	
4824	Rear fender iron—right and left	1911-12	Touring, 11 1/4" long	40	Target	2700		2	
4824B	Rear fender irons—right and left	1912	Torpedo and Roadster	75	Targon	2731		2	
4825	Front fender irons—right and left	1909-12	Touring and Torpedo	1 00	Tempest	1713		2	1 lb., 15 oz.
4826	Running board shield—right	1911-12	Tour., Torp. & Roadster	2 00	Tennis	1717B		1	9 lb., 8 oz.
4827	Running board shield—left	1911-12	Tour., Torp. & Roadster	2 00	Thirst	1718B		1	9 lb., 8 oz.
4828	Running board bracket	1909-12	Tour., Torp. & Roadster	75	Border	1714		4	2 lb.
4829	Running board truss rod—front	1909-12	51" long, Tour. and Torp.	25	Bosset	1708		2	
4830	Running board truss rod—rear	1909-12	Tour., Torp. & Roadster	25	Bounce	1734		1	

SPECIAL TOOLS

1349	Hub cap wrench	Regular equipment	25	Pacal	1349	1	8 oz.	
1387	Adjustable wrench	Regular equipment	40	Pacos	50	1387	1	1 lb.
1902	Screw driver	Regular equipment	25	Padan	50	1902	1	6 oz.
1903	Pliers	Regular equipment	30	Paddy	50	1903	1	8 oz.
1917	Double end wrench	Regular equipment	20	Pagan	50	1917	1	3 oz.
1924	3/8" socket wrench	12" long	50	Pallah	50	1924	1	1 lb.
1929	Fly wheel cap screw wrench	11 3/4" long	30	Palmy	50	1929	1	15 oz.
1930X	Valve spring lifter	15" long	75	Palpus		1930-8	1	13 oz.
1957	Valve grinder		1 00	Palster		1957	1	15 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
SPECIAL TOOLS—Continued									
1933X...	Rear wheel puller assembly			\$1 50	Panary	1933-45	1	2 lb., 11 oz.	
1936X...	Cam gear puller			1 50	Pantile	1936-7	1	1 lb., 15 oz.	
1953X...	Transmission clutch puller			1 50	Papaw	1370-1953-5	1	1 lb., 8 oz.	
1974B...	Drive shaft housing stud nut wrench for $\frac{1}{2}$ " nut			40	Parent	2073	1	10 oz.	
1975	Rear axle housing bolt nut wrench		$7\frac{3}{4}$ " long	50	Parvis	1975	1	9 oz.	
1978	Valve seat reamer		$7\frac{1}{2}$ " long	2 50	Papula	1978	1	13 oz.	
2319	Screw driver for cam shaft set screw		$6\frac{1}{2}$ " long	50	Parley	2319	1	12 oz.	
2320	$\frac{3}{8}$ " T socket wrench		$9\frac{1}{4}$ " long	50	Parfit	2320	1	1 lb., 2 oz.	
2321	Socket wrench for crank shaft bearing bolt nut		$12\frac{1}{2}$ " long	50	Passim	2321	1	1 lb., 4 oz.	
2322	$\frac{3}{8}$ " L socket wrench		12"	50	Pastel	2322	1	1 lb., 4 oz.	
2323	$\frac{3}{4}$ " open end wrench		$7\frac{1}{2}$ " long	35	Pastor	2323	1	6 oz.	
2324	Connecting rod clamp screw wrench		$10\frac{1}{4}$ " long	40	Parrot	2324	1	1 lb., 2 oz.	
2328	$\frac{3}{8}$ " brace socket wrench		$24\frac{3}{4}$ " long	60	Parsee	2328	1	2 lb., 3 oz.	
2331	Piston ring squeezer		$2\frac{1}{4}$ " dia.	25	Patile	2331	1	8 oz.	
2332	Magnet screw brace screw driver		$13\frac{3}{4}$ " long	50	Patrol	2332	1	15 oz.	
2333	Large cam gear lock nut wrench		14" long	40	Pavan	2333	1	1 lb., 6 oz.	
2335	Spark plug and cyl. head bolt wrench		Regular equipment	50	Pavid	5893	1	15 oz.	
2336	Tool roll		Regular equipment	35	Pawky	1979	1	3 oz.	
2337	Oil can		Regular equipment	20	Paxos	3426-3425	1	3 oz.	
2338	Tire pump		Regular equipment	4 50	Payser	1368	1	4 lb., 13 oz.	
2340	Tire irons, each		Regular equipment	15	Pelage	4069	1	8 oz.	
2341	Crank shaft bearing bolt special wrench		Oval head	50	Pelox	2069	1	1 lb., 5 oz.	
2341B	Crank shaft bearing bolt wrench		Square head	50	Poloy	7427	1	1 lb., 6 oz.	

Parts listed on following pages apply particularly to Model T cars numbered below 2500, but also include fenders and running boards used on 1910-11 cars.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	--------------------------------------	----------	------------------	----------------

BODY PARTS—1911 RUNABOUT

3700	Dash	1911	1/4" x 20 1/4" x 28 1/2"	\$ 3 00	Fidget	2558		1	
3701	Dash bracket—right	1911		50	Figory	2563		1	9 oz.
3702	Dash bracket—left	1911		50	Filbert	2564		1	9 oz.
3704	Oil lamp bracket—right	1911		30	Flord	2577		1	14 oz.
3705	Oil lamp bracket—left	1911		30	Firkin	2578		1	14 oz.
3711	Rubber matting	1911	30 1/4" x 33 3/4"	1 50	Fitchy	2614		1	

FENDERS AND RUNNING BOARDS—56 INCH TREAD

2925	Front fender—left	1909-10	Specify color	3 00	Binal	1413A		1	
2926	Front fender—right	1909-10	Specify color	3 00	Biped	1414A		1	
2927	Rear fender—left	1909-10	Specify color	3 00	Birken	1415B		1	
2928	Rear fender—right	1909-10	Specify color	3 00	Bishop	1416B		1	
2930	Rear fender iron—right	1909-10		1 50	Bitter	342B		1	3 lb., 7 oz.
2931	Rear fender iron—left	1909-10		1 50	Blatant	349B		1	3 lb., 7 oz.
2932	Fender iron bolt and nut	1909-10		05	Blatter	345		12	1 oz.
2935	Fender eye bolt, nut and washer	1909-10		15	Blenny	1945		6	3 oz.
2942	Run board shield—left	1909-10	Specify color	2 00	Bluing	1408A		1	6 lb., 14 oz.
2943	Run board shield—right	1909-10	Specify color	2 00	Bluster	1409A		1	6 lb., 14 oz.
2975	Front fender—right	1909-10	Green, 60" tread	3 00	Bonfire	1715B		1	
2976	Front fender—left	1909-10	Green, 60" tread	3 00	Bongrace	1716B		1	

FENDERS AND RUNNING BOARDS—RUNABOUT

4840	Front fender—right	1911	Blue, 56" tread	4 00	Thistle	2561		1	
4841	Front fender—left	1911	Blue, 56" tread	4 00	Thorn	2562		1	
4842	Rear fender—right	1911	Blue, 56" tread	4 00	Thrifty	2555		1	
4843	Rear fender—left	1911	Blue, 56" tread	4 00	Throat	2554		1	
4844	Rear fender iron—right	1911	56" tread	1 50	Thug	382		1	3 lb., 3 oz.
4845	Rear fender iron—left	1911	56" tread	1 50	Tiger	381		1	3 lb., 3 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
FENDERS AND RUNNING BOARDS—RUNABOUT—Continued									
4846...	Running board—right	1911	21 $\frac{3}{8}$ " long, 56" tread	\$0 60	Toad	2551	1	4 lb., 4 oz.	
4847...	Running board—left	1911	21 $\frac{3}{8}$ " long, 56" tread	60	Toast	2552	1	4 lb., 4 oz.	
4848...	Running board shield—right	1911	Blue, 56" tread	2 00	Tonsil	2557	1	5 lb., 12 oz.	
4849...	Running board shield—left	1911	Blue, 56" tread	2 00	Towel	2556	1	5 lb., 12 oz.	
4860...	Front fender—right	1911	Blue, 60" tread	4 00	Tulip	2706	1		
4861...	Front fender—left	1911	Blue, 60" tread	4 00	Tunic	2707	1		
4863...	Rear fender—right	1911	Blue, 60" tread	4 00	Turtle	2708	1		
4864...	Rear fender—left	1911	Blue, 60" tread	4 00	Twin	2709	1		

Order the Following Parts for Cars Numbering Below 2500

400A...	CYLINDER	1908-09	$\frac{7}{16}$ " hole for cap screws	24 00	Compound	400A	1		
401B...	Cylinder head	1908-09	$\frac{7}{16}$ " hole for cap screw	4 00	Comprint	401B	1		
402A...	Cylinder head gasket	1908-09		75	Compunct	402A	1	6 oz.	
403A...	Cylinder cover (front end)	1908-09		1 25	Comrade	403A	1	2 lb., 15 oz.	
505A...	Cylinder cover paper liner	1908-09	$\frac{1}{4}$ " thick	10	Condite	505A	1		
483A...	Cylinder head cap screw	1908-09	$\frac{3}{4}$ " x 2 $\frac{1}{2}$ " x 24 thds.	05	Concept	483A	1	1 oz.	
446B...	Outlet brass connection	1908-09	$\frac{1}{16}$ " bolt holes	60	Concord	446B	1	13 oz.	
550...	Outlet connection screw	1908-09	Specify size	05	Conscrew	550A	2		
445A...	Outlet brass connection gasket	1908-09		15	Conder	445A	1		
448...	Outlet hose	1908-09	1 $\frac{1}{2}$ " x 4 $\frac{1}{4}$ "	40	Condign	448A	1	4 oz.	
554B...	Outlet hose clip	1908-09	2 $\frac{1}{2}$ " dia.	10	Condole	554A	2	2 oz.	
442A...	Cylinder water inlet brass connection	1908-09	1 $\frac{1}{2}$ " long	30	Condog	442A	1	4 oz.	
444...	Cylinder water inlet pack nut	1908-09	1 $\frac{1}{2}$ " x 18 thds.	15	Conduce	444	1	2 oz.	
586...	Piston assembly (obsolete)	1908-09	Substitute 3020 and 3024	2 00	Condil	568A	4		
419A...	Piston pin	1908-09	$\frac{3}{16}$ " x 3 $\frac{1}{4}$ "	35	Confess	419A	4	5 oz.	
420...	Piston pin screw	1908-09	$\frac{1}{4}$ " x 1" x 18 thds.	05	Confide	420	4		
587...	Connecting rod assembly (obsolete)	1908-09	Substitute 3020 and 3024	3 00	Confix	587A	4		
423...	Connecting rod piston pin bushing	1908-09	$\frac{1}{4}$ " bore x $\frac{1}{4}$ " dia. x 1 $\frac{1}{4}$ " long	25	Congee	423	4	3 oz.	




Plate No. 21—Old Style Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Pac. Nos.	No. Req. per Car	Mailing Weight
Order the Following Parts for Cars Numbering Below 2300—Continued									
498A...	Crank shaft.....	1908-09	.25" long.....	\$12 00	Conger.....	498A.....	1	14 lb., 8 oz.	
530...	Crank shaft ratchet.....	1908-09	.13 $\frac{1}{8}$ " dia. x 1 $\frac{1}{4}$ " long.....	40	Congius.....	530.....	1	5 oz.	
529A...	Crank shaft ratchet pin.....	1908-09	.3 $\frac{1}{8}$ " x 1 $\frac{1}{8}$ " long.....	02	Conglobe.....	529A.....	1		
543A...	Crank case oil tube.....	1908-09		50	Congon.....	533A.....	1	4 oz.	
800...	Crank case and transmission lower case.....	1908-09		12 00	Conjoin.....	800A.....	1		
551...	PUMP ASSEMBLY.....	1908-09		9 00	Hakot.....	551.....	1	6 lb., 3 oz.	
434...	Pump body.....	1908-09		4 00	Hallux.....	434.....	1	2 lb., 3 oz.	
435...	Pump cover.....	1908-09		2 00	Halser.....	435.....	1	1 lb., 8 oz.	
443...	Pump cover gasket.....	1908-09	.6 $\frac{1}{8}$ " x 5 $\frac{1}{2}$ " out. dia.....	10	Hamite.....	443.....	1		
452...	Pump cover screw.....	1908-09	No. 10, 24 thds.....	05	Hamose.....	452.....	8		
436...	Pump fan.....	1908-09		1 00	Hansa.....	436.....	1	7 oz.	
437...	Pump shaft.....	1908-09	.11 $\frac{1}{2}$ " long.....	1 00	Harab.....	437.....	1	4 oz.	
454...	Pump fan pin.....	1908-09	.3 $\frac{1}{8}$ " x 1 $\frac{1}{4}$ " long.....	01	Harbor.....	436.....	1		
451...	Pump packing nut.....	1908-09	.3 $\frac{1}{4}$ " x 18 thds., right hand.....	25	Harcute.....	451.....	1	1 oz.	
451 $\frac{1}{2}$...	Pump packing nut.....	1908-09	.3 $\frac{1}{4}$ " x 18 thds., left hand.....	25	Harlock.....	451 $\frac{1}{2}$	1	1 oz.	
450...	Pump washer (steel).....	1908-09	.1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 1 $\frac{1}{8}$ " dia.....	10	Harod.....	450.....	1		
576...	Pump drive gear and shaft.....	1908-09		2 50	Harpy.....	576.....	1	1 lb., 2 oz.	
438...	Pump drive gear only.....	1908-09	.26 teeth, 3 $\frac{1}{8}$ " dia.....	1 50	Haruz.....	438.....	1	14 oz.	
439...	Pump drive gear shaft only.....	1908-09	.3 $\frac{1}{8}$ " dia. x 2 $\frac{1}{4}$ ".....	1 00	Hawser.....	439.....	1	4 oz.	
440...	Pump drive gear shaft bushing—rear.....	1908-09	.1 $\frac{1}{8}$ " x 1".....	25	Hazer.....	440.....	1	1 oz.	
453...	Pump drive gear shaft bushing—front.....	1908-09	.1 $\frac{1}{8}$ " dia. x 1 $\frac{1}{2}$ ".....	25	Hebant.....	453.....	1	2 oz.	
577...	Pump inlet connection assembly.....	1908-09		1 00	Hebron.....	577.....	1	10 oz.	
556...	Pump inlet connection pet cock.....	1908-09	.3 $\frac{1}{8}$ " pet cock.....	30	Heifer.....	556.....	3	oz.	
455...	Pump inlet nut.....	1908-09	.1 $\frac{1}{8}$ " x 18 thds.....	30	Helek.....	455.....	1	2 oz.	
507A...	Pump inlet hose.....	1908-09	.1 $\frac{1}{4}$ " x 3".....	30	Helix.....	507A.....	1	2 oz.	
555...	Pump inlet hose clip.....	1908-09	.1 $\frac{3}{8}$ " dia.....	05	Helpath.....	555.....	2		
456...	Pump support screw.....	1908-09	.3 $\frac{1}{8}$ " x 1" x 24 thds.....	05	Hemal.....	456.....	3		
496 $\frac{1}{2}$...	Radiator fan and shaft.....	1908-09		2 00	Hepvil.....	496-437.....	1	1 lb., 4 oz.	
496...	Radiator fan only.....	1908-09		1 00	Herbar.....	496.....	1	1 lb.	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
Order the Following Parts for Cars Numbering Below 2500—Continued									
519...	STARTING CRANK ONLY.....	1908-09		\$1 00.	Hlunny		519A	1	1 lb., 7 oz.
522...	Starting crank handle bolt nut.....	1908-09	$\frac{1}{8}$ " x 20 thds.	05.	Hippa		522	1	1 oz.
523A...	Starting crank sleeve.....	1908-09	1" dia. x $3\frac{1}{2}$ "	50.	Hippola		523A	1	6 oz.
524...	Starting crank collar pin.....	1908-09	$\frac{1}{8}$ " x $1\frac{1}{2}$ "	02.	Hipwart		524	1	
525...	Starting crank collar.....	1908-09	$1\frac{1}{8}$ " x $\frac{1}{2}$ "	25.	Hlspid		525	1	
526...	Starting crank spring.....	1908-09	$\frac{11}{16}$ " dia. x $1\frac{1}{8}$ "	10.	Hitite		526	1	
527A...	Starting crank ratchet pin.....	1908-09	$\frac{1}{8}$ " x $1\frac{1}{2}$ "	02.	Hobah		527A	1	
528A...	Starting crank ratchet.....	1908-09	$1\frac{1}{4}$ " dia. x 1" long.	35.	Hobit		528A	1	3 oz.
1100...	RADIATOR.....	1908-09	Pump circulation.....	28 00.	Hussar		1100A	1	

BRASS BODY COMMUTATOR

3200...	Commutator.....	1909-11	Substitute new design on cars above 2500.....	1 50.	Cortan		404	1	1 lb., 1 oz.
3201...	Com. body with fibre.....	1909-11	Brass.....	1 00.	Cortum		457C	1	
3202...	Com. cover.....	1909-11	3" dia.	15.	Cortuse		461B	1	
3205...	Com. brush.....	1909-11	State size of roller.....	50.	Convent		574	1	4 oz.

(For other parts see list on pages 20 and 22.)

COTTER PINS

	Fac. No.		Fac. No.
$\frac{1}{8}$ " x 1" cotter pins.....	421	$\frac{1}{8}$ " x $\frac{1}{2}$ " cotter pins.....	66
$\frac{1}{8}$ " x $\frac{1}{2}$ " cotter pins.....	85	$\frac{1}{8}$ " x $\frac{3}{4}$ " cotter pins.....	544
$\frac{1}{8}$ " x 1" cotter pins.....	82	$\frac{1}{8}$ " x $\frac{1}{2}$ " cotter pins.....	88
Price, each.....			\$0 01
Price, per dozen.....			05
Price, per gross.....			25
Trans. band rivets, per thousand.....			2 00

NUTS

$\frac{1}{8}$ " - 24 thds.....	50 02
This size nut used on following parts: 2514, 2554, 2584, 2722, 2729, 2932, 3073, 3074, 3362, 3437, 3443, 3540, 3541, 3642, 3929, 4034.	

General Index

	Page		Page
Rear Axle.....	4	Hood.....	39
Rear Axle, Plates No. 1 and 2.....	6-8	Hood and Muffler, Plate No. 13.....	40
Front Axle.....	9	Magneto.....	22
Front Axle, Plate No. 3.....	11	Motor.....	15
Body Parts.....	32	Motor, Plates No. 5 and 6.....	16-19
Carburetor, Kingston.....	41	Muffler.....	37
Carburetor, Holley.....	41	Radiator.....	37
Kingston and Holley, Plates No. 14		Radiator, Plate No. 12.....	38
and 15.....	42-43	Running Boards.....	48
Coil, Heinze.....	44	Special Tools.....	51
Coil, K. W.....	46	Tools, Plate No. 20.....	53
Heinze, K. W. and Ford, Plate No. 16.....	45	Springs.....	34
Coil, Kingston.....	46	Springs, Plate No. 11.....	35
Kingston, Plate No. 17.....	47	Starting Crank.....	36
Commutator.....	20	Steering Gear.....	29
Commutator and Magneto, Plate No. 7.....	21	Steering Gear, Plate No. 10.....	31
Fenders.....	48	Transmission.....	23
Fenders, Plates No. 18 and 19.....	49-50	Transmission, Plates No. 8 and 9.....	25-28
Frame.....	13	Wheels.....	12
Gasoline Tank.....	13	Wheels and Gasoline Tank, Plate No. 4.....	14
		Wiring.....	39

For Parts of Model T cars built during 1909-10-11—See Page 54.

PRICE LIST of PARTS



Model T

