

PRICE
LIST of
PARTS



Model T



PRICE LIST OF PARTS

FORD MODEL T 1909-1910-1911-1912-1913-1914-1915

EFFECTIVE AUGUST 1, 1915

Ford Motor Company

25^{cc}

FORD FACTORIES AND BRANCHES

Ford Factory, Detroit—Parent Plant

Ford Factory, Ford, Ont., Canada

Ford Factory, Manchester, England

American Branches and Service Stations

Atlanta—465 Ponce de Leon Ave.

Boston—567 Boylston St.

The Bronx (New York City)—
607 Bergen Ave.

Brooklyn—1476 Bedford Ave.

Buffalo—1050 Main St.

Cambridge—Charles River Rd.

Charlotte, N. C.—222 Tryon St.

Chicago—Cor. Wabash and 39th St.
2526 Michigan Blvd.

Cincinnati—660 Lincoln Ave.

Cleveland—11610 Euclid Ave.

Columbus—427 Cleveland Ave.

Dallas—2800 Williams St.

Denver—920 S. Broadway

1551 Broadway

Detroit—1550 Woodward Ave.

Fargo—209 N. P. Ave.

Houston—4006 Harrisburg Road
800 Walker St.

Indianapolis—1315 E. Washington St.

Kansas City, Kas.—744 Minnesota Ave.

Kansas City, Mo.—1710 Grand Ave.
Eleventh and Winchester Ave.

Long Island City—564 Jackson Ave.

Los Angeles—2060 E. Seventh St.

Louisville—931 S. Third St.

Memphis—495 Union Ave.

Milwaukee—143 Eighth St.

Minneapolis—420 Fifth St., North

Newark—17 Halsey St.

New York—1723 Broadway

607 Bergen Ave.

Oklahoma City—205 W. First St.

Omaha—Broad and Lehigh.

Philadelphia—2700 North Broad St.

Pittsburgh—Baum Blvd. at Morewood

Portland, Ore.—481 E. Eleventh St.

St. Louis—4100 Forest Park Blvd.

St. Paul—117 University Ave.

San Francisco—2905 21st St.

Seattle—724 Fairview Ave.

Ford Assembling Plants are located in the following Cities:

Atlanta Buffalo Cambridge Chicago Cincinnati Cleveland Columbus Dallas Denver Detroit
Fargo Houston Indianapolis Kansas City Long Island City Los Angeles Louisville Memphis
Minneapolis Philadelphia Pittsburgh Portland, Ore. San Francisco Seattle St. Louis

Foreign Branches and Service Stations

Bordeaux, France—63 Rue de la
Fondaudege

Buenos Aires, Argentina—Calle
Laval 1702

Calgary, Alta.—127-129 11th Ave. E.

Hamilton, Ont.—7478 John St.

London, Eng.—57 Shaftsbury Ave.

London, Ontario—291 Dundas St.

Manchester, Eng.—Trafford Park

Melbourne, Aus.—103 William St.

Montreal, Que.—119-39 Laurier Ave. E.

Paris, France—61-63 Rue de Corneilles

Saskatoon, Sask.—1st Ave. and 25th St.

St. John, N. B.—Rothesay Avenue

Toronto, Ont.—548-58 Dupont St.

Vancouver, B. C.—1531 Fifteenth Av. W.

Winnipeg, Manitoba—81 Water St.


Foreign Department—1136 Whitehall Bldg., 17 Battery Place, New York

There are Ford Agents in all other Principal Cities

Instructions for Ordering Parts

1—Order all parts through the nearest Branch or Dealer in your territory, as parts for the Model T car are carried in stock by them.

2—Always specify **Model** and **give Number** of motor. Give **Catalog Number** and **Name** of each part ordered.



3—Mail and Parcel Post orders must be accompanied by an amount sufficient **to cover Postage**.

4—All prices are net f. o. b. Detroit.

5—Specify whether shipments are to be forwarded by mail, express or freight.

6—Orders for parts should be written separately from correspondence pertaining to other matters.

Telegraph Code

To save expense, to expedite ordering and for the convenience of those purchasing parts, we have arranged a code word for each part of the Ford Model T car. In addition to the Parts Code we list below a brief General Code covering miscellaneous instructions, questions and answers relative to the entering and shipping of parts ordered.

In telegraphing an order for parts start with the code telling us how to ship, then use the word for the part wanted, stating the number required and then give the number of your car.

The following will illustrate how to send in an express order for Eight Push Rods No. 3058, and Three Transmission Band Springs No. 3425:

FORD MOTOR COMPANY, DETROIT, MICHIGAN.

Toperig eight Carat three Dispark for car No. 2841.

Signed.....

Toperig—Ship to me (us) by express.

Toperkleur—Ship by express to——

Tpermolen—Ship to me (us) by American Express.

Toperal—Ship to me (us) by Wells, Fargo Express.

Toperpool—Ship to me (us) by Dominion Express.

Topersteen—Ship to me (us) by freight.

Toper—Ship to me (us) by Parcel Post.

Topfton—When and how did you ship parts called for in my (our) telegram of——

Topflutch—When and how will you ship parts called for in my (our) telegram of——

Topfwasser—When and how will you ship parts called for in my (our) letter of——

Topfgeld—Cancel order for parts our (my) telegram of——

Topfgicht—Cancel order for parts my (our) letter of——

Topfkiemer—Add to our (my) telegraph order of——

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE								
2500	Rear axle assembly	1909-15	.56-inch tread	\$55 00	Aband	95E	1	
*2501	Axle housing—right	1909-12	Dia. of bell, 10 $\frac{1}{16}$ " ,obsolete					
2501D	Axle housing—right	1913-14	.26" L., dia. of bell, 9 $\frac{1}{4}$ "	7 50	Abat	2835B	1	
2501E	Axle housing—right	1915		7 50	Absolve	2835C	1	
*2502	Axle housing—left	1909-12	Dia. of bell, 10 $\frac{1}{16}$ " ,obsolete					
2502D	Axle housing—left	1913-14	.26" L., dia. of bell, 9 $\frac{1}{4}$ "	7 50	Abel	2836B	1	
2502E	Axle housing—left	1915		7 50	Absume	2836C	1	
2503B	Axle housing bolt and nut		$\frac{1}{16}$ " x $\frac{3}{16}$ "	05	Abide	315	5	
2503C	Axle housing bolt and nut		$\frac{5}{16}$ " x 1 $\frac{1}{16}$ "	05	Abject	42C	7	
2503E	Axle housing bolt and nut		$\frac{1}{16}$ " x 1 $\frac{1}{16}$ "	05	Ajoy	2854	7	
2505D	Axle shaft—tapered	1912-15	.56" tread, 1 $\frac{5}{16}$ " x 31 $\frac{1}{16}$ "	2 50	Abode	2818	2	8 lb.
2506	Axle shaft washer	1909-15	1 $\frac{1}{16}$ " dia. fibre	03	Abound	39	1	
2508	Axle shaft roller bearing	1909-15	2 $\frac{1}{4}$ " x 4"	75	Abrase	97	4	1 lb., 3 oz.
2509	Axle shaft roller bearing sleeve—right	1909-15	.4" long	20	Abay	170	2	8 oz.
2509B	Axle shaft roller bearing sleeve—left	1909-15		20	Abate	161	2	8 oz.
2510	Axle housing cap	1909-15	2 $\frac{1}{16}$ " dia.	05	Abroad	56	2	2 oz.
2510A	Axle outer roller bearing steel washer	1909-15	2 $\frac{1}{16}$ " dia.	03	Absinthe	199	2	
2510B	Axle outer roller bearing felt washer	1909-15	2 $\frac{1}{16}$ " dia.	05	Absist	54	2	
2512B	Diff. case—left (includes bushing)	1909-13		2 00	Absurd	10D	1	4 $\frac{3}{4}$ lb.
2512C	Diff. case—left (no bushing used)	1914-15		1 25	Abut	10D	1	
2513B	Diff. case—right (includes bushing)	1909-13		1 50	Abyss	11C	1	2 lb., 11 oz.
2513C	Diff. case—right (no bushing used)	1914-15		75	Ache	11D	1	
2514	Diff. case stud and nut	1909-15	$\frac{3}{8}$ " x 2 $\frac{3}{4}$ "	05	Arcadian	52-8	3	2 oz.
2514B	Diff. case stud and nut	1915	$\frac{3}{8}$ " x 2 $\frac{5}{16}$ "	05	Ale	2865-8	3	
2517	Diff. case bushing	1909-13	1 $\frac{1}{16}$ " bore—1 $\frac{1}{16}$ " dia.	30	Accite	19	2	4 oz.
2518	Diff. drive gear	1909-15	.40 teeth	4 00	Accost	12B	1	3 lb., 5 oz.
2519	Diff. drive gear screw	1909-15	$\frac{1}{16}$ " x $\frac{3}{16}$ "	02	Accoy	103	10	

*Substitute 2501E and 2502E. Write nearest branch or Factory for exchange proposition

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued								
2519A.	Diff. gear lock ring.	1909-15.		\$3	03. Acetic.	118.	2	
*2520.	Diff. gear.	1909-12.	24 teeth drilled for pin.	1	30. Acme.	13.	2	1 lb., 6 oz.
*2520B.	Diff. gear.	1913-15.	24 teeth not drilled for pin	1	30. Ace.	13B.	2	1 lb., 6 oz.
2521.	Diff. gear key.	1909-10.	$\frac{1}{16}$ " long.		05. Acquiet.	21B.	2	
2521B.	Diff. gear key.	1911-15.	$1\frac{3}{8}$ " long.		05. Acrid.	137.	2	
2522.	Diff. gear pin.	1909-10.	$1\frac{3}{8}$ " long.		03. Actor.	36.	2	
2522B.	Diff. gear pin.	1913-15.	$1\frac{3}{8}$ " long.		03. Acher.	2866.	2	
2523.	Diff. gear thrust washer.	1909-14.	Fibre, $3\frac{1}{16}$ " dia.		10. Actress.	32.	2	
2524.	Diff. pinion with bushing.	1909-10.	$\frac{1}{8}$ " bore, 12 teeth.		60. Acute.	14B.	3	5 oz.
2524B.	Diff. pinion with bushing.	1911-14.	$\frac{5}{8}$ " bore, 12 teeth.		60. Adage.	14C.	3	5 oz.
2524C.	Diff. pinion.	1915.	12 teeth (no bushing)		50. Admire.	14D.	3	
2525.	Diff. pinion bushing.	1909-10.	$\frac{1}{8}$ " bore.		05. Adder.	93B.	3	
2525B.	Diff. pinion bushing.	1911-14.	$\frac{5}{8}$ " bore.		05. Addict.	93C.	3	
2526.	Diff. spider with bushing.	1909-10.	$\frac{1}{8}$ " dia. arm.	1	00. Addlet.	15C.	1	13 oz.
†2526B.	Diff. spider with bushing.	1911-15.		1	00. Adduce.	15D.	1	15 oz.
2527.	Diff. spider bushing.	1909-15.	$1\frac{1}{16}$ " bore, brass.		20. Adfect.	18.	1	3 oz.
2528.	Diff. thrust plate.	1909-15.	$3\frac{3}{4}$ " dia. bronze.		30. Adieu.	30.	2	6 oz.
2529.	Diff. thrust plate.	1909-15.	$3\frac{3}{4}$ " dia. steel.		10. Adjoin.	31.	4	3 oz.
2530.	Diff. thrust plate pin.	1909-15.	$\frac{1}{16}$ " long.		03. Admix.	17.	2	
2531.	Diff. thrust plate pin.	1909-15.	$\frac{3}{16}$ " long.		03. Adgase.	37.	4	
2532.	Diff. housing oil plug.	1909-15.	$\frac{3}{4}$ " x 24 thds.		05. Agger.	817.	1	
2545B.	Rear axle grease cup.	1909-15.	$\frac{1}{8}$ " pipe thds.		10. Agat.	76.	3	1 oz.
2547.	Rear radius rod.	1909-15.		2	25. Altar.	152.	2	4 lb., 9 oz.
2548.	Radius rod nut.	1909-15.	$\frac{1}{8}$ " x 18 thds.		05. Amass.	77.	2	1 oz.
2549.	Radius rod lock nut.	1909-15.	$\frac{1}{8}$ " x 18 thds.		03. Amber.	78.	2	1 oz.
2550.	Radius rod lock washer.	1909-15.	$\frac{1}{8}$ "		01. Ambush.	2823.	2	
2551.	Radius rod bolt and nut.	1909-15.	$\frac{1}{2}$ " x $1\frac{1}{2}$ ".		05. Ampite.	83-60.	4	2 oz.
2554.	Ball joint support bolt and nut.	1909-14.	$\frac{3}{8}$ " x $1\frac{3}{8}$ ".		05. Amlabe.	79 & 8.	4	

*When used in place of the gear having the thin hub, remove the differential case bushings, and fibre washers.

†2524 and 2524B can be used with 2526B by removing the bushings.




Plate No. 1—Rear Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued								
2557	Hub cam shaft—right	1909-15	3 $\frac{1}{8}$ " long	\$0 20	Amuck	92B	1	3 oz.
2558	Hub cam shaft—left	1909-15	3 $\frac{1}{8}$ " long	20	Anchor	61B	1	3 oz.
2559	Hub cam shaft bushing	1909-15	$\frac{1}{2}$ " bore, $\frac{1}{16}$ " dia	10	Ancient	173	2	1 oz.
2562	Cam shaft lever	1909-15	$\frac{1}{2}$ " bore	20	Arab	62	2	2 oz.
2563	Cam shaft lever pin	1909-15	$\frac{1}{16}$ " x $\frac{3}{8}$ "	02	Arbor	7	4	
2564	Lever clevis pin	1909-15	$\frac{1}{8}$ " x 1"	02	Arcade	65	4	
2566	Hub brake shoe	1909-15	Cast iron	30	Arctic	55	2	1 lb., 9 oz.
2567	Brake shoe support bolt	1909-15	$\frac{1}{2}$ " x 1 $\frac{1}{8}$ "	05	Argus	59	2	2 oz.
2568	Brake shoe support nut	1909-15	$\frac{1}{2}$ " x 20 thds	03	Armor	60	2	
2570B	Brake shoe coil spring	1913-15	3 $\frac{3}{8}$ " long	03	Asug	2862	2	
2571	UNIVERSAL JOINT ASSEMBLY	1909-15		2 25	Ashore	151B	1	2 lb., 12 oz.
2572	Joint knuckle (male)	1909-15		60	Ashust	45B	1	1 lb.
2573	Joint knuckle (female)	1909-15		80	Askew	46B	1	1 lb.
2574	Joint knuckle pin	1909-15	$\frac{3}{32}$ " x 1 $\frac{1}{2}$ "	01	Asleep	6	2	
2575	Joint ring, complete	1909-15	3 $\frac{3}{8}$ " dia	80	Astert	49B	1	13 oz.
2576	Joint ring rivets (per set 4)	1909-15	$\frac{1}{4}$ " x 1 $\frac{1}{8}$ "	05	Atche	50	4	
2577	Joint housing	1909-15	4 $\frac{1}{16}$ " long	75	Atlas	70	1	2 lb.
2578	Joint housing plug	1909-15	$\frac{1}{2}$ " x 20 thds	05	Atom	75	1	
2579	Ball joint grease cup	1909-15	$\frac{1}{4}$ " pipe thds	15	Attic	195	1	5 oz.
2580	Ball cap gasket	1909-15	Felt	03	Auburn	1518	1	
2580B	DRIVE SHAFT AND HOUSING ASSEMBLY	1909-15		14 00	Balker	2805	1	
2582	D. S. Tubing	1911-15	.50 $\frac{3}{8}$ " long	4 00	Ballad	153D	1	
2583	D. S. roller bearing housing	1911-15	3 $\frac{1}{16}$ " long	75	Ballot	191B	1	2 lb., 12 oz.
2584	D. S. roller bearing stud and nut	1911-15	$\frac{3}{8}$ " x 4 $\frac{1}{16}$ "	05	Bamly	183-8	6	3 oz.
2584B	D. S. roller bearing stud and nut	1912-15	$\frac{11}{16}$ " x 4 $\frac{3}{16}$ "	05	Balneal	183B-184	6	3 oz.
2586	D. S. roller bearing housing set screw	1911-15	$\frac{1}{2}$ " x 20 thds	05	Banco	101	1	
2587	D. S. roller bearing	1911-15	2 $\frac{3}{4}$ " long	1 30	Balsam	108	1	1 lb., 3 oz.




Plate No. 2—Rear Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued								
2588	D. S. roller bearing distance plate	1911-15	2 $\frac{1}{32}$ " dia.	\$0 05	Band let.	106	1	
2589B	D. S. ball bearing assembly	1911-15		75	Bander	185	1	9 oz.
2589	D. S. ball race	1911-15	2 $\frac{3}{8}$ " dia.	20	Bandon	186	1	5 oz.
2590	D. S. ball retainer	1911-15	2 $\frac{1}{32}$ " dia.	03	Bandroe	190	1	
2591	D. S. ball thrust collar	1911-15	2 $\frac{1}{4}$ " dia.	40	Bandault	188	1	3 oz.
2592	D. S. ball bearings, each	1911-15	$\frac{3}{8}$ " ball	03	Bandy	249	15	
2593	D. S. roller bearing sleeve	1911-15	2 $\frac{3}{8}$ " dia, 2 $\frac{7}{16}$ " long.	90	Bangle	107	1	13 oz.
2595B	D. S. only (tapered)	1911-15	1 $\frac{3}{32}$ " x 53 $\frac{1}{16}$ "	3 50	Banjo	87D	1	13 lb., 8 oz.
2595C	D. S. with sleeve and ball bearing	1911-15	1 $\frac{3}{32}$ " x 53 $\frac{1}{16}$ "	5 00	Bannock	2859	1	14 lb., 8 oz.
2595D	D. S. with pinion, complete	1911-15	1 $\frac{3}{32}$ " x 53 $\frac{1}{16}$ "	6 00	Banquet	154D	1	15 lb., 4 oz.
2596	D. S. sleeve	1911-15	1" bore, 3 $\frac{1}{16}$ " long.	75	Banshee	163B	1	6 oz.
2597B	D. S. pinion	1911-15	Taper bore, 11 teeth	1 00	Banewort	16C	1	11 oz.
2598	D. S. castle nut	1911-15	$\frac{5}{8}$ " x 18 thds.	05	Banket	124	1	
2598B	D. S. pinion key	1911-15		05	Banker	57B	1	
2540	D. S. housing front bushing	1909-15	1" bore, 1 $\frac{1}{4}$ " babbitt	30	Balkish	69	1	5 oz.

REAR AXLE—60 INCH TREAD

2599	Rear axle assembly	1909-15	60" tread	55 00	Bankrupt	1727C	1	
*2600	Rear axle housing—right	1909-12	Dia. of bell 10 $\frac{1}{16}$ ", obsolete		Bantam	1701G	1	
2600B	Rear axle housing—right	1913-14	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bantor	2728A	1	
2600C	Rear axle housing—right	1915	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bang	2728C	1	
*2601	Rear axle housing—left	1909-12	Dia. of bell 10 $\frac{1}{16}$ ", obsolete		Bantling	1702G	1	
2601B	Rear axle housing—left	1913-14	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bamon	2729A	1	
2601C	Rear axle housing—left	1915	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bard	2729C	1	
2602B	Rear axle shaft—tapered	1911-15	1 $\frac{1}{4}$ " x 33 $\frac{1}{16}$ "	2 50	Baptism	2725	2	8 lb., 10 oz.
2604	Rear radius rod	1909-15	53 $\frac{3}{8}$ " tube only	2 25	Barbett	1726	2	4 lb., 10 oz.

FRONT AXLE

2690	Front axle assembly	1909-15	56" tread	24 00	Barlla	261B	1	
2691	Front axle only	1909-15	56" tread	8 00	Barber	202B	1	

*Substitute 2600C and 2601C. Write nearest Branch or Factory for exchange proposition.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FRONT AXLE—Continued								
2694...	Spindle body—right	1911-15		\$2 00	Bardash	203B	1	2 lb., 11 oz.
2695...	Spindle body—left	1911-15		2 00	Bardish	204B	1	2 lb., 11 oz.
2696...	Spindle arm—left	1911-15		60	Bardism	270	1	12 oz.
2696B...	Spindle arm—right	1911-15		60	Bardo	282	1	12 oz.
2697...	Spindle arm nut	1911-15	$\frac{1}{8}$ " x 18 thds.	05	Bardling	77	2	1 oz.
2702...	Spindle assembly—right	1909-10		2 75	Barkate	203A	1	3 lb., 8 oz.
2703...	Spindle assembly—left	1909-10		2 75	Barker	204A	1	3 lb., 8 oz.
2704...	Stationary cone	1909-15	1 $\frac{1}{8}$ " bore	20	Barkless	205	2	4 oz.
2705...	Adjusting cone—right thread	1909-15	$\frac{3}{4}$ " x 16 thds., R. T.	15	Barley	206	1	2 oz.
2706...	Adjusting cone—left thread	1909-15	$\frac{3}{4}$ " x 16 thds., L. T.	15	Barrack	207	1	2 oz.
2707...	Spindle nut—right thread	1909-15	$\frac{3}{4}$ " x 16 R. H. thds.	05	Barrow	209B	1	2 oz.
2708...	Spindle nut—left thread	1909-15	$\frac{3}{4}$ " x 16 L. H. thds.	05	Baron	208B	1	2 oz.
2709...	Spindle washer	1909-15	$\frac{11}{16}$ " hole x $1\frac{1}{8}$ "	02	Barras	210	2	
2710...	Spindle bolt with oiler	1910-15	$\frac{1}{2}$ " x $6\frac{3}{4}$ "	40	Barter	7708	2	7 oz.
2711...	Spindle bolt nut	1909-15	$\frac{1}{2}$ " x 20 thds.	03	Barton	60	2	
2713...	Spindle body bushing (pair)	1909-15	$\frac{1}{4}$ " bore	20	Bartram	223	2	2 oz.
2714...	Spindle arm bushing	1909-15	$\frac{1}{8}$ " bore, $\frac{11}{16}$ " dia., 1" L.	05	Barwood	225	2	
2715...	Spindle oiler	1909-14	See No. 3817					
2715B...	Spindle oiler cap assembly	1915		05	Beard	7702-7705-7707	2	
2717...	Spindle con. rod	1909-15	.46 $\frac{3}{4}$ " long	1 45	Basalt	268	1	3 lb., 2 oz.
2718...	Spindle con. rod bolt with oiler	1909-15	$\frac{1}{8}$ " x $2\frac{1}{4}$ "	15	Basan	7706	2	3 oz.
2719...	Spindle con. rod bolt nut	1909-15	$\frac{1}{8}$ " x 20 thds.	02	Bashful	220	2	
2721...	Spindle con. rod yoke	1909-15	$2\frac{3}{4}$ " long	40	Bashule	248	1	5 oz.
2722...	Steering yoke clamp bolt and nut	1909-15	$\frac{3}{4}$ " x $1\frac{1}{8}$ "	05	Basil	79-8	1	
2725B...	Steering gear con. rod	1909-15	Includes ball sockets	75	Baslard	289	1	2 lb., 2 oz.
2728...	Ball socket cap	1909-15		15	Basent	254B	2	2 oz.
2729...	Ball socket bolt and nut	1909-15	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	05	Basined	255-8	4	
2733...	Front radius rod	1909-15		2 50	Beardless	263	1	
2734...	Front radius rod nut	1909-15	$\frac{1}{8}$ " x 18 thds.	05	Beatish	77	2	2 oz.
2736...	Front radius rod ball cap	1909-15		15	Beaufet	217	1	3 oz.




Plate No. 3—Front Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FRONT AXLE—Continued								
2737...	Front radius rod ball socket.....	1911-15.....		\$0 20	Beckon.....	809B.....	1	11 oz.
2738...	Front radius rod ball cap screw.....	1909-10.....	$\frac{3}{8}$ " x 24 thds.	05	Beaver.....	810A.....	2	
2739...	Front radius rod ball cap screw.....	1911-13.....	$\frac{3}{8}$ " x 16 thds.	05	Beblot.....	810B.....	2	
2740...	Speedometer swivel joint support.....	1912-14.....		20	Belack.....	4760.....	1	5 oz.
2741...	Radius rod ball cap stud and nut.....	1914-15.....		05	Berth.....		2	
2742...	Radius rod ball cap spring.....	1914-15.....		02	Bicep.....		2	
2760...	FRONT AXLE ONLY.....	1909-15.....	.60" tread	8 00	Bechance.....	1720B.....	1	
2761...	Steering spindle con. rod.....	1909-15.....	.60" tread	1 45	Becket.....	1725.....	1	3 lb., 7 oz.
2762...	Steering gear con. rod.....	1909-15.....	.60"trd.includes ball sockets	75	Becloud.....	2739.....	1	

WHEELS

2800B...	Front wheel (specify color).....	1909-15.....	.30" x 3"	5 00	Becomb.....	291.....	2	
2803C...	Front hub assembly.....	1909-15.....		2 00	Bedew.....	232.....	2	4 lb., 9 oz.
2804...	Outer race.....	1909-15.....	1 $\frac{1}{16}$ " dia.	10	Bedfere.....	234.....	2	2 oz.
2805...	Inner race.....	1909-15.....	2 $\frac{3}{16}$ "	15	Bedlight.....	235.....	2	5 oz.
2806...	Outer ball retainer.....	1909-15.....	1 $\frac{3}{16}$ " dia.	02	Bedim.....	236.....	2	
2807...	Inner ball retainer.....	1909-15.....	2 $\frac{1}{16}$ " dia.	03	Bedside.....	237.....	2	
2808...	Dust ring.....	1909-15.....	Steel, 2 $\frac{3}{16}$ " d.a.	05	Bedward.....	238.....	2	1 oz.
2809...	Felt washer.....	1909-15.....	2 $\frac{1}{2}$ " dia.	05	Bedije.....	239.....	2	
2810...	Large balls, each.....	1909-15.....	$\frac{1}{2}$ "	04	Beefing.....	241.....	24	
2811...	Small balls, each.....	1909-15.....	$\frac{3}{8}$ "	03	Beemol.....	249.....	22	
2812A...	Rear wheel (specify color).....	1909-10.....	.30" x 3 $\frac{1}{2}$ " straight hub	5 00	Beemine.....	99.....	2	
2814C...	Rear wheel—blue (taper hub).....	1912-15.....	.30" x 3 $\frac{1}{2}$ "	5 00	Beggah.....	2815.....	2	
2815B...	Rear hub (straight bore).....	1909-11.....	1 $\frac{1}{16}$ " bore x 4 $\frac{1}{4}$ "	1 50	Beggart.....	40B.....	2	4 lb., 7 oz.
2815C...	REAR HUB (TAPERED).....	1912-15.....	3 $\frac{3}{8}$ " long	1 50	Begol.....	2819.....	2	4 lb., 3 oz.
2816...	Rear hub key (for straight axle).....	1909-10.....	$\frac{1}{4}$ " x $\frac{1}{4}$ " x 4 $\frac{9}{16}$ "	05	Begone.....	26.....	2	2 oz.
2816B...	Rear hub key (for taper axle).....	1912-15.....	$\frac{1}{4}$ " x $\frac{1}{4}$ " x 2 $\frac{1}{16}$ "	05	Begloom.....	2820.....	2	1 oz.
2817...	Rear hub pin.....	1909-10.....	$\frac{3}{8}$ " x 2"	02	Begore.....	27.....	2	1 oz.
2818...	Rear hub brake drum.....	1909-15.....	3" hole, 8" dia.	30	Beguiler.....	3.....	2	2 lb., 9 oz.
2819...	Hub cap.....	1909-15.....	2 $\frac{1}{8}$ " x 24 thds.	15	Behave.....	240.....	4	3 oz.
2820...	Hub bolt and nut.....	1909-10.....	$\frac{1}{8}$ " x 2 x 18 thds.	05	Beheld.....	28A.....	24	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

WHEELS—Continued

2825...	Hub bolt and nut.....	1911-15..	$\frac{3}{8}$ " x $2\frac{1}{8}$ " x 16 thds.....	\$0 03..	Belay.....	28B.....	24	
2827...	Hub flange.....	1911-15..	6" dia.....	10..	Bellow.....	233B.....	4	1 lb., 5 oz.
2828...	Rear hub lock nut.....	1912-15..	$\frac{3}{8}$ " x 18 thds.....	05..	Bengal.....	242.....	2	2 oz.
2829...	Rear hub felt washer.....	1913-15..		05..	Bedpost.....	239.....	2	

FRAME

*2850...	Frame assembly.....	1909-15..	Specify Car. No.....	8 00..	Belone.....	2916.....	1	
2851...	Side member—right.....	1909-13..	$1\frac{1}{2}$ " x $101\frac{1}{8}$ " long.....	3 00..	Belowt.....	301.....	1	
2851B...	Side member—right.....	1914-15..		3 00..	Benign.....	2914.....	1	
2852...	Side member—left.....	1909-13..	$1\frac{1}{2}$ " x $101\frac{1}{8}$ " long.....	3 00..	Beltane.....	302.....	1	
2852B...	Side member—left.....	1914-15..		3 00..	Berdash.....	2915.....	1	
2853...	Front cross member.....	1909-15..	$22\frac{3}{4}$ " long.....	1 00..	Beluga.....	303.....	1	3 lb., 15 oz.
2854...	Rear cross member.....	1909-13..	$22\frac{1}{8}$ " long.....	1 00..	Bemoan.....	304.....	1	6 lb., 3 oz.
2854B...	Rear cross member.....	1914-15..		1 00..	Bendlet.....	2913.....	1	7 lb., 8 oz.
2855...	Front corner bracket—right.....	1909-15..		30..	Benumb.....	305.....	1	8 oz.
2856...	Front corner bracket—left.....	1909-15..		30..	Bequest.....	306.....	1	8 oz.
2857...	Rear corner bracket—right.....	1909-15..		30..	Besiege.....	307.....	1	9 oz.
2858...	Rear corner bracket—left.....	1909-15..		30..	Bespawl.....	308.....	1	9 oz.
2863...	Body bracket.....	1909-15..	On frame.....	15..	Bestow.....	344.....	4	4 oz.

GASOLINE TANK—RUNABOUT

2875...	Gasoline tank.....	1911-12..	16 $\frac{1}{2}$ gallons.....	6 00..	Bethel.....	2083.....	1	
2876...	Filler cap.....	1911-12..	$2\frac{1}{8}$ " out. dia.....	30..	Bethump.....	2315.....	1	7 oz.
2877...	Sediment bulb (Substitute with 2902B).....	1911-12..	$3\frac{1}{8}$ " long.....					
2878...	Feed pipe.....	1911-12..	Brass, 78" long.....	35..	Betrap.....	1394.....	1	8 oz.

GASOLINE TANK—TOURING CAR

2900...	Gasoline tank.....	1909-15..	10 gallons.....	3 00..	Bibber.....	1303.....	1	
2901...	Filling plug.....	1909-15..	$2\frac{1}{8}$ ".....	15..	Biblist.....	1317.....	1	1 oz.
2902B...	Sediment bulb.....	1909-15..	Brass.....	00..	Bickers.....	2088.....	1	1 lb., 2 oz.

*Rear cross member extension must be cut off when used on 1909-12.



2805




2804



2806



2807



2909



2816

2816-B



2818



2809



2908



2907



2876



2815-C



2815-B



2803-C



2819



2901



2902-B



2814-C



2800-B



2828



2900

Plate No. 4—Wheel and Gasoline Tank Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
GASOLINE TANK—TOURING CAR—Continued								
2903	Tank bolt and nut	1909-15	Specify length	\$ 0 05	Bight	1320	3	1 oz.
2907	Stop cock	1909-15		20	Bigot	1343	1	3 oz.
2908	Pet cock	1909-15	3/8" pipe thds	15	Billbb	1515	1	2 oz.
2909	Feed pipe	1909-15	1/4" x 40 3/4" long	25	Billet	1364	1	4 oz.
2910	Feed pipe pack nut	1909-15	1/2" x 18 thds	05	Billow	1374	2	

MOTOR

3000	Cylinder	1909-15	Cars above 2500	15 00	Cabal	400C	1	
3001	Cylinder head	1909-15	Cars above 2500	3 00	Cabin	401C	1	
3002	Cyl. head gasket	1909-15	Copper-Asbestos	30	Caboose	402B	1	5 oz.
3003	Cyl. head cap screw	1909-15	1 1/8" x 2 1/8"	05	Cackle	483B	13	2 oz.
3004	Cyl. head outlet connection	1909-15	Cast iron	15	Caddow	446C	1	11 oz.
3005	Cyl. head outlet con. gasket	1909-15	Copper	05	Caddy	445B	1	
3006	Cyl. head outlet hose	1909-15	2" x 3 3/4"	10	Cadet	448B	1	4 oz.
3007	Cyl. head outlet hose clip	1909-15	2 3/4" dia	05	Cadger	607B	2	1 oz.
3008	Cyl. head outlet con. screw	1909-15	1 1/8" x 1 1/8"	05	Cadmean	550C	2	1 oz.
3009B	Cyl. front cover with set screw	1909-15	Cars above 2500	75	Cage	690	1	2 lb., 1 oz.
3010	Cyl. cover bolt	1909-15	3/8" x 3/8"	05	Cafe	1020	1	1 oz.
3011	Cyl. cover cap screw	1909-15	3/8" x 1 1/8"	03	Cahoot	432	4	
3012	Cyl. cover felt	1909-15	Felt	05	Caitiff	504	1	
3013	Cyl. cover liner	1909-15	Paper	01	Cajole	505B	1	
3014	Cyl. cover and crank case bolt and nut	1909-15	3/8" x 1 1/8"	05	Calash	484-8	16	
3015	Cyl. water inlet connection	1909-15	Cast Iron	20	Calcine	442B	1	1 lb., 3 oz.
3016	Cyl. inlet con. screw	1909-15	1 1/8" x 1 1/2"	03	Caldron	597	2	
3018	Cyl. water inlet gasket	1909-15	Copper	05	Calefy	596	1	
3019	Cyl. water jacket plug	1909-13	1/2" pipe plug	05	Capin	557	3	1 oz.
3019B	Cyl. water jacket plug	1914-15		01	Canon	5919	3	
3020	PISTON COMPLETE	1909-15	3 3/4" dia	1 50	Caliph	586C	4	3 lb., 9 oz.
3020C	PISTON COMPLETE	1909-15	.0025" oversize	1 50	Canopy	683A	4	
3020D	PISTON COMPLETE	1909-15	.03125" oversize	1 50	Capon	683C	4	
3021	Piston only	1909-15	3 3/4" dia	85	Callous	418	4	2 lb., 15 oz.



3009



3009-B



3163



3110



3111



3101




3101-B



3001



3176



3221



3165



3002



3013




3169




3155



3112




3071




3070




3012



3084



3000



3100



3085

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued								
3022	Piston pin	1909-15	$\frac{11}{16}$ " dia. x $3\frac{1}{2}$ " long.	\$ 0 25	Callot	419B	4	4 oz.
3022½	Piston pin bushing (pair)	1909-15	$\frac{11}{16}$ " dia. x $1\frac{1}{32}$ " long.	30	Callow	668	4	3 oz.
3023	Piston ring	1909-15	$\frac{1}{4}$ " x $3\frac{3}{4}$ "	15	Calmy	422	12	2 oz.
3023B	Piston ring	1909-15	.03125 oversize	15	Calf	5917	12	
*3024	CONNECTING ROD	1909-15	Includes bearings	1 50	Calvish	641	4	1 lb., 9 oz.
3025	Con. rod cap bolt and nut	1909-15	$\frac{3}{8}$ " x 2" x 24 thds.	10	Calyz	489B	8	
3029	Con. rod clamp screw	1909-15	$\frac{3}{8}$ " x $1\frac{1}{16}$ "	05	Cambrie	578	4	
3030	CRANK SHAFT	1909-15	$25\frac{1}{2}$ " long.	10 00	Camel	498B	1	
3031	C. S. rear bearing cap	1909-15	$3\frac{1}{4}$ " long, babbitted	60	Cameo	405B	1	1 lb., 1 oz.
3032	C. S. front bearing cap	1909-15	$1\frac{11}{16}$ " long, babbitted	50	Camera	406B	1	10 oz.
3033	C. S. center bearing cap	1909-15	$2\frac{1}{4}$ " long, babbitted	50	Camlet	407B	1	10 oz.
3034	C. S. bearing bolt—center and front	1909-15	$\frac{1}{2}$ " x $6\frac{1}{16}$ " x 20 thds.	15	Camphor	408	4	6 oz.
3035	C. S. bearing bolt nut	1909-15	$\frac{1}{2}$ " x 20 thds.	03	Canal	60	6	
3036	C. S. rear bearing bolt	1909-15	$\frac{1}{2}$ " x $4\frac{1}{2}$ "	15	Candle	478	2	4 oz.
3037	C. S. center bearing liner	1909-15	$2\frac{1}{4}$ " long, brass.	01	Canker	501B		
3038	C. S. bearing liner, front	1909-15	$1\frac{11}{16}$ " long, brass.	01	Cannon	502B		
3039	C. S. rear bearing liner	1909-15	3" long, brass.	01	Canny	503B		
3040	C. S. starting pin	1909-15	$\frac{3}{8}$ " x $2\frac{3}{4}$ "	05	Canoe	529B	1	2 oz.
3041	CAM SHAFT	1909-15	Drop forging	4 50	Canteen	410	1	3 lb., 4 oz.
3042	Cam shaft front bearing	1909-15	Cast iron, 2" long.	25	Canter	411	1	6 oz.
3043	Cam shaft center bearing	1909-15	Cast iron, $2\frac{1}{8}$ " long.	25	Canthus	412B	1	6 oz.
3044	Cam shaft rear bearings	1909-15	Bronze, $1\frac{1}{16}$ " long.	30	Canto	413	1	3 oz.
3045	Cam shaft bearing ring	1909-15	$\frac{1}{16}$ " x $1\frac{1}{8}$ "	01	Canvas	534	4	
3046	Cam shaft bearing set screw	1909-15	$\frac{1}{16}$ " x $\frac{3}{8}$ "	03	Capelin	414	2	
3047	Cam shaft gear—large	1909-15	42 teeth	75	Caper	415	1	1 lb., 10 oz.
3048	Cam shaft gear—small	1909-15	21 teeth	60	Capat	416	1	11 oz.
3049	Cam shaft gear dowel pin	1909-15	$\frac{3}{8}$ " x $\frac{1}{16}$ "	03	Capra	417	2	
3050	Cam shaft large gear lock nut	1909-11	Used with com. No. 3200	15	Caprice	475	1	2 oz.
3050B	Cam shaft large gear lock nut	1912-15	Used with com. No. 3160	10	Captive	4453	1	2 oz.

*Connecting rods requiring new bearings will be exchanged at Branch or Factory for 75c each.




Plate No. 6—Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued								
3051	Cam shaft small gear key	1909-15	Special Woodruff key	\$ 0 03	Capsize	477	1	
3052	Valve	1909-15	Exhaust and inlet	15	Capstan	424	8	3 oz.
3053	Valve bushing	1909-10	$\frac{1}{16}$ " dia. x 2" long	15	Capstule	428	8	2 oz.
3053½	Valve bushing	1911-12	$\frac{5}{8}$ " O. D. x 2" long	15	Captain	428B	8	2 oz.
3054	Valve spring	1909-15	$2\frac{3}{4}$ " long	05	Capture	431	8	1 oz.
3056	Valve spring seat	1909-15	$1\frac{1}{8}$ " dia.	01	Carack	425	8	
3057	Valve spring seat pin	1909-15	$\frac{1}{16}$ " x $\frac{1}{4}$ "	01	Caranx	429	8	
3058	Push rod	1909-15	$\frac{1}{16}$ " dia., $2\frac{1}{2}$ "	15	Carat	426	8	2 oz.
3059½	Push rod bushing	1909-15	Iron	15	Chippy	427B	8	2 oz.
3060	Exhaust manifold	1909-12	Iron	75	Chisley	511	1	4½ lb.
3060B	Exhaust manifold	1913-15	Iron	75	Chirp	4463	1	4½ lb.
3061	Exhaust pipe pack nut	1909-15	$1\frac{1}{8}$ " x 18 thds., brass	15	Chitter	518	1	4 oz.
3062	Inlet pipe	1909-15		60	Chloris	512B	1	2 lb., 8 oz.
3063	Inlet and exhaust pipe gasket	1909-15	$1\frac{1}{4}$ " O. D. copper	03	Choker	513	6	1 oz.
3064	Inlet and exhaust pipe gland	1909-15	$1\frac{1}{4}$ " dia., iron	03	Chopper	514	6	
3065	Inlet and exhaust pipe clamp	1909-15	$2\frac{3}{4}$ " long	10	Choral	515	4	3 oz.
3066	Inlet and exhaust clamp stud and nut	1909-15	$\frac{3}{8}$ " x $3\frac{1}{4}$ "	05	Chorus	516-517	4	2 oz.
3068	Breather pipe	1909-15	$1\frac{1}{16}$ " long, brass	15	Chuck	4468	1	2 oz.
3069	Crank case (substitute 3100 and 3376)	1909-10	Used with No. 33C1		Chunky	1526A	1	
3069B	Crank case front end bearing	1911-15		50	Clam	801C	1	
3070	Crank case and cyl. gasket—left	1909-15	Felt	03	Clder	886	1	
3071	Crank case and cyl. gasket—right	1909-15	Felt	03	Cigar	887	1	
3072	Crank case and cyl. cover cap screw	1909-15	$\frac{3}{8}$ " x 1"	03	Cinter	1388	2	
3073	Crank case arm bolt and nut—side	1909-15	$\frac{3}{8}$ " x $2\frac{1}{4}$ "	05	Cippers	479	2	2 oz.
3074	Crank case arm bolt and nut—top	1909-15	$\frac{3}{8}$ " x $\frac{1}{2}$ "	05	Circlet	480	2	
3076	Crank case front frame bearing	1909-15	Iron	50	Circus	320B	1	1 lb., 6 oz.
3077	Crank case front bearing cap	1909-15	Iron	10	Cizar	321	1	3 oz.
3078	Crank case front bearing screw	1909-15	$\frac{1}{16}$ " x $\frac{1}{4}$ "	05	Clabber	322	2	1 oz.
3079	Crank case oil cock	1909-15	$\frac{1}{8}$ " pipe thds., brass	15	Clammy	1515	2	2 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued								
3080	Crank case drain cup plug	1909-15	$\frac{3}{4}$ " x 24 thds.	\$ 0 05	Clapper	817	1	1 oz.
3080B	Crank case drain cup plug gasket	1909-15			01..Cliff	4339	1	
3081	Crank case oil tube	1909-15	Brass		15..Cleavast	543B	1	2 oz.
3082	Crank case oil tube clamp	1909-15			05..Cleaver	548B	1	
3083	Crank case arm block	1909-15	Wood		05..Clergy	890	2	3 oz.
3084	Engine pan—right	1909-15			25..Clicket	1330	1	1 lb., 14 oz.
3085	Engine pan—left	1909-15			25..Clientage	1331B	1	1 lb., 11 oz.
3088	Engine pan bolt and nut	1909-12	$\frac{1}{4}$ " x $\frac{1}{8}$ "		04..Cloggy	1335-1900	7	
3088B	Engine pan and hood board bolt and nut	1909-15	Short, $\frac{1}{4}$ " x $3\frac{1}{4}$ "		03..Clog	4074-1309	2	
3088C	Engine pan and hood board bolt and nut	1909-15	Size, $\frac{1}{4}$ " x $3\frac{5}{8}$ "		03..Clod	4073-1309		
3100	CRANK CASE WITH LOWER COVER	1912-15	Used only with No. 3376	7 50	Closet	1526C	1	
3101	Crank case lower cover	1912-15	$.6\frac{3}{4}$ " x $15\frac{1}{4}$ "		30..Closure	1582	1	2 lb., 13 oz.
3101B	Crank case lower cover reinforcement	1912-15			30..Clothes	4378-4379	1	1 lb., 11 oz.
3102	Crank case lower cover gasket	1912-15	Felt		10..Clotting	1586	1	
3103	Crank case lower cover screw	1912-15	$\frac{5}{8}$ " x $\frac{7}{16}$ "		03..Cloudlet	4328	14	
3110	Cylinder valve cover	1912-15	$3\frac{3}{4}$ " x 8"		10..Clovate	656	2	9 oz.
3111	Cylinder valve cover gasket	1912-15	Felt		02..Cloven	660	2	
3112	Cylinder valve cover stud and nut	1912-15	$\frac{3}{4}$ " x $3\frac{1}{2}$ "		05..Compone	654	2	2 oz.


COMMUTATOR

3155	Commutator only	1912-15	Used with No. 3009B	1 25	Cook		1	9 oz.
3162	Com. case support bolt	1912-15	$\frac{3}{8}$ " x $2\frac{1}{4}$ " x 24 thds.		05..Connote	4441	1	2 oz.
3163	Com. case spring	1912-15	$3\frac{1}{4}$ " C. to C.		03..Conoid	689	1	1 oz.
3165	Com. brush assembly	1912-15			40..Conquest	4481	1	3 oz.
3167	Com. roller	1912-15	$\frac{11}{16}$ " out. dia., $\frac{1}{8}$ " long		10..Consense	673	1	
3168	Com. roller pin	1912-15	$\frac{3}{16}$ " x $\frac{11}{16}$ "		03..Conserve	675	1	
3169	Com. arm with roller	1912-15			25..Console	4474	1	1 oz.
3170	Com. roller arm spring	1912-15	Coil spring		01..Consort	469	1	
3173	Com. arm pin	1911-15	$\frac{1}{16}$ " x $\frac{3}{16}$ "		02..Contex	476B	1	
3176	Com. oiler	1912-15	$\frac{1}{8}$ " pipe thds.		10..Coomb	2383	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
COMMUTATOR—Continued								
3177	Com. felt ring	1912-15	Felt	\$ 0	03. Coombox	4467	1	
3206	Com. brush cap	1909-15	$\frac{7}{8}$ " dia.		01. Convert	468	1	
3207	Com. brush cap pin	1909-15	$\frac{1}{8}$ " x $\frac{35}{64}$ "		01. Convict	466	1	
3210	Com. contact point nut	1910-15	$\frac{1}{16}$ " hex		02. Cooper	472B	4	
3212	Com. thumb nut	1909-15	No. 10, 32 thds.		03. Copeck	467	4	
3220	Com. lock nut	1909-15	$\frac{9}{16}$ " x 18 thds.		03. Crater	471	1	
3221	Com. case with fibre assembled	1912-15			75. Crato	5908	1	
3222	Com. shield	1912-15			02. Crash	5923	1	

MAGNETO

3250B	Magneto coil assembly	1909-10	Used with $\frac{1}{8}$ " Magnets	6 00	Coquet	591B	1	11 lb., 8 oz.
3250C	Magneto coil assembly	1911-14	Used with $\frac{5}{8}$ " Magnets	6 00	Corel	591C	1	11 lb., 4 oz.
3250D	Magneto coil assembly	1915	Used with $\frac{3}{4}$ " Magnets	6 00	Craft	5941	1	
3252	Magneto spool support screw	1909-15	$\frac{3}{8}$ " x $\frac{5}{8}$ "	05	Corban	731	4	
3254	Magneto bolt	1909-15	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	05	Corbeil	537B	16	1 oz.
3255B	Magnet bolt washer	1911-15	$\frac{21}{32}$ " hole, $\frac{7}{8}$ " dia.	01	Corupt	624	16	
3256B	Magnet washer screw	1909-10	2" x 24 thds., brass	05	Cordals	541B	16	
3257	Magnet brass support	1911-15	$\frac{5}{8}$ " x $\frac{3}{4}$ ", brass	05	Cordial	535C	16	
3257B	Magnet brass support	1909-10	$\frac{5}{8}$ " x $\frac{11}{16}$ ", brass	05	Cordon	535B	16	1 oz.
3260	Magneto contact assembly	1909-15	On trans. cover	25	Cormus	1545	1	2 oz.
3261	Magneto contact thumb nut	1909-15	Brass	03	Cornet	1508	1	
3262	Magneto contact spring	1909-15	Coil spring	03	Cornise	1509	1	
3262B	Magneto primary contact point	1909-15	$\frac{9}{32}$ " dia.	03	Corpse	4331	1	
3266	Magneto contact fibre screw	1909-15	$\frac{1}{2}$ " long	01	Cortile	1505B	1	
3269C	Fly wheel	1911-15	Used on cars over 20500	3 50	Cosmic	701B	1	
3269E	Fly wheel with magnets assembled	1915	$\frac{3}{4}$ " Magnets	10 00	Cramp	5946	1	
3270	Fly wheel cap screw	1909-15	$\frac{1}{8}$ " x $1\frac{1}{16}$ "	10	Cossack	721	4	2 oz.
3271	Fly wheel dowel pin	1909-15	$\frac{11}{16}$ " x $1\frac{1}{16}$ "	05	Costard	722	2	



3250-D



3254



3272



3270



3278



3260



3257-B




3255-B




3279



3257




3269-C



3269-E




3277



3276-B



3277-B



3250-C

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

MAGNETO—Continued

3272	Magneto coil support shim	1909-15	Sheet steel	\$ 0 03	Costrel	584	1	
3275	Magnet (16) per set	1909-10	Thickness at face $\frac{9}{16}$ " set	12 00	Cote	536B	16	
3276	Magnet (16) per set	1911-14	Thickness at face $\frac{5}{8}$ " set	6 00	Coupon	536C	16	
3276B	Magnet (16) per set	1915	$\frac{3}{4}$ " set	4 00	Court	593B	16	
3277	Magnet clamp	1911-15		02	Cotland	623	16	
3277B	Magnet clamp	1913-14		02	Cotta	4499	16	
3278	Magnet clamp screw	1911-15	2 $\frac{3}{32}$ " x 24 thds. brass	03	Cottage	625	16	
3279	Magneto contact washer	1909-15	Cork on trans. cover	01	Cough	560	1	

TRANSMISSION

3300	Transmission assembly	1909-15		35 00	Delester	744B	1	
3301	Trans. reverse plate assembly	1909-15		3 25	Dacolt	747	1	4 lb., 14 oz.
3304	Trans. reverse gear bushing	1909-15	2 $\frac{5}{16}$ " rear	50	Daddy	705	1	9 oz.
3305	Trans. reverse and S. S. rivet	1909-15	$\frac{1}{15}$ " x $\frac{11}{16}$ " per doz.	05	Dado	708	8	
3306	TRANS. SLOW SPEED PLATE ASSEMBLY	1909-15		3 50	Dagger	748	1	4 lb., 8 oz.
3309	Trans. slow speed gear bushing	1909-15	1 $\frac{3}{16}$ " ream	40	Dalry	745	1	5 oz.
3310	Trans. brake drum rivet	1909-15	$\frac{7}{32}$ " x $\frac{11}{16}$ " per doz.	05	Daisy	711	8	
3311	TRANS. BRAKE DRUM ASSEMBLY	1909-15		3 50	Dakir	750	1	6 lb., 2 oz.
3313	TRANS. TRIPLE GEAR ASSEMBLY	1909-15		3 00	Dallop	751B	3	2 lb.
3314	Trans. triple gear bushing	1909-10	1" dia. x 1 $\frac{13}{16}$ " long	30	Dally	716A	3	3 $\frac{1}{2}$ oz.
3314 $\frac{1}{2}$	Trans. triple gear flanged bushing	1911-15	1 $\frac{1}{16}$ " dia. x 1 $\frac{39}{64}$ "	30	Dalriad	716B	3	4 oz.
3315	Trans. triple gear shaft	1909-15	$\frac{11}{16}$ " dia. x 2 $\frac{1}{2}$ "	30	Dalrotz	715	3	4 oz.
3316	Trans. triple gear riveting pin	1909-15	$\frac{3}{16}$ " x 1 $\frac{3}{16}$ "	01	Damar	720	24	
3317	Trans. driven gear	1909-15	27 teeth	1 00	Damask	713	1	13 oz.
3318	Trans. driven gear key	1909-15	"B" Woodruff key	03	Dampen	714	2	4 oz.
3320B	Trans. driven gear sleeve bushing	1909-15	1" ream x flange 2 $\frac{3}{8}$ "	50	Dankish	769	1	4 oz.
3320C	Trans. driven gear sleeve bushing	1909-15	1 $\frac{1}{2}$ " long	25	Dark	712	1	3 oz.
3321	TRANS. DRIVING PLATE ASSEMBLY	1909-15		4 00	Dannock	749	1	5 lb.
3323	Trans. driving plate screw	1909-15	$\frac{5}{8}$ " x $\frac{3}{4}$ "	05	Daphine	731	6	
3325	Trans driving plate rivet	1909-15	$\frac{1}{8}$ " x $\frac{5}{8}$ " per doz.	05	Darner	736	8	



3321



3343



3309




3344



3320-B



3314



3306



3337



3314½

3338



3327-B



3315



3368



3341



3320-C

3334



3342



3327



3336



3329



3328



3330




3332



3304



3369




3311



3317



3331



3300



3340



3313



3301

Plate No. 8—Transmission Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION—Continued								
*3327B...	Trans. driving plate bushing.....	1909-15..	1 $\frac{1}{8}$ " x 1 $\frac{1}{4}$ ".....	\$ 0 25..	Darsis.....	772.....	1	
3328...	Trans. thrust plate—small.....	1909-15..	.6" dia.....	10..	Dauphin.....	727.....	13	3 oz.
3329...	Trans. thrust plate—large.....	1909-15..	.6 $\frac{1}{16}$ ".....	10..	Davine.....	728.....	13	3 oz.
3330...	Trans. distance plate.....	1909-15..	.6" O. D.....	15..	Decry.....	729.....	1	7 oz.
3331...	Trans. gear shaft.....	1909-15..	1" dia. x 7 $\frac{1}{2}$ " over all.....	2 00..	Decurt.....	723B.....	1	2 lb., 10 oz.
3332...	Trans. clutch disc drum.....	1909-15..	4 $\frac{3}{16}$ " dia.....	1 50..	Deeply.....	725B.....	1	1 lb., 11 oz.
3333...	Trans. clutch disc drum key.....	1909-15..	"C" Woodruff.....	05..	Defalk.....	726B.....	1	
3334...	Trans. clutch disc drum set screw.....	1909-15..	. $\frac{3}{8}$ " x $\frac{3}{4}$ ".....	05..	Defeat.....	752.....	1	
3336...	Trans. clutch push ring.....	1909-15..	.6 $\frac{1}{16}$ " O. D.....	75..	Defile.....	704.....	1	1 lb., 1 oz.
3337...	Trans. clutch finger.....	1909-15..		30..	Define.....	732B.....	3	3 oz.
3337 $\frac{1}{2}$...	Trans. clutch finger screw.....	1909-15..	. $\frac{3}{8}$ " x $\frac{3}{4}$ " x 24 thds.....	05..	Deflour.....	756.....	3	
3337 $\frac{3}{4}$...	Trans. clutch finger washer.....	1909-15..	. $\frac{3}{32}$ " hole, $\frac{1}{2}$ " dia.....	01..	Deforce.....	759.....	3	
3338...	Trans. clutch finger pin.....	1909-15..	. $\frac{11}{32}$ " x 1 $\frac{5}{8}$ ".....	01..	Deform.....	735.....	3	1 oz.
3340...	Trans. clutch spring.....	1909-15..	2 $\frac{3}{8}$ " dia. x 2 $\frac{3}{4}$ " long.....	20..	Defoue.....	737.....	1	10 oz.
3341...	Trans. clutch spring support.....	1909-15..		10..	Delator.....	738.....	1	4 oz.
3342...	Trans. clutch spring thrust ring pin.....	1909-15..	. $\frac{5}{16}$ " x 2 $\frac{3}{8}$ ".....	01..	Delete.....	739.....	1	
3343...	Trans. clutch spring thrust ring.....	1909-15..	. $\frac{9}{16}$ " x 2 $\frac{5}{16}$ " dia.....	10..	Dellac.....	740.....	1	3 oz.
3344...	Trans. clutch shift.....	1909-15..		1 25..	Delight.....	733.....	1	14 oz.

TRANSMISSION COVER

3361...	Trans. cover with square door.....	1909-10..	Aluminum.....	9 00..	Delude.....	826A.....	1	10 lb., 14 o
3362...	Trans. cover bolt and nut.....	1909-15..	. $\frac{3}{8}$ " x 1 $\frac{3}{4}$ ".....	05..	Defunct.....	825B.....	8	1 oz.
3363...	Trans. cover felt gasket (front).....	1909-15..	. $\frac{3}{4}$ " x $\frac{1}{2}$ " x 15 $\frac{1}{2}$ ".....	02..	Defy.....	87B.....	1	
3365...	Trans. cover door (square).....	1909-10..	5 $\frac{1}{16}$ " x 6 $\frac{7}{8}$ ".....	40..	Degust.....	15462C.....	1	15 oz.
3366...	Trans. cover door gasket.....	1909-10..	Felt.....	05..	Delver.....	1547B.....	1	
3367...	Trans. cover door screw.....	1909-15..	. $\frac{5}{16}$ " x $\frac{1}{2}$ ".....	01..	Demain.....	1564.....	.6	
3368...	Universal ball cap (rear).....	1909-15..	5 $\frac{3}{8}$ ".....	30..	Demarch.....	818.....	1	15 oz.
3369...	Universal ball cap (front).....	1909-15..	Bearing included.....	1 00..	Demarga.....	819D.....	1	1 lb., 14 oz.
3371...	Universal ball cap bolt.....	1909-15..	. $\frac{3}{8}$ " x 1 $\frac{1}{8}$ ".....	05..	Demise.....	731.....	2	

*When using short bushing in making repairs remove driving plate key.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION COVER—Continued								
3372	Universal ball cap bolt and nut	1909-15	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	\$ 0 05	Demit	79-8	2	
3374	Trans. cover bolt and nut	1909-15	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	05	Demur	484-8	2	1 oz.
3375	Trans. cover screw	1909-15	$\frac{3}{8}$ " x 1"	03	Dengue	1388	2	
3376	TRANS. COVER WITH SLOPING DOOR	1911-15	Used with No. 3100	7 00	Denier	826D	1	
3377	Trans. cover felt gasket (pair)	1909-15	Felt	05	Dennet	885B	1	pr.
3378	Trans. cover sloping door	1911-15	$9\frac{1}{4}$ " long	15	Dental	1546D	1	1 lb., 5 oz.
3379	Trans. cover sloping door gasket	1911-15	Cork	05	Denude	1547C	1	
TRANSMISSION CONTROL								
3400	Trans. clutch release ring	1909-15	$3\frac{1}{8}$ " long, brass	40	Detail	741	1	6 oz.
3401	Clutch lever	1909-15		20	Derby	806B	1	4 oz.
*3402	Clutch lever shaft	1909-12	$\frac{5}{8}$ " x $9\frac{1}{4}$ "	25	Dermal	833B	1	12 oz.
3402B	Clutch lever shaft	1913-15		15	Dine	4344	1	12 oz.
3402C	Clutch lever shaft with release forks	1913-15		65	Dirk		1	1 lb., 8 oz.
3403	Clutch lever screw and nut	1909-15	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	05	Dervish	1542	1	
3405	Clutch lever pin	1909-15	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	01	Detour	1553	1	
3406	Clutch release fork—right or left	1909-12		40	Detrude	4345	1	3 oz.
3406B	Clutch release fork—right or left	1913-15		25	Deuce	4345	2	3 oz.
3406C	Clutch release fork pin	1913-15		01	Devil	1553	2	
3408	Clutch release fork key	1909-14	No. 7 Woodruff	03	Dilate	836	2	
3409	Clutch release fork clamp screw	1909-14	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	05	Dipper	835	2	
3411	Clutch lever clevis pin	1909-15	$\frac{1}{16}$ " x 1"	02	Disbase	65	1	
3413	TRANSMISSION BAND ASSEMBLY	1909-15		60	Disblame	838B	3	1 lb., 2 oz.
(Bands will be exchanged at Branch or Factory at 40c each)								
3415	Trans. band washer	1909-15	$\frac{1}{16}$ " hole x $\frac{7}{8}$ " dia.	02	Discure	840	2	
3416	Trans. band lining	1909-15		25	Disedge	1562	3	3 oz.
3419	Trans. band adjusting screw	1909-15	$\frac{3}{4}$ " x $3\frac{1}{2}$ "	10	Disfriar	1533	1	4 oz.
3420	Trans. band adjusting screw nut	1909-15	$\frac{3}{4}$ " x 16 thds.	05	Dislimb	1532	1	

*Order Number 3402C for use on cars numbered below 175000




Plate No 9—Transmission Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION CONTROL—Continued								
3421B...	Trans. band ear iron rivet, per doz.	1909-15	$\frac{3}{16}$ " x $\frac{3}{8}$ "	\$ 0 02	Dismal	843	12	
3422B...	Trans. band brass rivet, per doz.	1909-15	$\frac{3}{16}$ " x $\frac{1}{2}$ "	05	Dismast	844B	6	
3423B...	Trans. band brass rivet, per doz.	1909-15	$\frac{3}{16}$ " x $\frac{5}{16}$ "	05	Dismaw	845B	18	
3425	Trans. band spring	1909-15	Coil	03	Dispark	841B	3	
3426	Trans. band adjusting nut	1909-15	$\frac{1}{16}$ " x 20 thds.	03	Displat	851	2	
3427	Slow speed shaft	1909-15	$\frac{5}{8}$ " x $9\frac{3}{8}$ "	20	Disputz	848B	1	11 oz.
3428	Slow speed notch	1909-15	On slow speed shaft	25	Distrand	4327	1	5 oz.
3429	Slow speed notch pin	1909-15	$\frac{1}{4}$ " x $1\frac{5}{16}$ "	01	Disrobe	1560	1	
3432	Speed lever	1909-15		10	Distaff	862B	1	7 oz.
3433	Speed lever clevis pin	1909-15	$\frac{5}{16}$ " x 1"	02	Distill	65	1	
3434	Reverse pedal	1909-15		75	Disting	4324	1	1 lb.
3435	Brake and rev. pedal shaft	1909-15	$\frac{5}{8}$ " dia. x $7\frac{1}{8}$ "	20	Distrite	849B	2	8 oz.
3436	Brake and rev. pedal support	1909-15		20	Distune	4325	2	3 oz.
3437	Brake and rev. support bolt and nut	1909-15	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	05	Ditcher	1534-8	2	
3439	Brake pedal	1909-15		75	Dittost	4323	1	1 lb., 2 oz.
3440	Clutch pedal	1909-15		75	Ditty	854B	1	1 lb., 2 oz.
3441	Pedal pin	1909-15	$\frac{1}{4}$ " x $1\frac{3}{16}$ "	01	Doodle	1553	3	
3442	Clutch pedal support	1909-15		20	Dookad	4326	1	3 oz.
3443	Clutch pedal support bolt and nut	1909-15	$\frac{3}{8}$ " x 2"	05	Doorga	1536-8	1	
3445	Slow speed connection	1909-15		05	Doree	1540	1	
3446	Slow speed con. lock nut	1909-15	$\frac{5}{16}$ " x 24 thds.	01	Doric	144	1	
3447	Slow speed con. clevis	1909-15		15	Dormer	802	1	2 oz.
3448	Controller quadrant	1909-15	On frame	20	Dormouse	309B	1	9 oz.
3449	CONTROLLER SHAFT WITH SPEED LEVER	1909-15		75	Doron	1557	1	3 lb., 15 oz.
3450	Controller shaft bracket	1909-15	On frame	15	Dorrer	311	2	5 oz.
3451	Controller shaft bracket felt	1909-15		01	Dorsal	314	2	
3452	Controller shaft bracket bolt and nut	1909-15	$\frac{5}{16}$ " x $\frac{23}{32}$ "	05	Dorture	315-316	4	
3455	HAND BRAKE LEVER ASSEMBLY	1909-15		1 25	Dotant	1550	1	2 lb., 2 oz.
3456	Hand brake lever pin	1909-15	$\frac{1}{4}$ " x $1\frac{5}{16}$ "	01	Dottree	1560	1	
3457	Hand brake lever key	1909-15	No. 9 Woodruff	02	Doublet	874	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

TRANSMISSION CONTROL—Continued

3458...	Hand brake lever pawl.....	1909-15		\$ 0 10	Doucet.....	875	1	
3459...	Hand brake lever pawl pin.....	1909-15	$\frac{1}{16}$ " x $\frac{1}{8}$ "	02	Doura.....	876	1	
3460...	Hand brake lever pawl rod.....	1909-15		10	Dovecote.....	877	1	3 oz.
3462...	Hand brake lever pawl lift assembly.....	1909-15	Handle and spring.....	10	Dovekie.....	879	1	2 oz.
3463...	Hand brake lever pawl lift spring.....	1909-15		02	Dawcet.....	888	1	
3465...	HUB BRAKE LEVER ON CONTROLLER SHAFT.....	1909-15		20	Dawdy.....	864	1	3 oz.
3466...	Hub brake lever pin.....	1909-15	$\frac{1}{4}$ " x $1\frac{3}{16}$ "	02	Downcast.....	1553	1	
3467...	Hub brake lever clevis.....	1909-15	$2\frac{1}{16}$ "	15	Dragon.....	802	2	1 oz.
3468...	Hub brake pull rod—right.....	1909-15	$54\frac{3}{8}$ " long.....	30	Drongo.....	891B	1	
3469...	Hub brake pull rod—left.....	1909-15	$54\frac{3}{8}$ " long.....	30	Dropax.....	1513B	1	
3470...	Hub brake rod support—right.....	1909-15		10	Dropsy.....	1367	1	4 oz.
3471...	Hub brake rod support—left.....	1909-15		10	Drugger.....	1398	1	4 oz.
3472...	Hub brake rod support bolt and nut.....	1909-15	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	03	Duchess.....	1399B-1900 2		

STEERING GEAR

3500...	Steering gear assembly.....	1909-10	.50" long, cars below 34600.	16 00	Eagle.....	900A	1	
3500C...	Steering gear assembly.....	1911-15	.51" long.....	10 00	Estopped.....	5005	1	
3500D...	Steering gear assembly.....	1911	.60" long, runabout.....	16 00	Eurus.....	979	1	
3501...	Steering gear rim.....	1909-10	.14" dia., wood, Order 3503C					
3501B...	Steering gear rim.....	1911-15	.15" dia., wood.....	90	Estrade.....	901B	1	1 lb., 6 oz.
3502...	Steering gear rim screw.....	1909-15	No. 12, $\frac{3}{4}$ "	02	Eblis.....	919	4	
3503B...	Steering gear spider.....	1911-15	$13\frac{5}{8}$ " over all.....	1 00	Estrepe.....	902B	1	1 lb., 10 oz.
3503C...	Steering gear spider and rim.....	1909-15	.15" dia.....	1 90	Eudora.....	995	1	
3504...	Steering gear cover.....	1909-15	$2\frac{11}{16}$ " x 18 thds.....	35	Echole.....	903	1	10 oz.
3505...	Steering gear cover screw.....	1909-15	No. 6, $32 \times \frac{3}{16}$ "	02	Eccope.....	910	2	
3506...	Steering gear cover bushing.....	1909-14	1" long, steel.....	10	Echo.....	914	1	2 oz.
3506B...	Steering gear driving pinion washer.....	1909-15	Steel.....	05	Elf.....	5026	1	
3507...	Steering gear internal gear case and bushing.....	1909-15		1 00	Egg.....	5029	1	
3509...	Steering gear quadrant.....	1909-14	Brass.....	40	Ectype.....	906	1	7 oz.
3510...	Steering gear quadrant pin.....	1909-14	$\frac{3}{16}$ " x $1\frac{1}{4}$ ", brass.....	01	Eden.....	907	2	




Plate No. 10—Steering Gear Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
STEERING GEAR—Continued								
3511	Steering gear wheel nut	1909-15	$\frac{3}{8}$ " x 16 thds.	\$ 0 10	Edict	913	1	2 oz.
3512	Steering gear tubing assembly	1909-10	Applies to No. 3500	8 00	Edie	964A	1	
3512C	Steering gear tubing assembly	1912-15	Applies to No. 3500C	5 00	Ethicer	5016	1	
3512D	Steering gear tubing assembly	1911	Applies to No. 3500D	8 00	Euryale	5011	1	
3513B	Steering tubing flange screw and nut	1911-15	$\frac{1}{16}$ " x $1\frac{1}{8}$ "	03	Ethule	5019	1	
3513C	Steering tubing flange screw and nut	1911-15	$\frac{1}{16}$ " x $1\frac{1}{8}$ "	03	Ettie	5018	3	
3516	Steering gear post	1909-10	Applies to No. 3500	2 50	Effray	915A	1	
3516C	Steering gear post	1912-15	Applies to No. 3500C	1 50	Estricked	5002	1	
3516D	Steering gear post	1911	Applies to No. 3500D	2 50	Eutaxy	959	1	
3517	Steering gear pinions, each	1909-15	12 teeth	15	Egad	916	3	
3518	Steering gear pinion pin	1909-15	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	03	Egest	917	3	
3519	Steering gear drive pinion	1909-15	12 teeth	50	Egger	911	1	7 oz.
3520	Steering gear drive pinion key	1909-15	$\frac{3}{16}$ " sq. x $\frac{1}{2}$ "	03	Egma	909	2	
3521	Steering gear pinion shaft bushing	1909-14	$\frac{3}{8}$ " bore x $1\frac{1}{2}$ "	20	Egress	912	1	
3523	Steering gear post castle nut	1909-15	$\frac{1}{2}$ " x 20 thds.	03	Eider	60	1	
3524E	Throttle rod	1912-15	$47\frac{1}{16}$ " Applies to 3500C	30	Euter	5003	1	1 lb., 3 oz.
3525E	Lead rod	1912-15	$51\frac{1}{16}$ " Applies to 3500C	30	Evans	5004	1	1 lb., 4 oz.
3526	Lead and throttle handle	1909-12	$1\frac{1}{8}$ " long, rubber	15	Elfin	918	2	
3527	Lead and throttle rod spring	1909-15		03	Elite	935	2	
3528	Lead and throttle rod collar	1909-15	$\frac{1}{16}$ " bore x $\frac{1}{16}$ "	05	Elope	936	2	
3529	Lead and throttle rod pin	1909-15	$\frac{3}{32}$ " x $\frac{9}{16}$ "	01	Elvan	937	2	
3530	Lead rod lever	1909-15		10	Embank	946	1	
3531	Throttle rod lever	1909-15		15	Ember	947	1	
3532	Throttle rod guide	1909-15	$\frac{3}{4}$ " bore	10	Emblem	938	1	
3534	Commutator pull rod	1909-11	14" long	10	Embroid	1325B	1	3 oz.
3534B	Commutator pull rod	1912-15		10	Embrace	2082	1	3 oz.
3535	Carburetor pull rod	1909-15	$14\frac{1}{16}$ " long	10	Emboss	1329	1	3 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
STEERING GEAR—Continued								
3536	Ball and socket joint	1909-15		\$0 05	Embraid	1326	1	1 oz.
3537	Ball and socket joint nut	1909-15	$\frac{3}{4}$ " x 32 thds.	01	Embrute	1327	1	
3538	Carburetor pull rod adjustment	1909-15	$\frac{3}{4}$ " x 32 thds.	10	Empale	1904	1	
3539	Steering post bracket with bushing	1909-10		1 00	Empeach	932A	1	1 lb., 12 oz.
3539B	Steering post bracket with bushing	1911-15	Touring	75	Eupon	932B	1	1 lb., 14 oz.
3539C	Steering post bracket with bushing	1911	Runabout	1 00	Exile	953	1	1 lb., 15 oz.
3540	Steering post bracket bolt and nut	1909-15	$\frac{3}{4}$ " x 2 $\frac{1}{4}$ "	05	Empearl	479-8	1	2 oz.
3541	Steering post bracket bolt and nut	1909-15	$\frac{3}{4}$ " x $\frac{3}{16}$ "	05	Endive	480-8	2	
3544	Steering post bracket felt washer	1909-15		02	Endow	943	1	
3545	Steering post bracket bushing	1909-15	$\frac{3}{4}$ " bore, brass, 2 pieces	20	Envault	944-5027	1	2 oz.
3546	Steering post bracket block	1909-15	Wood	05	Empact	945	1	3 oz.
3547	Steering gear ball arm	1909-15		50	Eparch	929B	1	11 oz.
3548	Steering gear ball arm key	1909-15	Woodruff	03	Ephod	930	1	
3563	Steering post bracket grease cup	1909-15	$\frac{1}{8}$ " pipe thds.	10	Eurite	76	1	1 oz.

BODY PARTS

3601	Body bracket on body	1910-12	Front end	10	Fabius	1002	2	4 oz.
3601B	Body bracket on body	1910-15	Center and rear	10	Fabric	1624	6	8 oz.
3601C	Body bracket on frame	1911-12	Rear	20	Faber	2435	2	8 oz.
3602D	Body bracket con. bolt and nut		Specify size	05	Facade		2	
3624B	Front floor rubber matting	1912	29 $\frac{1}{16}$ " x 29 $\frac{1}{16}$ ", Runabout	1 50	Fitch	5215	1	5 lb., 8 oz.
3624C	Front floor rubber matting	1909-14	27 $\frac{1}{16}$ " x 29 $\frac{1}{16}$ "	1 50	Fiton	5401	1	
3624E	Front floor rubber matting	1915	28 $\frac{1}{4}$ x 29 $\frac{1}{16}$ Tour. & Runab't	1 50	Faith	7299	1	
3626	Floor board (first from dash)	1909-14		35	Farness	1098	1	2 lb., 9 oz.
3626B	Floor board (first)	1915	Tour, Runabout & Coupelet	35	Farm	7296	1	
3627	Floor board (second)		Specify size	35	Farrier	1402	1	2 lb.
3627B	Floor board (second)	1915	Tour, Runabout & Coupelet	35	Faro	7297	1	
3628	Floor board (third)		Specify size	50	Fasces	1404	1	5 lb.
3629	Floor board (fourth)		Specify size	35	Fasti	1403	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
BODY PARTS—Continued								
3630	Floor board forward plate for pedals.	1909-15	2 $\frac{1}{16}$ " x 3 $\frac{3}{8}$ "	\$ 0 10	Fateful	1400C	1	6 oz.
3632	Floor board rear plate for pedals.	1909-15	2 $\frac{1}{16}$ " x 4 $\frac{7}{8}$ "	10	Father	1095C	1	12 oz.
3633	Floor board plate for side lever	1909-15	2 $\frac{3}{8}$ " x 8 $\frac{3}{4}$ "	10	Fathom	1094B	1	5 oz.
3634B	Dash	1909-10-11	21 $\frac{1}{4}$ " x 31 $\frac{1}{16}$ "	5 00	Flamen	1091B	1	9 lb., 4 oz.
3634C	Dash	1912	23" x 32 $\frac{1}{4}$ "	5 00	Flamemer	5257	1	10 lb., 12 oz.
3634D	Dash	1913-14	21 $\frac{1}{2}$ " x 32 $\frac{1}{4}$ "	5 00	Flamgo	5336	1	9 lb., 4 oz.
3634E	Dash only	1915		2 00	Fleet	7462	1	
3634F	Dash and hood support assembly	1915		3 00	Flirt	7462-7464	1	
3635D	Dash brass moulding	1913-14		60	Flesh	5426	1	13 oz.
3638	Dash shield	1909-15	$\frac{1}{2}$ " x 3 $\frac{7}{8}$ " x 13 $\frac{3}{4}$ "	10	Faubit	1097B	1	5 oz.
3639	Dash shield guide	1909-15	$\frac{3}{4}$ " x 1" x 14 $\frac{3}{4}$ "	10	Fausen	1093	1	3 oz.
3640B	Dash bracket—left	1911-15	10 $\frac{3}{32}$ "	30	Flanker	1017B	1	10 oz.
3641B	Dash bracket—right	1911-15	10 $\frac{3}{32}$ "	30	Flannel	1018B	1	10 oz.
3642	Dash bracket bolt and nut	1909-15	$\frac{3}{8}$ " x $\frac{7}{8}$ " on frame	05	Faunlst	1028-8	4	
3645	Dash bracket top bolt and nut	1909-15	$\frac{1}{8}$ " x 1 $\frac{1}{4}$ " x 18 thds.	05	Favos	2427-926	2	
3651	Dash to body bracket	1909-15	$\frac{1}{8}$ " x 1 $\frac{3}{8}$ " x 4 $\frac{5}{8}$ "	10	Febid	1489	2	2 oz.
3653B	Dash to body bracket bolt and nut	1915	Touring car	05		7255	2	
3655	Oil lamp bracket—right	1909-14	Touring cars	30	Feline	1497	1	12 oz.
3656	Oil lamp bracket—left	1909-14	Touring cars	30	Felsire	1498	1	12 oz.
3657	Oil lamp bracket screw and nut	1909-14	$\frac{1}{4}$ " x 1 $\frac{5}{16}$ "	05	Felwort	5393-2582	4	
3660	Tail lamp bracket	1909-12	Also 1913-14 Torpedo	25	Fennel	2634	1	9 oz.
3660B	Tail lamp bracket	1913-14	Touring car	25	Fenor	5442	1	12 oz.
3660C	Tail lamp bracket	1912	Delivery car	25	Sperm	1698	1	1 lb., 1 oz.
3661	Tail lamp bracket bolt and nut	1909-14	Specify size	05	Ferial		2	1 oz.
3663	Gas lamp bracket (right)	1909-14		75	Fertile	1301B	1	1 lb., 3 oz.
3664	Gas lamp bracket (left)	1909-14		75	Fervid	1348B	1	1 lb., 3 oz.
3665	Gas lamp bracket nut	1909-14	$\frac{1}{2}$ " x 20 thds.	03	Festal	60	2	
3667D	Seat cushion	1913	Runabout	8 00	Fanax	5565	1	
3667E	Front seat cushion	1909-15	Touring car	10 00	Farce	7027	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

BODY PARTS—Continued

3670D...	Rear seat cushion.....	1909-15	Touring car.....	\$10 00	Forum	7032	1	
3676B...	Cocoa mat.....	1911-15	30" x 28".....	2 25	Flatus	1606B	1	

SPRINGS

3800...	Front spring.....	1909-15	Specify color.....	4 00	Gadan	332	1	17 lb., 8 oz.
3801...	First leaf (main leaf).....	1909-15		1 00	Gabbler	354	1	4 lb., 3 oz.
3802...	Second leaf.....	1909-15		80	Gablet	355	1	3 lb., 8 oz.
3803...	Third leaf.....	1909-15		70	Gaddish	356	1	2 lb., 12 oz.
3804...	Fourth leaf.....	1909-15		60	Gadoid	357	1	2 lb., 9 oz.
3805...	Fifth leaf.....	1909-15		50	Gallic	358	1	1 lb., 13 oz.
3806...	Sixth leaf.....	1909-15		40	Gafol	359	1	1 lb., 7 oz.
3807...	Seventh leaf.....	1909-15		25	Gaiter	360	1	15 oz.
3808...	Front spring clip.....	1909-15		20	Galena	325B	2	10 oz.
3809...	Front spring clip nut.....	1909-15	$\frac{1}{2}$ " x 20 thds.....	03	Gallant	60	4	
3811...	Front spring tie bolt and nut.....	1909-15	$\frac{5}{8}$ " x 2 $\frac{1}{4}$ ".....	05	Galley	1362-1363	1	1 oz.
3813...	Front spring hanger.....	1909-15		35	Gambit	246	4	4 oz.
3815...	Front and rear spring hanger nut.....	1909-15	$\frac{7}{8}$ " x 20 thds.....	02	Gambage	220	8	
3817...	Front and rear spring hanger oiler.....	1909-15		05	Gamin	218	8	
3818...	Front spring perch—right.....	1909-15		75	Gamut	222	1	15 oz.
3819...	Front spring perch—left.....	1909-15		75	Gander	222 $\frac{1}{2}$	1	15 oz.
3820...	Front spring perch bushing.....	1909-15	$\frac{11}{16}$ " x 1 $\frac{1}{2}$ " brass.....	05	Gangue	230	4	1 oz.
3821...	Front spring perch nut.....	1909-15	$\frac{3}{8}$ " x 18 thds.....	05	Ganil	242	2	2 oz.
3823...	Front spring leather.....	1909-15	1 $\frac{1}{2}$ " x 5 $\frac{3}{4}$ ".....	05	Gannet	262	1	2 oz.
3824...	REAR SPRING.....	1909-15	.56" tread, 8 leaf.....	11 00	Ganoid	333	1	
3825...	First leaf (main leaf).....	1909-15		2 00	Gantlope	361	1	9 lb.
3826...	Second leaf.....	1909-15		1 70	Gantois	362	1	7 lb., 7 oz.
3827...	Third leaf.....	1909-15		1 50	Ganza	363	1	6 lb., 11 oz.
3828...	Fourth leaf.....	1909-15		1 40	Gaphare	364	1	6 lb., 5 oz.
3829...	Fifth leaf.....	1909-15		1 30	Garden	365	1	5 lb., 13 oz.
3830...	Sixth leaf.....	1909-15		1 20	Garland	366	1	5 lb., 11 oz.




Plate No. 11—Spring Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
SPRINGS—Continued								
3831	Seventh leaf	1909-15		\$ 1 00	Garlic	367	1	5 lb., 7 oz.
3832	Eighth leaf	1909-15		80	Garner	368	1	3 lb., 8 oz.
3833	Rear spring clip	1909-15	4 $\frac{1}{16}$ "	20	Game	326	2	11 oz.
3834	Rear spring clip nut	1909-15	$\frac{9}{16}$ " x 18 thds	05	Garter	77	4	1 oz.
3835	Rear spring clip bar	1909-15	$\frac{3}{8}$ " x 1 $\frac{1}{8}$ " x 4" x $\frac{1}{16}$ "	05	Gascon	329	2	7 oz.
3837	Rear spring tie bolt and nut	1909-15	$\frac{3}{8}$ " x 2 $\frac{1}{16}$ "	05	Gastric	1352	1	2 oz.
3840	Rear spring hanger	1909-15		35	Gaulus	91 $\frac{1}{2}$	4	5 oz.
3842	Rear spring leather pad	1909-15	2" x 10 $\frac{1}{4}$ "	05	Gavel	94	1	2 oz.
3843	Rear spring perch	1909-15		60	Gavot	41	2	12 oz.
3844	Rear spring perch bushing	1909-15	$\frac{9}{16}$ " bore x $\frac{3}{4}$ " dia. x 2"	10	Gawky	172	2	2 oz.
3845	Rear spring perch nut	1909-15	$\frac{1}{16}$ " x 16 thds	05	Gazara	174	2	2 oz.
3847	Front spring retainer clip with bolt and nut	1909-15		05	Gazzam	373-2909	2	3 oz.
3848	Rear spring retainer clip with bolt and nut	1909-15		05	Gecko	375-2907	2	4 oz.
REAR SPRING—60-INCH TREAD								
3850	Rear spring	1909-15	48 $\frac{1}{2}$ " long, 8 leaf	12 00	Geddur	1704	1	
3851	Rear spring clip	1909-15	$\frac{9}{16}$ " x 4 $\frac{1}{16}$ "	20	Gelder	1737	2	12 oz.
3852	Rear spring tie bolt and nut	1909-15	$\frac{3}{8}$ " x 3 $\frac{1}{16}$ "	05	Gemote	1738-1353	1	3 oz.
3853	First leaf (main leaf)	1909-15		2 60	Gemsbok	1739	1	10 lb., 10 oz.
3854	Second leaf	1909-15		2 25	Gershon	1740	1	9 lb., 1 oz.
3855	Third leaf	1909-15		2 00	Gerper	1741	1	8 lb., 3 oz.
3856	Fourth leaf	1909-15		1 75	Gherkin	1742	1	6 lb.
3857	Fifth leaf	1909-15		1 60	Gibbet	1743	1	5 lb., 8 oz.
3858	Sixth leaf	1909-15		1 50	Ginger	1744	1	6 lb., 10 oz.
3859	Seventh leaf	1909-15		1 30	Gipsire	1745	1	4 lb., 6 oz.
3860	Eighth leaf	1909-15		1 10	Gisarm	1746	1	3 lb., 9 oz.
STARTING CRANK								
3900	Starting crank only	1909-15	Cars above 2500	40	Hernia	519B	1	1 lb., 10 oz.
3901	Starting crank handle	1909-15		15	Heron	520	1	2 oz.
3902	Starting crank handle bolt	1909-15	$\frac{1}{2}$ " x 4 $\frac{5}{8}$ "	10	Herpes	521	1	4 oz.
3903	Starting crank sleeve	1909-15	$\frac{1}{2}$ " bore x $\frac{1}{2}$ " x 2 $\frac{3}{4}$ "	15	Hesper	523B	1	4 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

STARTING CRANK—Continued

3905	Starting crank ratchet pin	1909-15	1 3/8"	\$ 0 02.	Hestern	527B.	1	
3906	Starting crank ratchet	1909-15		25.	Hetman	528B.	1	8 oz.
3908	Starting crank spring	1909-15		03.	Hilding	626	1	

RADIATOR-THERMO SYPHON

3925	Radiator	1909-15	Cars above 2500.	15 00.	Hominy	1100C.	1	
3926	Radiator cap	1909-15		20.	Hothir	1103B.	1	2 oz.
3928	Radiator pad	1909-15	Leather	05.	Hovel	1105	2	
3929	Radiator stud and nut	1909-15	3/8" x 2 1/8"	05.	Hoxy	1162-1154	2	1 oz.
3930	Radiator stud springs	1909-15		02.	Hubby	1152	2	
3931 1/2	Radiator stud washer nut	1909-15	3/8" x 24 thds.	02.	Huffish	1161	2	
3932	Radiator rod	1909-15	20 3/4" long	15.	Huller	1111B.	1	8 oz.
3934	Radiator rod nut	1909-15	3/8" x 24 thds.	02.	Humbler	517	1	
3939	Outlet connection pipe	1909-15	1 3/4" x 12"	25.	Humic	1121	1	12 oz.
3940	Outlet connection cock	1909-15	1/8" pet cock	15.	Humine	1515	1	2 oz.
3944	Outlet connection hose	1909-15	1 3/4" x 2 3/4"	10.	Hungry	507B.	2	3 oz.
3945	Outlet connection hose clip	1909-15	2 1/8" dia.	05.	Hunter	554B.	4	1 oz.
3946	Radiator stay rod	1911	22 3/4" long, runabout	20.	Hurden	1167	1	8 oz.

RADIATOR FAN

3960	Fan and pulley assembly	1909-15	Cars above 2500.	1 00.	Hutten	619	1	1 lb., 8 oz.
3961	Fan blade	1909-15		10.	Hyades	611	4	3 oz.
3961B.	Fan blade rivets, per dozen	1909-15		05.	Hyad	612	16	
3962	Driven fan pulley	1909-15	Brass, upper	60.	Hydra	618	1	13 oz.
3963	Fan drive pulley	1909-15	Steel, lower	20.	Hydrant	602	1	8 oz.
3964	Fan belt	1909-15		30.	Hydrate	609	1	2 oz.
3966	Fan shaft	1909-15	1 1/8" x 4 1/8"	25.	Hyper	606	1	4 oz.
3967	Fan bracket	1909-15		30.	Hypo	604	1	7 oz.
3968	Fan bracket bolt	1909-15	1/2" x 2 3/8"	10.	Hypere	605	1	3 oz.
3970	Fan grease cup	1909-15		10.	Hyppish	601	1	
3973	Fan adjusting screw and nut	1909-15	3/8" x 1 3/4"	05.	Hyssop	645	1	1 oz.




Plate No. 12—Radiator Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MUFFLER								
4025	Muffler assembly	1909-15		\$1 25	Jobal	1200B	1	8 lb.
4026	Muffler head and bracket—intake	1909-15	1 $\frac{1}{8}$ " bore x 5 $\frac{1}{8}$ " dia.	25	Jobesh	1202B	1	1 lb., 8 oz.
4027	Muffler shell—outer	1909-15	5" dia. x 12"	15	Jabin	1203	1	1 lb., 1 oz.
4028	Muffler shell—middle	1909-15	3 $\frac{1}{2}$ " dia. x 13"	10	Jackal	1204	1	12 oz.
4029	Muffler shell—inner	1909-15	2" dia. x 14"	15	Jaday	1205	1	1 lb., 3 oz.
4030	Muffler rod only	1909-15	$\frac{1}{8}$ " x 13 $\frac{3}{4}$ "	05	Jadlsh	1206	3	4 oz.
4031	Muffler rod nut	1909-15	$\frac{1}{8}$ " x 24 thds.	02	Jagger	44	6	
4032	Muffler bracket—exhaust	1909-14		20	Jambee	1217	1	4 oz.
4033	Muffler bracket—intake	1909-14		20	Jantu	1218	1	4 oz.
4034	Muffler bracket bolt and nut	1909-15	$\frac{3}{8}$ " x $\frac{1}{4}$ "	05	Janus	480-517	4	
4037B	Long exhaust pipe	1909-15		80	Jaunty	1829	1	1 lb., 12 oz.
4038	Muffler asbestos	1909-15		05	Jahud	1215	1	7 oz.
4039	Muffler asbestos band	1909-15	Tin	02	Jerboa	1216	3	
4040	Rear muffler head with outlet pipe and bracket	1909-15		35	Jetson	1221	1	2 lb.

HOOD


4050	Hood	1909-15	22" long (specify color)	5 00	Jibsam	1300	1	7 lb., 8 oz.
4051	Hood handle	1909-15	5 $\frac{1}{2}$ " long	25	Jingal	1314	2	2 oz.
4052	Hood clip	1909-15	3 $\frac{1}{4}$ "	05	Jippo	1310	4	2 oz.
4053	Hood clip spring	1909-15		01	Jockey	1311	4	
4056	Hood board—left	1909-15	22 $\frac{3}{4}$ " long	20	Johim	1339	1	11 oz.
4057	Hood board—right	1909-15	22 $\frac{3}{4}$ " long	20	Jorum	1340	1	11 oz.
4058	Hood board bolt and nut	1909-12	$\frac{1}{4}$ " x 1 $\frac{1}{8}$ "	05	Jowter	1308-1309	4	
4060	Hood support on dash	1909-14		1 00	Jupon	1334	1	2 lb., 2 oz.
4060B	Hood support on dash	1915		1 00	Juror	7464	1	
4061	Hood support screw	1909-14	No. 10, $\frac{3}{8}$ " wood screw	01	Jurist	1350	9	
4070	Hood	1911	24" long, runabout	8 00	Junta	2313	1	8 lb., 8 oz.
4071	Hood block—right	1911	24 $\frac{3}{4}$ " long, runabout	40	Justle	2305	1	11 oz.
4072	Hood block—left	1911	24 $\frac{3}{4}$ " long, runabout	40	Juzil	2306	1	11 oz.



4056



4038




4040



4026



4057




4030



4039



4032



4029




4037-B



4028



4025




4027

4053




4052



4060-B



4050



4060

Plate No. 13—Muffler and Hood Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

WIRING

4350	Spark plug wire.....	1909-15	15", No. 1 cyl.....	\$ 0 15	Nohob	1365	1	2 oz.
4351	Spark plug wire (also magneto to coil).....	1909-15	11½", No. 2 cyl.....	15	Nachor	1366	1	2 oz.
4353	Spark plug wire.....	1909-15	8", No. 3 and 4 cyls.....	10	Nalad	1376	1	1 oz.
4354	Spark plug wire terminal.....	1909-15	Copper.....	01	Nailer	1381	8	
4355	COMMUTATOR WIRE ASSEMBLY.....	1909-15		50	Nandu	1951	1	8 oz.
4356	Commutator wires with terminal, each.....	1909-15		10	Napaw		4	
4357	Commutator wire terminal (coil end).....	1909-15	Copper.....	01	Napher	1385	4	
4359	Commutator wire loom support.....	1909-15		01	Napple	1390	2	
4361	Commutator loom rubber nipple.....	1909-15		02	Nargil	1964	2	
4362	Commutator wire rubber nipple.....	1909-15	¼" dia. x ⅝".....	01	Narsal	1965	4	
4366	Spark plug wire.....	1911	17½" No. 1 cyl. runabout.....	20	Nashon	2357	1	2 oz.

KINGSTON CARBURETOR—1913-14-15

6100	Carburetor complete.....	1909-15		6 00	Mason	553E	1	3 lb., 14 oz.
4401A	Float with lever.....	1913-14		1 00	Mark	6311	1	1 oz.
6101	Float with lever.....	1915		1 00	Marsh	6351	1	
6127	Gasoline valve.....	1913-14-15		40	Mask	3002	1	2 oz.
6115	Spray needle assembly.....	1913-14-15		40	Medal	4871	1	

Parts for 1909-10-11 Carburetors supplied by Bryne Kingston Co., Kokomo, Ind.

HOLLEY CARBURETOR—1913-14

6040	Carburetor complete.....	1909-15		6 00	Mire	553D	1	3 lb., 3 oz.
4451	Float with lever.....	1913		1 00	Match	6312	1	1 oz.
4451A	Float with lever.....	1914-15		1 00	Muzzle	6333	1	
4452	Spray needle assembly.....	1913		60	Meek	4854	1	2 oz.
4452A	Spray needle assembly.....	1914-15		50	Myrtle	6335	1	
4453	Gasoline inlet needle.....	1913		30	Mend	4860	1	
4453A	Gasoline inlet needle.....	1914-15		40	Mystic	6324	1	

HOLLEY CARBURETOR—1912

4554	Float with lever.....	1912		1 00	Man	6314	1	2 oz.
4559	Spray needle.....	1912		60	Mare	4807	1	2 oz.
4572	Gasoline inlet elbow assembly.....	1912		55	Mermaid	4838	1	3 oz.

4431



4404



4418



4415



4432



4470



4491



4486



4474



4461



4411



4407



4420



4421



4408



4402



4493




4472



4459



4477



4410



4425



4417



4414



4401



4405



4406



4462




4464




4451



4488



4456



4400



4403



4422



4413



4417



4424



4463



4468




4473




4478



4457



4450



4582



4453



4471



4479



4483



4452

Plate No. 14—1913 Kingston and Holley Carburetor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

HOLLEY CARBURETOR—1912—Continued

4573	Gasoline inlet needle	1912		\$ 0 30	Monarch	4828	1	
(Other parts required may be ordered by plate numbers; prices quoted on application)								
Parts for 1909-10-11 Carburetors supplied by Holley Bros. Co., Detroit, Mich.								

CARBURETOR ATTACHMENTS

4126	Carburetor adjusting rod head	1909-15		10	Lascar	1356B	1	
4127A	Carb. adjusting rod bracket	1909-15	On dash	05	Lastage	1357	1	
4129A	Carb. adjusting rod	1909-15	Specify length	10	Latten		1	4 oz.
4130	Carb. flange bolt and nut	1909-15		05	Leaper	1388	2	1 oz.
4134	Carb. flange gasket	1909-15		03	Lecturn	1380B	1	
4431	Carb. priming rod	1909-15		05	Loach	2000	1	1 oz.
4582	Carb. hot air pipe	1912-15		20	Monkey	686	1	6 oz.

HEINZE COIL

4602	Coil Cover	1910-13	Wood	1 50	Mezzo	4602	1	8 oz.
4604	Coil box with cover	1910-13	Wood	6 00	Micher	4604	1	3 lb., 14 oz.
4611	Coil unit with tungsten points	1910-13	Size, 2 $\frac{5}{16}$ " x 3 $\frac{1}{16}$ " x 5"	4 00	Michtam	4611	4	1 lb., 7 oz.
4616	Vibrator with platinum point	1910-13		75	Mill	4616	4	
	Vibrator with tungsten points	1910-13	Order No. 4736A	50	Mirage	6724	4	
4618	Vibrator bridge with platinum point	1910-13		75	Mileped	4618	4	
	Vibrator bridge with tungsten points	1910-13	Order No. 4737A	50	Mirza	6729	4	
4638	Switch assembly	1910-13		50	Milepore	4638	1	7 oz.
4639	Switch plug	1910-13		15	Militer	4639	1	
4643	Switch lever with knob	1910-13		25	Minnock	4644	1	

K. W. COIL

4676	Coil box with cover	1913	Wood	6 00	Nectar	4692	1	3 lb., 12 oz.
4677	Coil box cover	1913	Wood	1 25	Nerve	4691	1	7 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
K. W. COIL—Continued								
4678	Switch assembly	1913		\$ 1 00	Nestle	4600	1	10 oz.
4679	Switch plug	1913		15	Nitre	4657	1	
4680	Switch lever with knob	1913		45	Noble	4635	1	2 oz.
4681	Coil unit	1913	Size 5 $\frac{3}{8}$ " x 3 $\frac{1}{4}$ " x 2 $\frac{1}{4}$ "	4 00	Nomad	4693	4	2 lb., 2 oz.
4682	Vibrator spring with tungsten point—lower	1913		50	Nostril	4708	4	
4683	Vibrator bridge with tungsten point—upper	1913		50	Nugget	4711	4	
4682A	Vibrator spring with tungsten point	1913	For K-W unit used	50	Nedder	6710	4	
4683A	Vibrator bridge with tungsten point	1913	In place of T-4611	50	Nihil	6712	4	

KINGSTON COIL—1913

4705	Switch assembly	1911-13		1 00	Merop	3072D	1	11 oz.
4713	Coil unit	1909-13	Size, 2 $\frac{3}{8}$ " x 2 $\frac{3}{8}$ " x 5 $\frac{3}{4}$ "	4 00	Maslach	4715	4	
4714	Coil box with cover	1909-13	Wood	6 00	Martyr	3032D	1	3 lb., 13 oz.
4715	Coil cover	1909-13	Wood	1 50	Marvel	3031	1	10 oz.
4716	Vibrator spring with tungsten point	1012-13		50	Mator	4720	4	
4717	Vibrator bridge with tungsten point	1012-13		50	Matis	4717	4	
4718	Switch key	1911-13		15	Mastpod	3065D	1	

We recommend replacing all makes of wood box coils with the present type coil (T-4725). Exchange price \$10.00 net F. O. B. Branch or Factory.

FORD SPARK COIL

4725	Coil	1909-15	Applies to all cars	16 50	Negus	1383	1	6 lb., 8 oz.
4726	Coil box with cover	1914-15	Metal	2 50	Nenia	5858	1	4 lb.
4727	Coil box cover	1914	Metal	40	Nephew	5856	1	11 oz.
4727B	Coil box cover	1915		40	Neptune	7910	1	
4728	Switch assembly	1914-15		80	Nidor	5873	1	9 oz.
4729	Switch base assembly	1914-15		60	Noddy	5841	1	6 oz.
4729B	Switch blade moulding assembly	1914-15		20	Noria	5820	1	
4730	Switch cover	1914-15		15	Nones	5835	1	1 oz.
4731	Switch plug	1914-15		10	Nopal	5815	1	



4683



4683-A



4679



4682



4682-A



4681



4678



4202




4716



4234



4666



4705



4717



4219



4718



4663



4235



4713



4616



4736-A



4618



4639




4737-A



4645




4646



4638



4611



4736-A



4733



4734



4739



4736



4731



4732



4737



4740



4728



4737-A




4730



4729



4727



4725



4727-B

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

FORD SPARK COIL—Continued

4732	Coil unit	1914-15	Size, 3½" x 2½" x 5"	\$3 50	Noggin	5845	4	2 lb.
4733	K. W. vibrator with tungsten point	1914-15		50	Nonce	4708	4	
4734	K. W. vibrator bridge with tungsten point	1914-15		50	Novia	4711	4	
4736A	Heinze vibrator with tungsten points	1914		50	Nico	6724	4	
4737A	Heinze vibrator bridge with tungsten points	1914		50	Nitric	6729	4	
4739	Kingston vibrator spring with tungsten point	1914		50	Nyas	6705	4	
4740	Kingston vibrator bridge with tungsten point	1914		50	Nymph	6703	4	


FENDERS—56 INCH TREAD

4800	Front fender—right	1911-15	All Cars	2 50	Scorch	1414C	1	
4801	Front fender—left	1911-15	All Cars	2 50	Scoul	1413C	1	
4802D	Rear fender—right, curved	1915	Tour., Runab't & Coupelet	2 50	Shanty	1416D	1	
4803D	Rear fender—left, curved	1915	Tour., Runab't & Coupelet	2 50	Sheen	1415D	1	
4802E	Rear fender—right	1915	Sedan	4 50	Shelk	7924	1	
4803E	Rear fender—left	1915	Sedan	4 50	Shrimp	7925	1	
4802	Rear fender—right	1911-14	Touring Car & Runabout	3 00	Sexton	1416C	1	
4803	Rear fender—left	1911-14	Touring Car & Runabout	3 00	Shark	1415C	1	
4804D	Rear fender iron—right and left	1913-15	Touring Car	40	Smile	5405	2	12 oz.
4804E	Rear fender iron—right	1913-15	Torpedo & Coupelet	40	Shire	5563	1	1 lb., 7 oz.
4804F	Rear fender iron—left	1913-15	Torpedo & Coupelet	40	Shrub	5390	1	1 lb., 7 oz.
4805	Rear fender iron bolt and nut	1911-14	Touring, ⅝" x 1½"	05	Shoal	340A-341	6	
4805B	Rear fender iron bolt and nut	1915	Touring, ⅝" x ¾"	05	Signet	7171	6	
4806	Fender eye bolt, nut and washer	1909-15	Old No. 2935	15	Blenny	1945	6	3 oz.
4808	Front fender iron bolt and nut (side)	1910-15	⅜" x ⅜"	05	Shovel	1323	2	1 oz.
4808B	Front fender iron bolt and nut (bottom)	1910-15	⅜" x 1 ⅛"	05	Siren	347	2	
4808C	Front fender apron to frame bolt and nut	1915	¼" x ⅝"	05	Sickle	4088	4	
4809	Front fender iron—right or left	1909-15		60	Sistom	343	2	1 lb., 14 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
RUNNING BOARDS AND SHIELDS—56 INCH TREAD								
4812	Running board—right or left	1909-15	44 $\frac{7}{8}$ " long	\$ 0 75	Shrew	5418	1	
4814	Running board metal shield—right	1912-15	Tour., Tor. & Coupelet	1 00	Skylark	1409C	1	
4814B	Running board metal shield—right	1915	Sedan	2 00	Shriek	7496	1	
4815	Running board metal shield—left	1912-15	Touring and Torpedo	1 00	Skylight	1408C	1	
4815B	Running board metal shield—left	1915	Sedan	2 00	Shorl	7497	1	
4816	Running board truss rod—front with nuts	1909-15		20	Skybird	5804	1	2 lb., 2 oz.
4817	Running board truss rod—rear with nuts	1909-15		20	Skyman	5805	1	2 lb., 2 oz.
4818	Running board bracket	1909-15		60	Skyhawk	336	4	1 lb., 13 oz.
4819	Run board fender bolt and nut	1909-15	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	05	Boaster	1344B	8	
4819B	Run board bolt and nut	1909-15	$\frac{3}{16}$ " x $1\frac{1}{4}$ "	05	Bolary	5898-341	8	

FENDERS AND RUNNING BOARDS—60 INCH TREAD—BLUE

4820	Front fender—right	1911-12	Touring and Roadster	3 00	Tablet	1715B	1	
4820B	Front fender—right	1913-15	Touring and Torpedo	3 00	Table	2742	1	
4821	Front fender—left	1911-12	Touring and Roadster	3 00	Tabar	1716B	1	
4821B	Front fender—left	1913-15	Touring and Torpedo	3 00	Tabula	2743	1	
4822	Rear fender—right	1911-12	Touring	3 00	Talent	1749	1	
4822B	Rear fender—right	1913-14	Touring and Torpedo	3 00	Tallon	2741	1	
4822C	Rear fender—right	1915	Tour., Torpedo, Coupelet	3 00	Tartar	2758	1	
4822D	Rear fender—right	1915	Sedan	4 50	Tankard	5723	1	
4823	Rear fender—left	1911-12	Touring	3 00	Tallow	1748	1	
4823B	Rear fender—left	1912	Torpedo and Roadster	4 00	Tallox	2732	1	
4823C	Rear fender—right	1912	Torpedo and Roadster	4 00	Tallis	2733	1	
4823D	Rear fender—left	1913-14	Touring and Torpedo	3 00	Talma	2740	1	
4823E	Rear fender—left	1915	Tour., Torpedo, Coupelet	3 00	Tavern	2759	1	
4823F	Rear fender—left	1915	Sedan	4 50	Tansy	5724	1	
4824	Rear fender iron—right and left	1911-12	Touring, $11\frac{1}{8}$ " long	40	Target	2700	2	
4824B	Rear fender irons—right and left	1912	Torpedo and Roadster	75	Targon	2731	2	
4824C	Rear fender iron—right and left	1915	Touring Car	40	Thatch	1723	2	



4802-D
4803-D



4818



4804-D



2935



4809




4814-B-4815-B



4814-4815



4812



4802
4803




4802-E-4803-E



4817



4816



4800
4801




Plate No. 18—Fender Parts

Part No.	Name of Part	Year	Specification	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FENDERS AND RUNNING BOARDS—60 INCH TREAD—BLUE—Continued								
4825	Front fender irons—right and left	1909-12	Touring and Torpedo	\$1 00	Tempest	1713	2	1 lb., 15 oz.
4826	Running board shield—right	1911-12	Tour., Torp. and Roadster	2 00	Tennis	1717B	1	9 lb., 8 oz.
4827	Running board shield—left	1911-12	Tour., Torp. and Roadster	2 00	Thirst	1718B	1	9 lb., 8 oz.
4828	Running board bracket	1909-12	Tour., Torp. and Roadster	75	Border	1714	4	2 lb.
4829	Running board truss rod—front	1909-12	51" long, Tour. and Torp.	25	Bosset	1708	2	
4830	Running board truss rod—rear	1909-12	Tour., Torp. and Roadster	25	Bounce	1734	1	

SPECIAL TOOLS

1349	Hub cap wrench		Regular equipment	10	Pacal	1349	1	8 oz.
1387	Adjustable wrench		Regular equipment	25	Pacos	1387	1	1 lb.
1902	Screw driver		Regular equipment	15	Padan	1902	1	6 oz.
1903	Pliers		Regular equipment	20	Paddy	1903	1	8 oz.
1917	Double end wrench		Regular equipment	10	Pagan	1917	1	3 oz.
1924	$\frac{3}{8}$ " socket wrench		12" long	30	Pallah	1924	1	1 lb.
1929	Fly wheel cap screw wrench		11 $\frac{3}{8}$ " long	30	Palmy	1929	1	15 oz.
1930X	Valve spring lifter		15" long	40	Palpus	1930-8	1	13 oz.
1957	Valve grinder			75	Palster	1957	1	15 oz.
1933X	Rear wheel puller assembly			75	Panary	1933-45	1	2 lb., 11 oz.
1936X	Cam gear puller			1 00	Pantile	1936-7	1	1 lb., 15 oz.
1953X	Transmission clutch puller			1 25	Papaw	1370-1953-51	1	1 lb., 8 oz.
1974B	Drive shaft housing stud nut wrench for $\frac{1}{2}$ " nut			25	Parent	2073	1	10 oz.
1975	Rear axle housing bolt nut wrench		7 $\frac{1}{4}$ " long	25	Parvis	1975	1	9 oz.
1978	Valve seat reamer		7 $\frac{1}{2}$ " long	1 50	Papula	1978	1	13 oz.
2319	Screw driver for cam shaft set screw		6 $\frac{1}{2}$ " long	30	Parley	2319	1	12 oz.
2320	$\frac{3}{8}$ " T socket wrench		9 $\frac{1}{4}$ " long	50	Parfit	2320	1	1 lb., 2 oz.
2321	Socket wrench for crank shaft bearing bolt nut		12 $\frac{1}{2}$ " long	30	Passim	2321	1	1 lb., 4 oz.
2322	$\frac{3}{8}$ " L socket wrench		12" long	30	Pastel	2322	1	1 lb., 4 oz.
2323	$\frac{3}{4}$ " open end wrench		7 $\frac{1}{2}$ " long	20	Pastor	2323	1	6 oz.
2324	Connecting rod clamp screw wrench		10 $\frac{1}{4}$ " long	35	Parrot	2324	1	1 lb., 2 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
SPECIAL TOOLS—Continued								
2328	3/8" brace socket wrench		24 3/8" long	\$0 40	Parsee	2328	1	2 lb., 3 oz.
2331	Piston ring squeezer		3 7/8" dia.	20	Patile	2331	1	8 oz.
2332	Magnet screw brace screw driver		13 3/4" long	25	Patrol	2332	1	15 oz.
2333	Large cam gear lock nut wrench		14" long	30	Pavan	2333	1	1 lb., 6 oz.
2335	Spark plug and cyl. head bolt wrench		Regular equipment	30	Pavid	5893	1	15 oz.
2336	Tool roll		Regular equipment	25	Pawky	1979	1	3 oz.
2337	Oil can		Regular equipment	15	Paxos	3426-3425	1	3 oz.
2338	Tire pump		Regular equipment	2 00	Payser	1368	1	4 lb., 13 oz.
2340	Tire irons, each		Regular equipment	10	Pelage	4069	1	8 oz.
2341	Crank shaft bearing bolt special wrench		Oval head	25	Pelox	2069	1	1 lb., 5 oz.
2341B	Crank shaft bearing bolt wrench		Square head	25	Poloy	7427	1	1 lb., 6 oz.

SPARK PLUGS

2345	Spark plug complete		Champion	50	Polar	1386		
2346	Spark plug porcelain with spindle		Champion	25	Police	3760		
2347	Spark plug washer-top		Champion	03	Poppy	3592		
2348	Spark plug lock washer		Champion	03	Porter	3773		
2349	Spark plug washer-bottom		Champion	03	Priest	3592		



1349



1917



1902



2337



1903



2340



2335



1387



2323



2320



1978




1924



2319




1953-X




1929




2331



2332



1957



2328



1933-X



2324



1974-B



1975



1930-X



2333



2341



2341-B



2321




2322



1936-X



2336



2338

Plate No. 19—Special Tools

Parts listed on following pages apply particularly to Model T cars numbered below 2500, but also include fenders and running boards used on 1910-11 cars.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FENDERS AND RUNNING BOARDS—56 INCH TREAD								
2925	Front fender—left	1909-10		\$3 00	Binal	1413A	1	
2926	Front fender—right	1909-10		3 00	Biped	1414A	1	
2927	Rear fender—left	1909-10		3 00	Birken	1415B	1	
2928	Rear fender—right	1909-10		3 00	Bishop	1416B	1	
2930	Rear fender iron—right	1909-10		1 50	Bitter	342B	1	3 lb., 7 oz.
2931	Rear fender iron—left	1909-10		1 50	Blatant	349B	1	3 lb., 7 oz.
2932	Fender iron bolt and nut	1909-10		05	Blatter	345	12	1 oz.
2942	Run board shield—left	1909-10		2 00	Bluing	1408A	1	6 lb., 14 oz.
2943	Run board shield—right	1909-10		2 00	Bluster	1409A	1	6 lb., 14 oz.
2975	Front fender—right	1909-10	.60" tread	3 00	Bonfire	1715B	1	
2976	Front fender—left	1909-10	.60" tread	3 00	Bongrace	1716B	1	
4802B	Rear fender—right	1912	Torpedo-Roadster	3 50	Sexis	5206	1	
4803B	Rear fender—left	1912	Torpedo-Roadster	3 50	Shaker	5218	1	
4804	Rear fender iron—right and left	1912	10 $\frac{1}{8}$ " long, Touring	40	Shear	379	2	14 oz.
4804B	Rear fender irons—right and left	1912	Torpedo-Roadster	75	Sheco	2903	2	1 lb., 11 oz.
FENDERS AND RUNNING BOARDS—RUNABOUT								
4840	Front fender—right	1911	Blue, 56" tread	4 00	Thistle	2561	1	
4841	Front fender—left	1911	Blue, 56" tread	4 00	Thorn	2562	1	
4842	Rear fender—right	1911	Blue, 56" tread	4 00	Thrift	2555	1	
4843	Rear fender—left	1911	Blue, 56" tread	4 00	Throat	2554	1	
4844	Rear fender iron—right	1911	.56" tread	1 50	Thug	382	1	3 lb., 3 oz.
4845	Rear fender iron—left	1911	.56" tread	1 50	Tiger	381	1	3 lb., 3 oz.
4846	Running board—right	1911	21 $\frac{3}{8}$ " long, 56" tread	60	Toad	2551	1	4 lb., 4 oz.
4847	Running board—left	1911	21 $\frac{3}{8}$ " long, 56" tread	60	Toast	2552	1	4 lb., 4 oz.
4848	Running board shield—right	1911	Blue, 56" tread	2 00	Tonsil	2557	1	5 lb., 12 oz.
4849	Running board shield—left	1911	Blue, 56" tread	2 00	Towel	2556	1	5 lb., 12 oz.
4860	Front fender—right	1911	Blue, 60" tread	4 00	Tulip	2706	1	
4861	Front fender—left	1911	Blue, 60" tread	4 00	Tunic	2707	1	
4863	Rear fender—right	1911	Blue, 60" tread	4 00	Turtle	2708	1	
4864	Rear fender—left	1911	Blue, 60" tread	4 00	Twin	2709	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
Order the Following Parts for Cars Numbering Below 2500								
400A...	CYLINDER.....	1908-09...	$\frac{7}{16}$ " hole for cap screws.	\$20 00.	Compound.	400A.....	1	
401B...	Cylinder head.....	1908-09...	$\frac{7}{16}$ " hole for cap screw...	4 00.	Comprint.	401B.....	1	
402A...	Cylinder head gasket.....	1908-09...		60.	Compunct.	402A.....	1	6 oz.
403A...	Cylinder cover (front end).....	1908-09...		1 25.	Comrade.	403A.....	1	2 lb., 15 oz.
505A...	Cylinder cover paper liner.....	1908-09...	$\frac{1}{4}$ " thick.....	05.	Condite.	505A.....	1	
483A...	Cylinder head cap screw.....	1908-09...	$\frac{3}{8}$ " x $2\frac{1}{8}$ " x 24 thds.....	05.	Concept.	483A.....	1	1 oz.
446B...	Outlet brass connection.....	1908-09...	$\frac{1}{4}$ " bolt holes.....	60.	Concord.	446B.....	1	13 oz.
550...	Outlet connection screw.....	1908-09...	Specify size.....	05.	Conscrew.	550A.....	2	
445A...	Outlet brass connection gasket.....	1908-09...		15.	Conder.	445A.....	1	
448...	Outlet hose.....	1908-09...	$1\frac{5}{8}$ " x $4\frac{1}{4}$ ".....	25.	Condign.	448A.....	1	4 oz.
554B...	Outlet hose clip.....	1908-09...	$2\frac{1}{8}$ " dia.....	10.	Condole.	554A.....	2	2 oz.
442A...	Cylinder water inlet brass connection.....	1908-09...	$1\frac{1}{2}$ " long.....	30.	Condog.	442A.....	1	4 oz.
444...	Cylinder water inlet pack nut.....	1908-09...	$1\frac{3}{8}$ " x 18 thds.....	15.	Conduce.	444.....	1	2 oz.
586...	Piston assembly (obsolete).....	1908-09...	Substitute 3020 and 3024.....					
419A...	Piston pin.....	1908-09...	$\frac{3}{4}$ " x $3\frac{1}{2}$ ".....	35.	Confess.	419A.....	4	5 oz.
420...	Piston pin screw.....	1908-09...	$\frac{5}{16}$ " x 1" x 18 thds.....	05.	Confide.	420.....	4	
587...	Connecting rod assembly (obsolete).....	1908-09...	Substitute 3020 and 3024.....					
423...	Connecting rod piston pin bushing.....	1908-09...	$\frac{47}{64}$ " bore x $\frac{1}{8}$ " dia. x $1\frac{1}{4}$ " long.....	25.	Congee.	423.....	4	3 oz.
498A...	Crank shaft.....	1908-09...	.25" long.....	12 00.	Conger.	498A.....	1	14 lb., 8 oz.
530...	Crank shaft ratchet.....	1908-09...	$1\frac{3}{8}$ " dia. x $1\frac{1}{4}$ " long.....	40.	Congius.	530.....	1	5 oz.
529A...	Crank shaft ratchet pin.....	1908-09...	$\frac{5}{16}$ " x $1\frac{9}{16}$ " long.....	02.	Conglobe.	529A.....	1	
543A...	Crank case oil tube.....	1908-09...		50.	Congon.	543A.....	1	4 oz.
800...	Crank case and transmission lower case.....	1908-09...		12 00.	Conjoin.	800A.....	1	
551...	PUMP ASSEMBLY.....	1908-09...		9 00.	Hakot.	551.....	1	6 lb., 3 oz.
434...	Pump body.....	1908-09...		4 00.	Hallux.	434.....	1	2 lb., 3 oz.
435...	Pump cover.....	1908-09...		2 00.	Halser.	435.....	1	1 lb., 8 oz.
443...	Pump cover gasket.....	1908-09...	$\frac{1}{4}$ " x $5\frac{1}{2}$ " out. dia.....	10.	Hamite.	443.....	1	
452...	Pump cover screw.....	1908-09...	No. 10, 24 thds.....	05.	Hamose.	452.....	8	
436...	Pump fan.....	1908-09...		1 00.	Hansa.	436.....	1	7 oz.
437...	Pump shaft.....	1908-09...	$4\frac{1}{2}$ " long.....	1 00.	Harab.	437.....	1	4 oz.




Plate No. 20—Old Style Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

Order the Following Parts for Cars Numbering Below 2500—Continued

454	Pump fan pin	1908-09	$\frac{5}{32}$ " x $1\frac{1}{4}$ " long	\$ 0	01	Harbor	636	1	
451	Pump packing nut	1908-09	$\frac{3}{4}$ " x 18 thds., right hand	25		Harcute	451	1	1 oz.
451½	Pump packing nut	1908-09	$\frac{3}{4}$ " x 18 thds., left hand	25		Harlock	451½	1	1 oz.
450	Pump washer (steel)	1908-09	$\frac{3}{16}$ " x $\frac{21}{32}$ " x $\frac{1}{8}$ " dia.	10		Harod	450	1	
576	Pump drive gear and shaft	1908-09		2	50	Harpy	576	1	1 lb., 2 oz.
438	Pump drive gear only	1908-09	26 teeth, $3\frac{1}{2}$ " dia.	1	50	Haruz	438	1	14 oz.
439	Pump drive gear shaft only	1908-09	$\frac{5}{8}$ " dia. x $2\frac{3}{16}$ "	1	00	Hawser	439	1	4 oz.
440	Pump drive gear shaft bushing—rear	1908-09	$\frac{11}{16}$ " x 1"	25		Hazer	440	1	1 oz.
453	Pump drive gear shaft bushing—front	1908-09	$1\frac{1}{8}$ " dia. x $\frac{11}{16}$ "	25		Hebant	453	1	2 oz.
577	Pump inlet connection assembly	1908-09		1	00	Hebron	577	1	10 oz.
556	Pump inlet connection pet cock	1908-09	$\frac{3}{8}$ " pet cock	30		Heifer	556	1	3 oz.
455	Pump inlet nut	1908-09	$1\frac{1}{16}$ " x 18 thds.	30		Helek	455	1	2 oz.
507A	Pump inlet hose	1908-09	$1\frac{1}{4}$ " x 3"	20		Helix	507A	1	2 oz.
555	Pump inlet hose clip	1908-09	$1\frac{1}{8}$ " dia.	05		Helpath	555	2	
456	Pump support screw	1908-09	$\frac{5}{16}$ " x 1" x 24 thds.	05		Hemal	456	3	
496½	Radiator fan and shaft	1908-09		2	00	Hepvil	496-437	1	1 lb., 4 oz.
496	Radiator fan only	1908-09		1	00	Herbar	496	1	1 lb.
519	STARTING CRANK ONLY	1908-09		50		Hinny	519A	1	1 lb., 1 oz.
522	Starting crank handle bolt nut	1908-09	$\frac{7}{16}$ " x 20 thds.	05		Hippa	522	1	1 oz.
523A	Starting crank sleeve	1908-09	1" dia. x $3\frac{3}{4}$ "	50		Hippola	523A	1	6 oz.
524	Starting crank collar pin	1908-09	$\frac{3}{16}$ " x $1\frac{1}{16}$ "	02		Hipwart	524	1	
525	Starting crank collar	1908-09	$1\frac{1}{16}$ " x $\frac{1}{2}$ "	25		Hispid	525	1	
526	Starting crank spring	1908-09	$\frac{11}{16}$ " dia. x $1\frac{5}{16}$ "	05		Hitite	526	1	
527A	Starting crank ratchet pin	1908-09	$\frac{3}{16}$ " x $1\frac{1}{8}$ "	02		Hobah	527A	1	
528A	Starting crank ratchet	1908-09	$1\frac{1}{8}$ " dia. x 1" long	35		Hobit	528A	1	3 oz.
1100	RADIATOR	1908-09	Pump circulator	28	00	Hussar	1100A	1	
2710B	Spindle bolt with oiler	1908-09	Thread $1\frac{1}{4}$ " long	40		Hymn	7721	2	

BRASS BODY COMMUTATOR

3200	Commutator	1909-11	Substitute new design on cars above 2500	2	00	Cortan	404	1	1 lb., 1 oz.
3201	Com. body with fibre	1909-11	Brass	1	00	Cortum	457C	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

BRASS BODY COMMUTATOR—Continued

3202....	Com. cover.....	1909-11..	.3" dia.....	\$0 15..	Cortuse.....	461B.....	1	
3205....	Com. brush.....	1909-11..	State size of Roller.....	50..	Convent.....	574.....	1	4 oz.

(For other parts see list on pages 22 and 23.)

COTTER PINS

	Fac. No.		Fac. No.
$\frac{3}{32}$ " x 1" cotter pins.....	421	$\frac{3}{32}$ " x $\frac{1}{2}$ " cotter pins.....	66
$\frac{3}{32}$ " x $\frac{3}{4}$ " cotter pins.....	753	$\frac{1}{16}$ " x $\frac{1}{2}$ " cotter pins.....	544
$\frac{1}{8}$ " x 1" cotter pins.....	82	$\frac{3}{32}$ " x $\frac{5}{8}$ " cotter pins.....	88
Price each.....			\$0 01
Price, per dozen.....			05
Price, per gross.....			25
Trans. band rivets, per thousand.....			2 00

NUTS

$\frac{3}{8}$ "—24 thds.....	\$0 02
------------------------------	--------

This size nut used on following parts: 2514, 2554, 2584, 2722, 2729, 2932, 3073, 3074, 3362, 3437, 3443, 3540, 3541, 3642, 3929, 4034.

General Index

	Page
Rear Axle.....	6
Rear Axle, Plates No. 1 and 2.....	8-10
Front Axle.....	11
Front Axle, Plate No. 3.....	13
Body Parts.....	34
Carburetor, Kingston.....	43
Carburetor, Holley.....	43
Kingston and Holley, Plate No. 14....	44
Coil, Heinze.....	45
Coil, K. W.....	45
Heinze, K. W. and Ford, Plate No. 16..	48
Coil, Kingston.....	46
Kingston, Plate No. 15.....	47
Commutator.....	22
Commutator and Magneto, Plate No. 7	24
Fenders.....	49
Fenders, Plates No. 17 and 18.....	51-52
Frame.....	15
Gasoline Tank.....	15

	Page
Hood.....	41
Hood and Muffler, Plate No. 13.....	42
Magneto.....	23
Motor.....	17
Motor, Plates No. 5 and 6.....	18-20
Muffler.....	41
Radiator.....	39
Radiator, Plate No. 12.....	40
Running Boards.....	50
Special Tools.....	53
Tools, Plate No. 19.....	55
Springs.....	36
Springs, Plate No. 11.....	37
Starting Crank.....	38
Steering Gear.....	31
Steering Gear, Plate No. 10.....	32
Transmission.....	25
Transmission, Plates No. 8 and 9....	26-29
Wheels.....	14
Wheels and Gasoline Tank, Plate No. 4	16
Wiring.....	43

For Parts of Model T cars built during 1910-11—See Page 56.

PRICE
LIST of
PARTS



Model T

