

PRICE
LIST of
PARTS



Model T



PRICE LIST OF PARTS

FORD MODEL T 1909 - 1910 - 1911 - 1912 - 1913 - 1914 - 1915

EFFECTIVE MAY 1, 1915

Ford Motor Company

FORD FACTORIES AND BRANCHES

Ford Factory, Detroit—Parent Plant

Ford Factory, Ford, Ont., Canada

Ford Factory, Manchester, England

American Branches and Service Stations

Atlanta—380 Peachtree St.
Boston—557 Boylston St.
The Bronx (New York City)—
607 Bergen Ave.
Brooklyn—1476 Bedford Ave.
Buffalo—1050 Main St.
Cambridge—Charles River Rd.
Charlotte, N. C.—222 Tryon St.
Chicago—3915 Wabash Ave.
2526 Michigan Blvd.
Cincinnati—911 Race St.
Cleveland—4400 Euclid Ave.
Columbus—427 Cleveland Ave.
Dallas—2800 Williams St.

Denver—920 S. Broadway
1551 Broadway
Detroit—1550 Woodward Ave.
Fargo—209 N. P. Ave.
Houston—4006 Harrisburg Road
800 Walker St.
Indianapolis—526 N. Capitol Ave.
Kansas City, Kan.—744 Minnesota Ave.
Kansas City, Mo.—1710 Grand Ave.
Eleventh and Winchester Ave.
Long Island City—564 Jackson Ave.
Los Angeles—2060 E. Seventh St.
Louisville—931 S. Third St.
Memphis—495 Union Ave.

Milwaukee—143 Eighth St.
Minneapolis—616 S. Third St.
Newark—17 Halsey St.
New York—1723 Broadway
607 Bergen Ave.
Oklahoma City—205 W. First St.
Omaha—1916 Harney St.
Philadelphia—2700 North Broad St.
Pittsburgh—5925 Baum St.
Portland, Ore.—481 E. Eleventh St.
St. Louis—4100 Forest Park Blvd.
St. Paul—117 University Ave.
San Francisco—2905 21st St.
Seattle—724 Fairview Ave.

Ford Assembling Plants are located in the following Cities

Atlanta	Buffalo	Cambridge	Chicago	Cincinnati	Cleveland	Columbus	Dallas	Denver
Detroit	Houston	Indianapolis	Kansas City	Long Island City	Los Angeles	Memphis		
Minneapolis	Philadelphia	Pittsburgh	Portland, Ore.	San Francisco	Seattle	St. Louis		

Foreign Branches and Service Stations

Bordeaux, France—63 Rue de la
Fondaudege
Buenos Aires, Argentina—Calle
Lavalle 1776
Calgary, Alta.—127-129 11th Ave. E.
Gibraltar, Spain
Hamburg, Germany

Hamilton, Ont.—128 King St. W.
London, Eng.—57 Shaftsbury Ave.
London, Ontario—291 Dundas St.
Manchester, Eng.—Trafford Park
Melbourne, Aus.—103 William St.
Montreal, Que.—973 St. Catherine
Street W.

Paris, France—61-63 Rue de Corneilles
Saskatoon, Sask.—1st Av. and 25th St.
St. John, N. B.—Rothesay Avenue
Toronto, Ont.—106 Richmond St.
Vancouver, B. C.—1129 Howe St.
Winnipeg, Manitoba—81 Water St.

Foreign Department—1136 Whitehall Bldg., 17 Battery Place, New York
There are Ford Agents in all other Principal Cities

Instructions for Ordering Parts

- 1—Order all parts through the nearest Branch or Dealer in your territory, as parts for the Model T car are carried in stock by them.
- 2—Always specify **Model** and **give Number** of your car. Give **Number** and **Name** of each part ordered.
- 3—**Cash should accompany all orders.** If it is desired to have parts shipped C. O. D., a deposit sufficient to guarantee transportation charges must be remitted with the order.
- 4—Mail and Parcels Post orders must be accompanied by an amount sufficient **to cover Postage.**
- 5—All prices are net f. o. b. Detroit.
- 6—Specify whether shipments are to be forwarded by mail, express or freight.
- 7—Orders for parts should be written separately from correspondence pertaining to other matters, as this will insure prompt handling by the Service Department at the factory.

Telegraph Code

To save expense, to expedite ordering and for the convenience of those purchasing parts, we have arranged a code word for each part of the Ford Model T car. In addition to the Parts Code we list below a brief General Code covering miscellaneous instructions, questions and answers relative to the entering and shipping of parts ordered.

In telegraphing an order for parts start with the code telling us how to ship, then use the word for the part wanted, stating the number required and then give the number of your car.

The following will illustrate how to send in an express order for Eight Push Rods No. 3058, and Three Transmission Band Springs No. 3425:

FORD MOTOR COMPANY, DETROIT, MICHIGAN.

Toperig eight Carat three Dispark for car No. 2841.

Signed.....

Toperig—Ship to me (us) by express.

Toperkleur—Ship by express to——

Topermolen—Ship to me (us) by American Express.

Toperal—Ship to me (us) by Wells, Fargo Express.

Toperpool—Ship to me (us) by Dominion Express.

Topersteen—Ship to me (us) by freight.

Toper—Ship to me (us) by mail.

Topfton—When and how did you ship parts called for in my (our) telegram of——

Topflutch—When and how will you ship parts called for in my (our) telegram of——

Topfwasser—When and how will you ship parts called for in my (our) letter of——

Topfgeld—Cancel order for parts our (my) telegram of——

Topfgicht—Cancel order for parts my (our) letter of——

Topfkiemer—Add to our (my) telegraph order of——

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE								
2500	Rear axle assembly	1909-15	56-inch tread	\$55 00	Aband	95E	1	
*2501	Axle housing—right	1909-12	Dia. of bell, 10 $\frac{1}{16}$ "	obsolete				
2501D	Axle housing—right	1913-14	26" L., dia. of bell, 9 $\frac{1}{4}$ "	7 50	Abat	2835B	1	
2501E	Axle housing—right	1915		7 50	Absolve	2835C	1	
*2502	Axle housing—left	1909-12	Dia. of bell, 10 $\frac{1}{16}$ "	obsolete				
2502D	Axle housing—left	1913-14	26" L., dia. of bell, 9 $\frac{1}{4}$ "	7 50	Abel	2836B	1	
2502E	Axle housing—left	1915		7 50	Absume	2836C	1	
2503B	Axle housing bolt and nut		$\frac{5}{16}$ " x $\frac{3}{32}$ "	05	Abide	315	5	
2503C	Axle housing bolt and nut		$\frac{5}{16}$ " x 1 $\frac{1}{16}$ "	05	Abject	42C	7	
2503E	Axle housing bolt and nut		$\frac{5}{16}$ " x 1 $\frac{5}{16}$ "	05	Ajoy	2854	7	
2505D	Axle shaft—tapered	1912-15	56" tread, 1 $\frac{5}{32}$ " x 31 $\frac{1}{16}$ "	2 50	Abode	2818	2	8 lb.
2506	Axle shaft washer	1909-15	1 $\frac{1}{32}$ " dia. fibre	03	Abound	39	1	
2508	Axle shaft roller bearing	1909-15	2 $\frac{1}{16}$ " x 4"	75	Abrase	97	4	1 lb., 3 oz.
2509	Axle shaft roller bearing sleeve—right	1909-15	4" long	20	Abray	170	2	8 oz.
2509B	Axle shaft roller bearing sleeve—left	1909-15		20	Abate	161	2	8 oz.
2510	Axle housing cap	1909-15	2 $\frac{13}{32}$ " dia.	05	Abroad	56	2	2 oz.
2510A	Axle outer roller bearing steel washer	1909-15	2 $\frac{1}{16}$ " dia.	03	Absinthe	199	2	
2510B	Axle outer roller bearing felt washer	1909-15	2 $\frac{7}{16}$ " dia.	05	Absist	54	2	
2512B	Diff. case—left (includes bushing)	1909-13		2 00	Absurd	10D	1	4 $\frac{3}{4}$ lb.
2512C	Diff. case—left (no bushing used)	1914-15		1 25	Abut	10D	1	
2513B	Diff. case—right (includes bushing)	1909-13		1 50	Abyss	11C	1	2 lb., 11 oz.
2513C	Diff. case—right (no bushing used)	1914-15		75	Ache	11D	1	
2514	Diff. case stud and nut	1909-15	$\frac{3}{8}$ " x 2 $\frac{3}{4}$ "	05	Arcadian	52-8	3	2 oz.
2514B	Diff. case stud and nut	1915	$\frac{3}{4}$ " x 2 $\frac{5}{16}$ "	05	Ale	2865-8	3	
2517	Diff. case bushing	1909-13	1 $\frac{9}{16}$ " bore—1 $\frac{1}{16}$ " dia.	30	Accite	19	2	4 oz.
2518	Diff. drive gear	1909-15	40 teeth	4 00	Accost	123	1	3 lb., 5 oz.
2519	Diff. drive gear screw	1909-15	$\frac{5}{16}$ " x $\frac{3}{32}$ "	02	Accoy	103	10	

*Substitute 2501E and 2502E. Write nearest Branch or Factory for exchange proposition.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued								
2519A...	Diff. gear lock ring.....	1909-15.		\$0 03.	Acetic.....	118.....	2	
*2520...	Diff. gear.....	1909-12.	24 teeth drilled for pin....	1 30.	Acme.....	13.....	2	1 lb., 6 oz.
*2520B...	Diff. gear.....	1913-15.	24 teeth not drilled for pin	1 30.	Ace.....	13B.....	2	1 lb., 6 oz.
2521...	Diff. gear key.....	1909-10.	$\frac{1}{16}$ " long.....	05.	Acquiet.....	21E.....	2	
2521B...	Diff. gear key.....	1911-15.	$1\frac{3}{8}$ " long.....	05.	Acrid.....	137.....	2	
2522...	Diff. gear pin.....	1909-10.	$1\frac{1}{8}$ " long.....	03.	Actor.....	36.....	2	
2522B...	Diff. gear pin.....	1913-15.	$1\frac{1}{8}$ " long.....	03.	Acher.....	2866.....	2	
2523...	Diff. gear thrust washer.....	1909-14.	Fibre, $3\frac{1}{16}$ " dia.....	10.	Actress.....	32.....	2	
2524...	Diff. pinion with bushing.....	1909-10.	$\frac{5}{16}$ " bore, 12 teeth.....	60.	Acute.....	14B.....	3	5 oz.
2524B...	Diff. pinion with bushing.....	1911-14.	$\frac{5}{8}$ " bore, 12 teeth.....	60.	Adage.....	14C.....	3	5 oz.
2524C...	Diff. pinion.....	1915.....	12 teeth (no bushing).....	50.	Admire.....	14D.....	3	
2525...	Diff. pinion bushing.....	1909-10.	$\frac{5}{16}$ " bore.....	05.	Adder.....	93B.....	3	
2525B...	Diff. pinion bushing.....	1911-14.	$\frac{5}{8}$ " bore.....	05.	Addict.....	93C.....	3	
2526...	Diff. spider with bushing.....	1909-10.	$\frac{1}{16}$ " dia. arm.....	1 00.	Addlet.....	15C.....	1	13 oz.
†2526B...	Diff. spider with bushing.....	1911-15.		1 00.	Adduce.....	15D.....	1	15 oz.
2527...	Diff. spider bushing.....	1909-15.	$1\frac{1}{16}$ " bore, brass.....	20.	Adfect.....	18.....	1	3 oz.
2528...	Diff. thrust plate.....	1909-15.	$3\frac{3}{4}$ " dia. bronze.....	30.	Adieu.....	30.....	2	6 oz.
2529...	Diff. thrust plate.....	1909-15.	$3\frac{3}{4}$ " dia. steel.....	10.	Adjoin.....	31.....	4	3 oz.
2530...	Diff. thrust plate pin.....	1909-15.	$\frac{1}{32}$ " long.....	03.	Admix.....	17.....	2	
2531...	Diff. thrust plate pin.....	1909-15.	$\frac{1}{32}$ " long.....	03.	Adgase.....	37.....	4	
2532...	Diff. housing oil plug.....	1909-15.	$\frac{3}{4}$ " x 24 thds.....	05.	Agger.....	817.....	1	
2545B...	Rear axle grease cup.....	1909-15.	$\frac{1}{8}$ " pipe thds.....	10.	Agat.....	76.....	3	1 oz.
2547...	Rear radius rod.....	1909-15.		2 25.	Altar.....	152.....	2	4 lb., 9 oz.
2548...	Radius rod nut.....	1909-15.	$\frac{5}{16}$ " x 18 thds.....	05.	Amass.....	77.....	2	1 oz.
2549...	Radius rod lock nut.....	1909-15.	$\frac{5}{16}$ ", 18 thds.....	03.	Amber.....	78.....	2	1 oz.
2550...	Radius rod lock washer.....	1909-15.	$\frac{9}{16}$ ".....	01.	Ambush.....	2823.....	2	
2551...	Radius rod bolt and nut.....	1909-15.	$\frac{1}{2}$ " x $1\frac{1}{2}$ ".....	05.	Ampite.....	83-60.....	4	2 oz.
2554...	Ball joint support bolt and nut.....	1909-14.	$\frac{3}{8}$ " x $1\frac{1}{8}$ ".....	05.	Amlabe.....	79 & 8.....	4	

*When used in place of the gear having the thin hub, remove the differential case bushings, and fibre washers.

†2524 and 2524B can be used with 2526B by removing the bushings.




Plate No. 1—Rear Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued								
2557	Hub cam shaft—right	1909-15	.3 $\frac{1}{8}$ " long	\$0 20	Amuck	92B	1	3 oz.
2558	Hub cam shaft—left	1909-15	.3 $\frac{1}{8}$ " long	20	Anchor	61B	1	3 oz.
2559	Hub cam shaft bushing	1909-15	. $\frac{1}{2}$ " bore, $\frac{11}{16}$ " dia.	10	Ancient	173	2	1 oz.
2562	Cam shaft lever	1909-15	. $\frac{1}{2}$ " bore	20	Arab	62	2	2 oz.
2563	Cam shaft lever pin	1909-15	$\frac{3}{16}$ " x $\frac{1}{8}$ "	02	Arbor	7	4	
2564	Lever clevis pin	1909-15	$\frac{1}{16}$ " x 1"	02	Arcade	65	4	
2566	Hub brake shoe	1909-15	Cast iron	30	Arctic	55	2	1 lb., 9 oz.
2567	Brake shoe support bolt	1909-15	$\frac{1}{2}$ " x 1 $\frac{1}{8}$ "	05	Argus	59	2	2 oz.
2568	Brake shoe support nut	1909-15	$\frac{1}{2}$ " x 20 thds.	03	Armor	60	2	
2570B	Brake shoe coil spring	1913-15	.33 $\frac{3}{8}$ " long	03	Asug	2862	2	
2571	UNIVERSAL JOINT ASSEMBLY	1909-15		2 25	Ashore	151B	1	2 lb., 12 oz.
2572	Joint knuckle (male)	1909-15		60	Ashust	45B	1	1 lb.
2573	Joint knuckle (female)	1909-15		80	Askew	46B	1	1 lb.
2574	Joint knuckle pin	1909-15	$\frac{3}{8}$ " x 1 $\frac{1}{2}$ "	01	Asleep	6	2	
2575	Joint ring, complete	1909-15	.31 $\frac{1}{8}$ " dia.	80	Astert	49B	1	13 oz.
2576	Joint ring rivets (per set 4)	1909-15	$\frac{1}{4}$ " x 1 $\frac{1}{8}$ "	05	Atche	50	4	
2577	Joint housing	1909-15	.41 $\frac{1}{16}$ " long	75	Atlas	70	1	2 lb.
2578	Joint housing plug	1909-15	$\frac{1}{2}$ " x 20 thds.	05	Atom	75	1	
2579	Ball joint grease cup	1909-15	$\frac{1}{4}$ " pipe thds.	15	Attic	195	1	5 oz.
2580	Ball cap gasket	1909-15	Felt	03	Auburn	1518	1	
2580B	DRIVE SHAFT AND HOUSING ASSEMBLY	1909-15		14 00	Balker	2805	1	
2582	D. S. tubing	1911-15	.50 $\frac{5}{8}$ " long	4 00	Ballad	153D	1	
2583	D. S. roller bearing housing	1911-15	.31 $\frac{1}{2}$ " long	75	Ballot	191B	1	2 lb., 12 oz.
2584	D. S. roller bearing stud and nut	1911-15	.3 $\frac{1}{8}$ " x 4 $\frac{1}{16}$ "	05	Bamly	183-8	6	3 oz.
2584B	D. S. roller bearing stud and nut	1912-15	. $\frac{13}{32}$ " x 4 $\frac{3}{8}$ "	05	Balneal	183B-184	6	3 oz.
2586	D. S. roller bearing housing set screw	1911-15	$\frac{1}{2}$ " x 20 thds.	05	Banco	101	1	
2587	D. S. roller bearing	1911-15	.25 $\frac{1}{8}$ " long	1 30	Balsam	108	1	1 lb., 3 oz.




Plate No. 2—Rear Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued								
2588	D. S. roller bearing distance plate	1911-15	2 $\frac{1}{16}$ " dia.	\$0 05	Band let	106	1	
2589B	D. S. ball bearing assembly	1911-15		75	Bander	185	1	9 oz.
2589	D. S. ball race	1911-15	2 $\frac{3}{16}$ " dia.	20	Bandon	186	1	5 oz.
2590	D. S. ball retainer	1911-15	2 $\frac{1}{16}$ " dia.	03	Bandroe	190	1	
2591	D. S. ball thrust collar	1911-15	2 $\frac{1}{4}$ " dia.	40	Bandault	188	1	3 oz.
2592	D. S. ball bearings, each	1911-15	$\frac{3}{16}$ " ball	03	Bandy	249	15	
2593	D. S. roller bearing sleeve	1911-15	2 $\frac{3}{8}$ " dia., 2 $\frac{7}{8}$ " long	90	Bangle	107	1	13 oz.
2595B	D. S. only (tapered)	1911-15	1 $\frac{1}{8}$ " x 53 $\frac{1}{16}$ "	3 50	Banjo	87D	1	13 lb., 8 oz.
2595C	D. S. with sleeve and ball bearing	1911-15	1 $\frac{1}{8}$ " x 53 $\frac{1}{16}$ "	5 00	Bannock	2859	1	14 lb., 8 oz.
2595D	D. S. with pinion, complete	1911-15	1 $\frac{1}{8}$ " x 53 $\frac{1}{16}$ "	6 00	Banquet	154D	1	15 lb., 4 oz.
2596	D. S. sleeve	1911-15	1" bore, 3 $\frac{1}{8}$ " long	75	Banshec	163B	1	6 oz.
2597B	D. S. pinion	1911-15	Taper bore, 11 teeth	1 00	Banewort	16C	1	11 oz.
2598	D. S. castle nut	1911-15	$\frac{5}{8}$ " x 18 thds.	05	Banket	124	1	
2598B	D. S. pinion key	1911-15		05	Banker	57B	1	
2540	D. S. housing front bushing	1909-15	1" bore, 1 $\frac{3}{4}$ " babbitt	30	Balkish	69	1	5 oz.

REAR AXLE—60 INCH TREAD

2599	Rear axle assembly	1909-15	.60" tread	55 00	Bankrupt	1727C	1	
*2600	Rear axle housing—right	1909-12	Dia. of bell 10 $\frac{1}{16}$ ", obsolete		Bantam	1701G	1	
2600B	Rear axle housing—right	1913-14	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bantor	2728A	1	
2600C	Rear axle housing—right	1915	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bang	2728C	1	
*2601	Rear axle housing—left	1909-12	Dia. of bell 10 $\frac{1}{16}$ ", obsolete		Bantling	1702G	1	
2601B	Rear axle housing—left	1913-14	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bamon	2729A	1	
2601C	Rear axle housing—left	1915	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bard	2729C	1	
2602B	Rear axle shaft—tapered	1911-15	1 $\frac{1}{4}$ " x 33 $\frac{1}{16}$ "	2 50	Baptism	2725	2	8 lb., 10 oz.
2604	Rear radius rod	1909-15	.53 $\frac{5}{8}$ " tube only	2 25	Barbett	1726	2	4 lb., 10 oz.

FRONT AXLE

2690	Front axle assembly	1909-15	.56" tread	24 00	Barila	261B	1	
2691	Front axle only	1909-15	.56" tread	8 00	Barber	202B	1	

*Substitute 2600C and 2601C. Write nearest Branch or Factory for exchange proposition.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FRONT AXLE—Continued								
2694	Spindle body—right	1911-15		\$2 00	Bardash	203B	1	2 lb., 11 oz.
2695	Spindle body—left	1911-15		2 00	Bardish	204B	1	2 lb., 11 oz.
2696	Spindle arm—left	1911-15		60	Bardism	270	1	12 oz.
2696B	Spindle arm—right	1911-15		60	Bardo	282	1	12 oz.
2697	Spindle arm nut	1911-15	$\frac{9}{16}$ " x 18 thds.	05	Bardling	77	2	1 oz.
2702	Spindle assembly—right	1909-10		2 75	Barkate	203A	1	3 lb., 8 oz.
2703	Spindle assembly—left	1909-10		2 75	Barker	204A	1	3 lb., 8 oz.
2704	Stationary cone	1909-15	$1\frac{3}{16}$ " bore	20	Barkless	205	2	4 oz.
2705	Adjusting cone—right thread	1909-15	$\frac{3}{4}$ " x 16 thds., R. T.	15	Barley	206	1	2 oz.
2706	Adjusting cone—left thread	1909-15	$\frac{3}{4}$ " x 16 thds., L. T.	15	Barrack	207	1	2 oz.
2707	Spindle nut—right thread	1909-15	$\frac{3}{4}$ " x 16 R. H. thds.	05	Barrow	209B	1	2 oz.
2708	Spindle nut—left thread	1909-15	$\frac{3}{4}$ " x 16 L. H. thds.	05	Baron	208B	1	2 oz.
2709	Spindle washer	1909-15	$\frac{3}{16}$ " hole x $1\frac{3}{8}$ "	02	Barras	210	2	
2710	Spindle bolt with oiler	1909-15	$\frac{1}{2}$ " x $6\frac{3}{4}$ "	40	Barter	7703	2	7 oz.
2711	Spindle bolt nut	1909-15	$\frac{1}{2}$ " x 20 thds.	03	Barton	60	2	
2713	Spindle body bushing (pair)	1909-15	$\frac{1}{2}$ " bore	20	Bartram	223	2	2 oz.
2714	Spindle arm bushing	1909-15	$\frac{1}{16}$ " bore, $\frac{11}{16}$ " dia., 1" L.	05	Barwood	225	2	
2715	Spindle oiler	1909-14	See No. 2817					
2715B	Spindle oiler cap assembly	1915		05	Beard	7702-7705-7707	2	
2717	Spindle con rod	1909-15	.46 $\frac{3}{4}$ " long	1 45	Basalt	268	1	3 lb., 2 oz.
2718	Spindle con rod bolt with oiler	1909-15	$\frac{7}{16}$ " x $2\frac{1}{4}$ "	15	Basan	7706	2	3 oz.
2719	Spindle con rod bolt nut	1909-15	$\frac{7}{16}$ " x 20 thds.	02	Bashful	220	2	
2721	Spindle con rod yoke	1909-15	.2 $\frac{3}{4}$ " long	40	Bashule	248	1	5 oz.
2722	Steering yoke clamp bolt and nut	1909-15	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	05	Basil	79-8	1	
2725B	Steering gear con rod	1909-15	Includes ball sockets	75	Baslard	289	1	2 lb., 2 oz.
2728	Ball socket cap	1909-15		15	Basent	254B	2	2 oz.
2729	Ball socket bolt and nut	1909-15	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	05	Basined	255-8	4	
2733	Front radius rod	1909-15		2 50	Beardless	263	1	
2734	Front radius rod nut	1909-15	$\frac{9}{16}$ " x 18 thds.	05	Beatish	77	2	2 oz.
2736	Front radius rod ball cap	1909-15		15	Beaufet	217	1	3 oz.




Plate No. 3—Front Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FRONT AXLE—Continued								
2737	Front radius rod ball socket	1911-15		\$0 20	Beckon	809B	1	11 oz.
2738	Front radius rod ball cap screw	1909-10	$\frac{3}{8}$ " x 24 thds.	05	Beaver	810A	2	
2739	Front radius rod ball cap screw	1911-13	$\frac{3}{8}$ " x 16 thds.	05	Beblot	810B	2	
2740	Speedometer swivel joint support	1912-14		20	Belack	4760	1	5 oz.
2741	Radius rod ball cap stud and nut	1914-15		05	Perth		2	
2742	Radius rod ball cap spring	1914-15		02	Picep		2	
2760	FRONT AXLE ONLY	1909-15	.60" tread	8 00	Bechance	1720B	1	
2761	Steering spindle con rod	1909-15	.60" tread	1 45	Beck	1725	1	3 lb., 7 oz.
2762	Steering gear con rod	1909-15	.60" trd. includes ball sockets	75	Becloud	2739	1	
WHEELS								
2800B	Front wheel (specify color)	1909-15	.30" x 3"	5 00	Becomb	291	2	
2803C	Front hub assembly	1909-15		2 00	Bedew	232	2	4 lb., 9 oz.
2804	Outer race	1909-15	1 $\frac{1}{16}$ " dia.	10	Bedfere	234	2	2 oz.
2805	Inner race	1909-15	2 $\frac{3}{16}$ "	15	Bedight	235	2	5 oz.
2806	Outer ball retainer	1909-15	1 $\frac{3}{16}$ " dia.	02	Bedim	236	2	
2807	Inner ball retainer	1909-15	2 $\frac{1}{16}$ " dia.	03	Bedside	237	2	
2808	Dust ring	1909-15	Steel, 2 $\frac{1}{2}$ " dia.	05	Bedward	238	2	1 oz.
2809	Felt washer	1909-15	2 $\frac{1}{2}$ " dia.	05	Bedije	239	2	
2810	Large balls, each	1909-15	$\frac{1}{2}$ "	04	Becfing	241	24	
2811	Small balls, each	1909-15	$\frac{3}{8}$ "	03	Beemol	249	22	
2812A	Rear wheel (specify color)	1909-10	.30" x 3 $\frac{1}{2}$ " straight hub	5 00	Beemine	99	2	
2814C	Rear wheel—blue (taper hub)	1912-15	.30" x 3 $\frac{1}{2}$ "	5 00	Beggah	2815	2	
2815B	Rear hub (straight bore)	1909-11	1 $\frac{1}{16}$ " bore x 4 $\frac{1}{4}$ "	1 50	Beggart	40B	2	4 lb., 7 oz.
2815C	REAR HUB (TAPERED)	1912-15	3 $\frac{1}{8}$ " long	1 50	Begol	2819	2	4 lb., 3 oz.
2816	Rear hub key (for straight axle)	1909-10	$\frac{1}{4}$ " x $\frac{1}{4}$ " x 4 $\frac{9}{16}$ "	05	Begone	26	2	2 oz.
2816B	Rear hub key (for taper axle)	1912-15	$\frac{1}{4}$ " x $\frac{1}{4}$ " x 2 $\frac{1}{16}$ "	05	Begloom	2820	2	1 oz.
2817	Rear hub pin	1909-10	$\frac{3}{8}$ " x 2"	02	Begore	27	2	1 oz.
2818	Rear hub brake drum	1909-15	3" hole, 8" dia.	30	Beguifer	3	2	2 lb., 9 oz.
2819	Hub cap	1909-15	2 $\frac{1}{8}$ " x 24 thds.	15	Behave	249	4	3 oz.
2820	Hub bolt and nut	1909-10	$\frac{1}{16}$ " x 2 x 18 thds.	05	Beheld	28A	24	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
WHEELS—Continued								
2825	Hub bolt and nut	1911-15	$\frac{3}{8}$ " x $2\frac{1}{8}$ " x 16 thds.	\$0 03	Belay	28B	24	
2827	Hub flange	1911-15	6" dia.	10	Bellow	233B	4	1 lb., 5 oz.
2828	Rear hub lock nut	1912-15	$\frac{5}{8}$ " x 18 thds.	05	Bengal	242	2	2 oz.
2829	Rear hub felt washer	1913-15		05	Bedpost	2864	2	
FRAME								
*2850	Frame assembly	1909-15	Specify Car No.	8 00	Belone	2916	1	
2851	Side member—right	1909-13	$1\frac{1}{2}$ " x $101\frac{1}{16}$ " long.	3 00	Belowt	301	1	
2851B	Side member—right	1914-15		3 00	Benign	2914	1	
2852	Side member—left	1909-13	$1\frac{1}{2}$ " x $101\frac{1}{16}$ " long.	3 00	Beltane	302	1	
2852B	Side member—left	1914-15		3 00	Berdash	2915	1	
2853	Front cross member	1909-15	$22\frac{3}{4}$ " long.	1 00	Beluga	303	1	3 lb., 15 oz.
2854	Rear cross member	1909-13	$22\frac{11}{16}$ " long.	1 00	Bemoan	304	1	6 lb., 3 oz.
2854B	Rear cross member	1914-15		1 00	Bendlet	2913	1	7 lb., 8 oz.
2855	Front corner bracket—right	1909-15		30	Benumb	305	1	8 oz.
2856	Front corner bracket—left	1909-15		30	Bequest	306	1	8 oz.
2857	Rear corner bracket—right	1909-15		30	Besiege	307	1	9 oz.
2858	Rear corner bracket—left	1909-15		30	Bespawl	308	1	9 oz.
2863	Body bracket	1909-15	On frame	15	Bestow	344	4	4 oz.
GASOLINE TANK—RUNABOUT								
2875	Gasoline tank	1911-12	16 $\frac{1}{2}$ gallons	6 00	Bethel	2083	1	
2876	Filler cap	1911-12	$2\frac{15}{16}$ " out. dia.	30	Bethump	2315	1	7 oz.
2877	Sediment bulb (Substitute with 2902B)	1911-12	$3\frac{13}{16}$ " long.					
2878	Feed pipe	1911-12	Brass, 78" long.	35	Betrap	1394	1	8 oz.
GASOLINE TANK—TOURING CAR								
2900	Gasoline tank	1909-15	10 gallons	3 00	Bibber	1303	1	
2901	Filling plug	1909-15	$2\frac{1}{8}$ "	15	Biblist	1317	1	1 oz.
2902B	Sediment bulb	1909-15	Brass	80	Bickers	2088	1	1 lb., 2 oz.

*Rear cross member extension must be cut off when used on 1909-12.



2805




2804



2806



2807



2909



2816

2816-B



2818



2809



2908



2907



2876



2815-C



2815-B



2803-C



2819



2901



2902-B




2814-C



2800-B



2828



2900

Plate No. 4—Wheel and Gasoline Tank Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

GASOLINE TANK—TOURING CAR—Continued

2903	Tank bolt and nut	1909-15	Specify length	\$ 0 05	Bight	1320	3	1 oz.
2907	Stop cock	1909-15		20	Bigot	1343	1	3 oz.
2908	Pet cock	1909-15	$\frac{1}{8}$ " pipe thds	15	Bilbb	1515	1	2 oz.
2909	Feed pipe	1909-15	$\frac{1}{4}$ " x 40 $\frac{3}{4}$ " long	25	Billet	1364	1	4 oz.
2910	Feed pipe pack nut	1909-15	$\frac{1}{2}$ " x 18 thds	05	Billow	1374	2	

MOTOR

3000	Cylinder	1909-15	Cars above 2500	15 00	Cabal	400C	1	
3001	Cylinder head	1909-15	Cars above 2500	3 00	Cabin	401C	1	
3002	Cyl. head gasket	1909-15	Copper-Asbestos	30	Caboose	402B	1	5 oz.
3003	Cyl. head cap screw	1909-15	$\frac{7}{16}$ " x 2 $\frac{1}{16}$ "	05	Cackle	483B	13	2 oz.
3004	Cyl. head outlet connection	1909-15	Cast iron	15	Caddow	446C	1	11 oz.
3005	Cyl. head outlet con gasket	1909-15	Copper	05	Caddy	445B	1	
3006	Cyl. head outlet hose	1909-15	2" x 3 $\frac{1}{4}$ "	10	Cadet	448B	1	4 oz.
3007	Cyl. head outlet hose clip	1909-15	2 $\frac{3}{4}$ " dia	05	Cadger	607B	2	1 oz.
3008	Cyl. head outlet con screw	1909-15	$\frac{7}{16}$ " x $\frac{1}{16}$ "	05	Cadmean	550C	2	1 oz.
3009E	Cyl. front cover with set screw	1909-15	Cars above 2500	75	Cage	690	1	2 lb., 1 oz.
3010	Cyl. cover bolt	1909-15	$\frac{3}{8}$ " x $\frac{7}{8}$ "	05	Cafe	1020	1	1 oz.
3011	Cyl. cover cap screw	1909-15	$\frac{3}{8}$ " x $\frac{1}{16}$ "	03	Cahoot	432	4	
3012	Cyl. cover felt	1909-15	Felt	05	Caitiff	504	1	
3013	Cyl. cover liner	1909-15	Paper	01	Cajole	505B	1	
3014	Cyl. cover and crank case bolt and nut	1909-15	$\frac{3}{8}$ " x 1 $\frac{3}{4}$ "	05	Calash	484-8	16	
3015	Cyl. water inlet connection	1909-15	Cast iron	20	Calcene	442B	1	1 lb., 3 oz.
3016	Cyl. inlet con screw	1909-15	$\frac{7}{16}$ " x 1 $\frac{1}{2}$ "	03	Caldron	597	2	
3018	Cyl. water inlet gasket	1909-15	Copper	05	Calefy	596	1	
3019	Cyl. water jacket plug	1909-13	$\frac{1}{2}$ " pipe plug	05	Capin	557	3	1 oz.
3019B	Cyl. water jacket plug	1914-15		01	Canon	5919	3	
3020	PISTON COMPLETE	1909-15	3 $\frac{3}{4}$ " dia	1 50	Caliph	586C	4	3 lb., 9 oz.
3020C	PISTON COMPLETE	1909-15	.0025" oversize	1 50	Canopy	683A	4	
3020D	PISTON COMPLETE	1909-15	.03125" oversize	1 50	Capon	683C	4	
3021	Piston only	1909-15	3 $\frac{3}{4}$ " dia	85	Callous	418	4	2 lb., 15 oz.



3009



3009-B



3163



3110



3101




3101-B



3001



3176



3221



3111




3165




3102




3112



3071



3070



3002



3013



3169




3155




3012



3084



3000



3100



3085

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued								
3022	Piston pin	1909-15	$\frac{3}{16}$ " dia. x $3\frac{1}{2}$ " long.	\$ 0 25	Callot	419B	4	4 oz.
3022½	Piston pin bushing (pair)	1909-15	$\frac{1}{16}$ " dia. x $1\frac{3}{4}$ " long.	30	Callow	668	4	3 oz.
3023	Piston ring	1909-15	$\frac{1}{4}$ " x $3\frac{3}{4}$ "	15	Calmy	422	12	2 oz.
3023B	Piston ring	1909-15	03125 oversize	15	Calf	5917	12	
*3024	CONNECTING ROD	1909-15	Includes bearings	1 50	Calvish	641	4	1 lb., 9 oz.
3025	Con. rod cap bolt and nut	1909-15	$\frac{3}{8}$ " x 2" x 24 thds.	10	Calyz	489B	8	
3029	Con. rod clamp screw	1909-15	$\frac{3}{8}$ " x $1\frac{1}{16}$ "	05	Cambrie	578	4	
3030	CRANK SHAFT	1909-15	25 $\frac{5}{16}$ " long.	10 00	Camel	498B	1	
3031	C. S. rear bearing cap	1909-15	$3\frac{1}{8}$ " long, babbitted	60	Cameo	405B	1	1 lb., 1 oz.
3032	C. S. front bearing cap	1909-15	$1\frac{1}{16}$ " long, babbitted	50	Camera	406B	1	10 oz.
3033	C. S. center bearing cap	1909-15	$2\frac{1}{8}$ " long, babbitted	50	Camlet	407B	1	10 oz.
3034	C. S. bearing bolt—center and front	1909-15	$\frac{1}{2}$ " x $6\frac{1}{16}$ " x 20 thds.	15	Camphor	408	4	6 oz.
3035	C. S. bearing bolt nut	1909-15	$\frac{1}{2}$ " x 20 thds.	03	Canal	60	6	
3036	C. S. rear bearing bolt	1909-15	$\frac{1}{2}$ " x $4\frac{3}{16}$ "	15	Candle	478	2	4 oz.
3037	C. S. center bearing liner	1909-15	$2\frac{1}{4}$ " long, brass	01	Canker	501B		
3038	C. S. bearing liner, front	1909-15	$1\frac{1}{16}$ " long, brass	01	Cannon	502B		
3039	C. S. rear bearing liner	1909-15	3" long, brass	01	Canny	503B		
3040	C. S. starting pin	1909-15	$\frac{3}{8}$ " x $2\frac{3}{4}$ "	05	Canoe	529B	1	2 oz.
3041	CAM SHAFT	1909-15	Drop forging	4 50	Canteen	410	1	3 lb., 4 oz.
3042	Cam shaft front bearing	1909-15	Cast iron, 2" long	25	Canter	411	1	6 oz.
3043	Cam shaft center bearing	1909-15	Cast iron, 2 $\frac{1}{8}$ " long	25	Canthus	412B	1	6 oz.
3044	Cam shaft rear bearings	1909-15	Bronze, $1\frac{1}{16}$ " long	30	Canto	413	1	3 oz.
3045	Cam shaft bearing ring	1909-15	$\frac{3}{16}$ " x $1\frac{1}{2}$ "	01	Canvas	534	4	
3046	Cam shaft bearing set screw	1909-15	$\frac{7}{16}$ " x $\frac{5}{8}$ "	03	Capelin	414	2	
3047	Cam shaft gear—large	1909-15	42 teeth	75	Caper	415	1	1 lb., 10 oz.
3048	Cam shaft gear—small	1909-15	21 teeth	60	Capat	416	1	11 oz.
3049	Cam shaft gear dowel pin	1909-15	$\frac{3}{4}$ " x $\frac{1}{16}$ "	03	Capra	417	2	
3050	Cam shaft large gear lock nut	1909-11	Used with com. No. 3200	15	Caprice	475	1	2 oz.
3050B	Cam shaft large gear lock nut	1912-15	Used with com. No. 3160	10	Captive	4453	1	2 oz.

*Connecting rods requiring new bearings will be exchanged at Branch or Factory for 75c each.




Plate No. 6—Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued								
3051	Cam shaft small gear key	1909-15	Special Woodruff key	\$0 03	Capsize	477	1	
3052	Valve	1909-15	Exhaust and inlet	15	Capstan	424	8	3 oz.
3053	Valve bushing	1909-10	$\frac{1}{8}$ " dia. x 2" long	15	Capsule	428	8	2 oz.
3053½	Valve bushing	1911-12	$\frac{5}{8}$ " O. D. x 2" long	15	Captain	428B	8	2 oz.
3054	Valve spring	1909-15	2½" long	05	Capture	431	8	1 oz.
3056	Valve spring seat	1909-15	1½" dia.	01	Carack	425	8	
3057	Valve spring seat pin	1909-15	$\frac{7}{8}$ " x $\frac{1}{2}$ "	01	Caranx	429	8	
3058	Push rod	1909-15	$\frac{1}{8}$ " dia., 2½"	15	Carat	426	8	2 oz.
3059½	Push rod bushing	1909-15	Iron	15	Chippy	427B	8	2 oz.
3060	Exhaust manifold	1909-12	Iron	75	Chisley	511	1	4½ lb.
3060B	Exhaust manifold	1913-15	Iron	75	Chirp	4483	1	4½ lb.
3061	Exhaust pipe pack nut	1909-15	1½" x 18 thds., brass	15	Chitter	518	1	4 oz.
3062	Inlet pipe	1909-15		60	Chloris	512B	1	2 lb., 8 oz.
3063	Inlet and exhaust pipe gasket	1909-15	1½" O. D. copper	03	Choker	513	6	1 oz.
3064	Inlet and exhaust pipe gland	1909-15	1½" dia., iron	03	Chopper	514	6	
3065	Inlet and exhaust pipe clamp	1909-15	2¾" long	10	Choral	515	4	3 oz.
3066	Inlet and exhaust clamp stud and nut	1909-15	$\frac{3}{8}$ " x 3¼"	05	Chorus	516-517	4	2 oz.
3068	Breather pipe	1909-15	1½" long, brass	15	Chuck	4468	1	2 oz.
3069	Crank case (substitute 3100 and 3376)	1909-10	Used with No. 3361		Chunky	1526A	1	
3069B	Crank case front end bearing	1911-15		50	Clam	801C	1	
3070	Crank case and cyl. gasket—left	1909-15	Felt	03	Cider	886	1	
3071	Crank case and cyl. gasket—right	1909-15	Felt	03	Cigar	887	1	
3072	Crank case and cyl. cover cap screw	1909-15	$\frac{3}{8}$ " x 1"	03	Cinter	1388	2	
3073	Crank case arm bolt and nut—side	1909-15	$\frac{3}{8}$ " x 2¼"	05	Cippers	479	2	2 oz.
3074	Crank case arm bolt and nut—top	1909-15	$\frac{3}{8}$ " x $\frac{3}{4}$ "	05	Circlet	480	2	
3076	Crank case front frame bearing	1909-15	Iron	50	Circus	320B	1	1 lb., 6 oz.
3077	Crank case front bearing cap	1909-15	Iron	10	Cizar	321	1	3 oz.
3078	Crank case front bearing screw	1909-15	$\frac{7}{8}$ " x $\frac{1}{8}$ "	05	Clabber	322	2	1 oz.
3079	Crank case oil cock	1909-15	½" pipe thds., brass	15	Clammy	1515	2	2 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

MOTOR—Continued

3080	Crank case drain cup plug	1909-15	$\frac{3}{4}$ " x 24 thds.	\$ 0 05	Clapper	817	1	1 oz.
3080B	Crank case drain cup plug gasket	1909-15		01	Cliff	4339	1	
3081	Crank case oil tube	1909-15	Brass	15	Cleavast	543B	1	2 oz.
3082	Crank case oil tube clamp	1909-15		05	Cleaver	548B	1	
3083	Crank case arm block	1909-15	Wood	05	Clergy	890	2	3 oz.
3084	Engine pan—right	1909-15		25	Clicket	1330	1	1 lb., 14 oz.
3085	Engine pan—left	1909-15		25	Clientage	1331B	1	1 lb., 11 oz.
3088	Engine pan bolt and nut	1909-12	$\frac{1}{4}$ " x $\frac{9}{16}$ "	04	Cloggy	1335-1900	7	
3088B	Engine pan and hood board bolt and nut	1909-15	Short, $\frac{1}{2}$ " x $3\frac{1}{4}$ "	03	Clog	4074-1309	2	
3088C	Engine pan and hood board bolt and nut	1909-15	Size, $\frac{1}{4}$ " x $3\frac{5}{8}$ "	03	Clod	4073-1309		
3100	CRANK CASE WITH LOWER COVER	1912-15	Used only with No. 3376	7 50	Closet	1526C	1	
3101	Crank case lower cover	1912-15	$6\frac{7}{8}$ " x $15\frac{1}{2}$ "	30	Closure	1582	1	2 lb., 13 oz.
3101B	Crank case lower cover reinforcement	1912-15		30	Clothes	4378-4379	1	1 lb., 11 oz.
3102	Crank case lower cover gasket	1912-15	Felt	10	Clotting	1586	1	
3103	Crank case lower cover screw	1912-15	$\frac{5}{16}$ x $\frac{1}{16}$ "	03	Cloudlet	4328	14	
3110	Cylinder valve cover	1912-15	$3\frac{3}{4}$ " x 8"	10	Clovate	656	2	9 oz.
3111	Cylinder valve cover gasket	1912-15	Felt	02	Cloven	660	2	
3112	Cylinder valve cover stud and nut	1912-15	$\frac{3}{8}$ " x $3\frac{5}{8}$ "	05	Compone	654	2	2 oz.


COMMUTATOR

3155	Commutator only	1912-15	Used with No. 3009B	1 25	Cook		1	9 oz.
3162	Com. case support bolt	1912-15	$\frac{3}{8}$ " x $2\frac{1}{4}$ " x 24 thds.	05	Connote	4441	1	2 oz.
3163	Com. case spring	1912-15	$3\frac{1}{4}$ " C. to C.	03	Conoid	689	1	1 oz.
3165	Com. brush assembly	1912-15		40	Conquest	4481	1	3 oz.
3167	Com. roller	1912-15	$\frac{43}{64}$ " out. dia., $\frac{7}{16}$ " long	10	Consense	673	1	
3168	Com. roller pin	1912-15	$\frac{3}{32}$ " x $\frac{23}{32}$ "	03	Conserve	675	1	
3169	Com. arm with roller	1912-15		25	Console	4474	1	1 oz.
3170	Com. roller arm spring	1912-15	Coil spring	01	Consort	469	1	
3173	Com. arm pin	1911-15	$\frac{7}{32}$ " x $\frac{23}{32}$ "	02	Contex	476B	1	
3176	Com. oiler	1912-15	$\frac{1}{8}$ " pipe thds.	10	Coomb	2383	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
COMMUTATOR—Continued								
3177	Com. felt ring	1912-15	Felt	\$ 0 03	Coombox	4467	1	
3206	Com. brush cap	1909-15	$\frac{7}{8}$ " dia.	01	Convert	468	1	
3207	Com. brush cap pin	1909-15	$\frac{1}{8}$ " x $\frac{23}{32}$ "	01	Convict	466	1	
3210	Com. contact point nut	1910-15	$\frac{7}{16}$ " hex.	02	Cooper	472B	4	
3212	Com. thumb nut	1909-15	No. 10, 32 thds.	03	Copeck	467	4	
3220	Com. lock nut	1909-15	$\frac{9}{16}$ " x 18 thds.	03	Crater	471	1	
3221	Com. case with fibre assembled	1912-15		75	Crato	5908	1	
3222	Com. shield	1912-15		02	Crash	5923	1	

MAGNETO

3250B	Magneto coil assembly	1909-10	Used with $\frac{3}{16}$ " magnets	6 00	Coquet	591B	1	11 lb., 8 oz.
3250C	Magneto coil assembly	1911-14	Used with $\frac{5}{8}$ " magnets	6 00	Corel	591C	1	11 lb., 4 oz.
3250D	Magneto coil assembly	1915	Used with $\frac{3}{4}$ " magnets	6 00	Craft	5941	1	
3252	Magneto spool support screw	1909-15	$\frac{3}{8}$ " x $\frac{5}{8}$ "	05	Corban	731	4	
3254	Magnet bolt	1909-15	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	05	Corbeil	537B	16	1 oz.
3255B	Magnet bolt washer	1911-15	$\frac{23}{32}$ " hole, $\frac{7}{8}$ " dia.	01	Corrupt	624	16	
3256B	Magnet washer screw	1909-10	.2" x 24 thds., brass	05	Cordals	541B	16	
3257	Magnet brass support	1911-15	$\frac{5}{8}$ " x $\frac{3}{4}$ ", brass	05	Cordial	535C	16	
3257B	Magnet brass support	1909-10	$\frac{5}{8}$ " x $\frac{3}{32}$ ", brass	05	Cordon	535B	16	1 oz.
3260	Magneto contact assembly	1909-15	On trans. cover	25	Cormus	1545	1	2 oz.
3261	Magneto contact thumb nut	1909-15	Brass	03	Cornet	1508	1	
3262	Magneto contact spring	1909-15	Coil spring	03	Cornise	1509	1	
3262B	Magneto primary contact point	1909-15	$\frac{9}{32}$ " dia.	03	Corpse	4331	1	
3266	Magneto contact fibre screw	1909-15	$\frac{1}{2}$ " long	01	Cortile	1505B	1	
3269C	Fly wheel	1911-15	Used on cars over 20500	3 50	Cosmic	701B	1	
3269E	Fly wheel with magnets assembled	1915	$\frac{3}{4}$ " magnets	10 00	Cramp	5946	1	
3270	Fly wheel cap screw	1909-15	$\frac{7}{16}$ " x $1\frac{3}{16}$ "	10	Cossack	721	4	2 oz.
3271	Fly wheel dowel pin	1909-15	$\frac{15}{32}$ " x $1\frac{3}{16}$ "	10	Costard	722	2	



3250-D



3254



3272



3270



3278



3260



3257-B




3255-B



3279




3257



3269-C




3277




3276-B



3277-B



3269-E



3250-C

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MAGNETO—Continued								
3272...	Magneto coil support shim.....	1909-15	Sheet steel.....	\$ 0	03..Costrel.....	584.....	1	
3275...	Magnet (16) per set.....	1909-10	Thickness at face $\frac{1}{8}$ " set	12	00..Cote.....	536B.....	16	
3276...	Magnet (16) per set.....	1911-14	Thickness at face $\frac{5}{8}$ " set	6	00..Coupon.....	536C.....	16	
3276B...	Magnet (16) per set.....	1915	$\frac{3}{4}$ " set	4	00..Court.....	5933.....	16	
3277...	Magnet clamp.....	1911-15			02..Cotland.....	623.....	16	
3277B...	Magnet clamp.....	1913-14			02..Cotta.....	4499.....	16	
3278...	Magnet clamp screw.....	1911-15	2 $\frac{3}{32}$ " x 24 thds., brass.....		03..Cottage.....	625.....	16	
3279...	Magneto contact washer.....	1909-15	Cork on trans. cover.....		01..Cough.....	560.....	1	

TRANSMISSION

3300...	Transmission assembly.....	1909-15		25	00..Delester.....	744B.....	1	
3301...	Trans. reverse plate assembly.....	1909-15		3	25..Dacolt.....	747.....	1	4 lb., 14 oz.
3304...	Trans. reverse gear bushing.....	1909-15	2 $\frac{5}{16}$ " rear.....		50..Daddy.....	705.....	1	9 oz.
3305...	Trans. reverse and S. S. rivet.....	1909-15	$\frac{3}{32}$ " x $\frac{1}{16}$ ".....		05..Dado.....	708.....	8	
3306...	TRANS. SLOW SPEED PLATE ASSEMBLY.....	1909-15		3	50..Dagger.....	748.....	1	4 lb., 8 oz.
3309...	Trans. slow speed gear bushing.....	1909-15	1 $\frac{3}{16}$ " ream.....		40..Dairy.....	745.....	1	5 oz.
3310...	Trans. brake drum rivet.....	1909-15	$\frac{7}{32}$ " x $\frac{1}{16}$ ".....		05..Daisy.....	711.....	8	
3311...	TRANS. BRAKE DRUM ASSEMBLY.....	1909-15		3	50..Dakir.....	750.....	1	6 lb., 2 oz.
3313...	TRANS. TRIPLE GEAR ASSEMBLY.....	1909-15		3	00..Dallop.....	751B.....	3	2 lb.
3314...	Trans. triple gear bushing.....	1909-10	1" dia. x 1 $\frac{1}{8}$ " long.....		30..Dally.....	716A.....	3	3 $\frac{1}{2}$ oz.
3314 $\frac{1}{2}$...	Trans. triple gear flanged bushing.....	1911-15	1 $\frac{3}{16}$ " dia. x 1 $\frac{3}{16}$ ".....		30..Dalriad.....	716B.....	3	4 oz.
3315...	Trans. triple gear shaft.....	1909-15	$\frac{1}{16}$ " dia. x 2 $\frac{1}{2}$ ".....		30..Dalrotz.....	715.....	3	4 oz.
3316...	Trans. triple gear riveting pin.....	1909-15	$\frac{3}{16}$ " x 1 $\frac{3}{16}$ ".....		01..Damar.....	720.....	24	
3317...	Trans. driven gear.....	1909-15	27 teeth.....	1	00..Damask.....	713.....	1	13 oz.
3318...	Trans. driven gear key.....	1909-15	"B" Woodruff key.....		03..Dampen.....	714.....	2	4 oz.
3320B...	Trans. driven gear sleeve bushing.....	1909-15	1" ream x flange 2 $\frac{3}{8}$ ".....		50..Dankish.....	769.....	1	4 oz.
3320C...	Trans. driven gear sleeve bushing.....	1909-15	1 $\frac{1}{2}$ " long.....		25..Dark.....	712.....	1	3 oz.
3321...	TRANS. DRIVING PLATE ASSEMBLY.....	1909-15		4	00..Dannock.....	749.....	1	5 lb.
3323...	Trans. driving plate screw.....	1909-15	$\frac{3}{8}$ " x $\frac{3}{4}$ ".....		05..Daphine.....	731.....	6	
3325...	Trans. driving plate rivet.....	1909-15	$\frac{1}{8}$ " x $\frac{5}{8}$ ".....		05..Darner.....	736.....	8	



3321



3343



3309




3344



3320-B



3314



3306



3337



3314 1/2

3338



3327-B



3315



3368



3341



3320-C

3334

3342



3327



3336



3329



3328



3330



3332




3304



3340



3369




3311



3317




3331



3300



3313



3301

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION—Continued								
*3327B	Trans. driving plate bushing	1909-15	1 1/8" x 1 1/4"	\$0 25	Darsis	772	1	
3328	Trans. thrust plate—small	1909-15	6" dia.	10	Dauphin	727	13	3 oz.
3329	Trans. thrust plate—large	1909-15	6 7/16"	10	Davine	728	13	3 oz.
3330	Trans. distance plate	1909-15	6" O. D.	15	Decry	729	1	7 oz.
3331	Trans. gear shaft	1909-15	1" dia. x 7 1/2" over all	2 00	Decurt	723B	1	2 lb., 10 oz.
3332	Trans. clutch disc drum	1909-15	4 1/8" dia.	1 50	Deeply	725B	1	1 lb., 11 oz.
3333	Trans. clutch disc drum key	1909-15	"C" Woodruff	05	Defalk	726B	1	
3334	Trans. clutch disc drum set screw	1909-15	3/4" x 3/4"	05	Defeat	752	1	
3336	Trans. clutch push ring	1909-15	6 1/8" O. D.	75	Defile	704	1	1 lb., 1 oz.
3337	Trans. clutch finger	1909-15		30	Define	732B	3	3 oz.
3337 1/2	Trans. clutch finger screw	1909-15	3/8" x 3/4" x 24 thds.	05	Deflour	756	3	
3337 3/4	Trans. clutch finger washer	1909-15	3/2" hole, 1/2" dia.	01	Deforce	759	3	
3338	Trans. clutch finger pin	1909-15	1 1/2" x 1 5/8"	01	Deform	735	3	1 oz.
3340	Trans. clutch spring	1909-15	2 3/8" dia. x 2 3/4" long.	20	Defoue	737	1	10 oz.
3341	Trans. clutch spring support	1909-15		10	Delator	738	1	4 oz.
3342	Trans. clutch spring thrust ring pin	1909-15	5/16" x 2 3/4"	01	Delete	739	1	
3343	Trans. clutch spring thrust ring	1909-15	1/16" x 2 1/8" dia.	10	Deliac	740	1	3 oz.
3344	Trans. clutch shift	1909-15		1 25	Delight	733	1	14 oz.
TRANSMISSION COVER								
3361	Trans. cover with square door	1909-10	Aluminum	9 00	Delude	826A	1	10 lb., 14 oz.
3362	Trans. cover bolt and nut	1909-15	3/8" x 1 1/2"	05	Defunct	825B	8	1 oz.
3363	Trans. cover felt gasket (front)	1909-15	3/4" x 1/2" x 15 1/2"	02	Defy	872B	1	
3365	Trans. cover door (square)	1909-10	5 1/4" x 6 1/8"	40	Degust	1546C	1	15 oz.
3366	Trans. cover door gasket	1909-10	Felt	05	Delver	1547B	1	
3367	Trans. cover door screw	1909-15	1/16" x 1 1/2"	01	Demain	1564	6	
3368	Universal ball cap (rear)	1909-15	5 5/8"	30	Demarch	818	1	15 oz.
3369	Universal ball cap (front)	1909-15	Bearing included	1 00	Demarga	819D	1	1 lb., 14 oz.
3371	Universal ball cap bolt	1909-15	3/8" x 1 1/8"	05	Demise	731	2	

*When using short bushing in making repairs remove driving plate key.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION COVER—Continued								
3372....	Universal ball cap bolt and nut.....	1909-15..	$\frac{3}{8}$ " x $1\frac{1}{8}$ ".....	\$0 05..	Demit.....	79-8.....	2.....	
3374....	Trans. cover bolt and nut.....	1909-15..	$\frac{3}{8}$ " x $1\frac{1}{2}$ ".....	05..	Demur.....	484-8.....	2.....	1 oz.
3375....	Trans. cover screw.....	1909-15..	$\frac{3}{8}$ " x 1".....	03..	Dengue.....	1388.....	2.....	
3376....	TRANS. COVER WITH SLOPING DOOR.....	1911-15..	Used with No. 3100.....	7 00..	Denier.....	826D.....	1.....	
3377....	Trans. cover felt gasket (pair).....	1909-15..	Felt.....	05..	Dennet.....	885B.....	1.....	pr.
3378....	Trans. cover sloping door.....	1911-15..	$9\frac{1}{8}$ " long.....	15..	Dental.....	1546D.....	1.....	1 lb., 5 oz.
3379....	Trans. cover sloping door gasket.....	1911-15..	Cork.....	05..	Denude.....	1547C.....	1.....	
TRANSMISSION CONTROL								
3400....	Trans. clutch release ring.....	1909-15..	$3\frac{1}{2}$ " long, brass.....	40..	Detail.....	741.....	1.....	6 oz.
3401....	Clutch lever.....	1909-15..		20..	Derby.....	806B.....	1.....	4 oz.
*3402....	Clutch lever shaft.....	1909-12..	$\frac{5}{8}$ " x $9\frac{7}{8}$ ".....	25..	Dermal.....	833B.....	1.....	12 oz.
3402B....	Clutch lever shaft.....	1913-15..		15..	Dine.....	4344.....	1.....	12 oz.
3402C....	Clutch lever shaft with release forks.....	1913-15..		65..	Dirk.....		1.....	1 lb., 8 oz.
3403....	Clutch lever screw and nut.....	1909-15..	$\frac{3}{8}$ " x $1\frac{5}{16}$ ".....	05..	Dervish.....	1542.....	1.....	
3405....	Clutch lever pin.....	1909-15..	$\frac{1}{4}$ " x $1\frac{3}{16}$ ".....	01..	Detour.....	1553.....	1.....	
3406....	Clutch release fork—right or left.....	1909-12..		40..	Detrude.....	4345.....	1.....	3 oz.
3406B....	Clutch release fork—right or left.....	1913-15..		25..	Deuce.....	4345.....	2.....	3 oz.
3406C....	Clutch release fork pin.....	1913-15..		01..	Devil.....	1553.....	2.....	
3408....	Clutch release fork key.....	1909-14..	No. 7 Woodruff.....	03..	Dilate.....	836.....	2.....	
3409....	Clutch release fork clamp screw.....	1909-14..	$\frac{3}{8}$ " x $\frac{11}{16}$ ".....	05..	Dipper.....	835.....	2.....	
3411....	Clutch lever clevis pin.....	1909-15..	$\frac{5}{16}$ " x 1".....	02..	Disbase.....	65.....	1.....	
3413....	TRANSMISSION BAND ASSEMBLY.....	1909-15..		60..	Disblame.....	838B.....	3.....	1 lb., 2 oz.
(Bands will be exchanged at Branch or Factory at 40c each)								
3415....	Trans. band washer.....	1909-15..	$\frac{21}{32}$ " hole x $\frac{7}{8}$ " dia.....	02..	Discure.....	840.....	2.....	
3416....	Trans. band lining.....	1909-15..		25..	Disedge.....	1562.....	3.....	3 oz.
3419....	Trans. band adjusting screw.....	1909-15..	$\frac{3}{4}$ " x $3\frac{1}{8}$ ".....	10..	Disfriar.....	1533.....	1.....	4 oz.
3420....	Trans. band adjusting screw nut.....	1909-15..	$\frac{3}{4}$ " x 16 thds.....	05..	Dislimb.....	1532.....	1.....	

*Order Number 3402C for use on cars numbered below 175000




Plate No. 9—Transmission Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION CONTROL—Continued								
3421B	Trans. band ear iron rivet, per doz	1909-15	$\frac{3}{16}$ " x $\frac{3}{8}$ "	\$0 02	Dismal	843	12	
3422B	Trans. band brass rivet, per doz	1909-15	$\frac{3}{8}$ " x $\frac{1}{2}$ "	05	Dismast	844B	6	
3423B	Trans. band brass rivet, per doz	1909-15	$\frac{3}{8}$ " x $\frac{1}{16}$ "	05	Dismaw	845B	18	
3425	Trans. band spring	1909-15	Coil	03	Dispark	841B	3	
3426	Trans. band adjusting nut	1909-15	$\frac{1}{16}$ " x 20 thds.	03	Displat	851	2	
3427	Slow speed shaft	1909-15	$\frac{5}{8}$ " x 9 $\frac{5}{8}$ "	20	Disputz	848B	1	11 oz.
3428	Slow speed notch	1909-15	On slow speed shaft	25	Distrand	4327	1	5 oz.
3429	Slow speed notch pin	1909-15	$\frac{1}{4}$ " x 1 $\frac{1}{16}$ "	01	Disrobe	1560	1	
3432	Speed lever	1909-15		10	Distaff	862B	1	7 oz.
3433	Speed lever clevis pin	1909-15	$\frac{5}{16}$ " x 1"	02	Distill	65	1	
3434	Reverse pedal	1909-15		75	Disting	4324	1	1 lb.
3435	Brake and rev. pedal shaft	1909-15	$\frac{5}{8}$ " dia. x 7 $\frac{1}{8}$ "	20	Distrite	849B	2	8 oz.
3436	Brake and rev. pedal support	1909-15		20	Distune	4325	2	3 oz.
3437	Brake and rev. support bolt and nut	1909-15	$\frac{3}{8}$ " x 1 $\frac{1}{2}$ "	05	Ditcher	1534-8	2	
3439	Brake pedal	1909-15		75	Dittost	4323	1	1 lb., 2 oz.
3440	Clutch pedal	1909-15		75	Ditty	854B	1	1 lb., 2 oz.
3441	Pedal pin	1909-15	$\frac{1}{4}$ " x 1 $\frac{3}{16}$ "	01	Doodle	1553	3	
3442	Clutch pedal support	1909-15		20	Dookad	4326	1	3 oz.
3443	Clutch pedal support bolt and nut	1909-15	$\frac{3}{8}$ " x 2"	05	Doorga	1536-8	1	
3445	Slow speed connection	1909-15		05	Doree	1540	1	
3446	Slow speed con. lock nut	1909-15	$\frac{5}{16}$ " x 24 thds.	01	Doric	144	1	
3447	Slow speed con. clevis	1909-15		15	Dormer	802	1	2 oz.
3448	Controller quadrant	1909-15	On frame	20	Dormouse	3093	1	9 oz.
3449	CONTROLLER SHAFT WITH SPEED LEVER	1909-15		75	Doron	1557	1	3 lb., 15 oz.
3450	Controller shaft bracket	1909-15	On frame	15	Dorrer	311	2	5 oz.
3451	Controller shaft bracket felt	1909-15		01	Dorsal	314	2	
3452	Controller shaft bracket bolt and nut	1909-15	$\frac{5}{16}$ " x $\frac{25}{32}$ "	05	Dorture	315-316	4	
3455	HAND BRAKE LEVER ASSEMBLY	1909-15		1 25	Dotant	1550	1	2 lb., 2 oz.
3456	Hand brake lever pin	1909-15	$\frac{1}{4}$ " x 1 $\frac{1}{16}$ "	01	Dottree	1560	1	
3457	Hand brake lever key	1909-15	No. 9 Woodruff	02	Doublet	874	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION CONTROL—Continued								
3458	Hand brake lever pawl	1909-15		\$ 0 10	Doucet	875	1	
3459	Hand brake lever pawl pin	1909-15	$\frac{1}{16}$ " x $\frac{1}{16}$ "	02	Doura	876	1	
3460	Hand brake lever pawl rod	1909-15		10	Dovecote	877	1	3 oz.
3462	Hand brake lever pawl lift assembly	1909-15	Handle and spring	10	Dovekie	879	1	2 oz.
3463	Hand brake lever pawl lift spring	1909-15		02	Dawcet	888	1	
3465	HUB BRAKE LEVER ON CONTROLLER							
	SHIAFT	1909-15		20	Dawdy	864	1	3 oz.
3466	Hub brake lever pin	1909-15	$\frac{1}{4}$ " x $1\frac{3}{16}$ "	02	Downcast	1553	1	
3467	Hub brake lever clevis	1909-15	$2\frac{1}{16}$ "	15	Dragon	802	2	1 oz.
3468	Hub brake pull rod—right	1909-15	$54\frac{1}{8}$ " long	30	Drongo	891B	1	
3469	Hub brake pull rod—left	1909-15	$54\frac{1}{8}$ " long	30	Dropax	1513B	1	
3470	Hub brake rod support—right	1909-15		10	Dropsy	1367	1	4 oz.
3471	Hub brake rod support—left	1909-15		10	Drugger	1398	1	4 oz.
3472	Hub brake rod support bolt and nut	1909-15	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	03	Duchess	1398B-1900	2	
STEERING GEAR								
3500	Steering gear assembly	1909-10	.50" long, cars below 34600	16 00	Eagle	900A	1	
3500C	Steering gear assembly	1911-15	.51" long	19 00	Estopped	5005	1	
3500D	Steering gear assembly	1911	.60" long, runabout	16 00	Eurus	979	1	
3501	Steering gear rim	1909-10	.14" dia., wood, Order 3503C					
3501B	Steering gear rim	1911-15	.15" dia., wood	90	Estrade	901B	1	1 lb., 6 oz.
3502	Steering gear rim screw	1909-15	No. 12, $\frac{3}{4}$ "	02	Eblis	919	4	
3503B	Steering gear spider	1911-15	.13 $\frac{5}{8}$ " over all	1 00	Estrepe	902B	1	1 lb., 10 oz.
3503C	Steering gear spider and rim	1909-15	.15" dia.	1 90	Eudora	995	1	
3504	Steering gear cover	1909-15	$2\frac{5}{16}$ " x 18 thds.	35	Ecbole	903	1	10 oz.
3505	Steering gear cover screw	1909-15	No. 6, $32 \times \frac{3}{32}$ "	02	Eccope	910	2	
3506	Steering gear cover bushing	1909-14	1" long, steel	10	Echo	914	1	2 oz.
3506B	Steering gear driving pinion washer	1909-15	Steel	05	Elf	5026	1	
3507	Steering gear Internal gear case and bushing	1909-15		1 00	Egg	5029	1	
3509	Steering gear quadrant	1909-14	Brass	40	Ectype	906	1	7 oz.
3510	Steering gear quadrant pin	1909-14	$\frac{5}{16}$ " x $1\frac{1}{4}$ " brass	01	Eden	907	2	




Plate No. 10—Steering Gear Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
STEERING GEAR—Continued								
3511	Steering gear wheel nut	1909-15	$\frac{5}{8}$ " x 16 thds.	\$0 10	Edict	913	1	2 oz.
3512	Steering gear tubing assembly	1909-10	Applies to No. 3500	8 00	Edile	964A	1	
3512C	Steering gear tubing assembly	1912-15	Applies to No. 3500C	5 00	Ethicer	5016	1	
3512D	Steering gear tubing assembly	1911	Applies to No. 3500D	8 00	Euryale	5011	1	
3513B	Steering tubing flange screw and nut	1911-15	$\frac{5}{16}$ " x $1\frac{1}{8}$ "	03	Ethule	5019	1	
3513C	Steering tubing flange screw and nut	1911-15	$\frac{5}{16}$ " x $1\frac{1}{8}$ "	03	Ettle	5018	3	
3516	Steering gear post	1909-10	Applies to No. 3500	2 50	Effray	915A	1	
3516C	Steering gear post	1912-15	Applies to No. 3500C	1 50	Estricked	5002	1	
3516D	Steering gear post	1911	Applies to No. 3500D	2 50	Eutaxy	959	1	
3517	Steering gear pinions, each	1909-15	12 teeth	15	Egad	916	3	
3518	Steering gear pinion pin	1909-15	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	03	Egest	917	3	
3519	Steering gear drive pinion	1909-15	12 teeth	50	Egger	911	1	7 oz.
3520	Steering gear drive pinion key	1909-15	$\frac{3}{16}$ " sq. x $\frac{3}{32}$ "	03	Egma	909	2	
3521	Steering gear pinion shaft bushing	1909-14	$\frac{7}{8}$ " bore x $1\frac{1}{2}$ "	20	Egress	912	1	
3523	Steering gear post castle nut	1909-15	$\frac{1}{2}$ " x 20 thds.	03	Eider	60	1	
3524E	Throttle rod	1912-15	.47 $\frac{31}{32}$ " Applies to 3500C	30	Euter	5003	1	1 lb., 3 oz.
3525E	Lead rod	1912-15	.51 $\frac{9}{16}$ " Applies to 3500C	30	Evans	5004	1	1 lb., 4 oz.
3526	Lead and throttle handle	1909-12	1 $\frac{1}{8}$ " long, rubber	15	Elfin	918	2	
3527	Lead and throttle rod spring	1909-15		03	Elite	935	2	
3528	Lead and throttle rod collar	1909-15	$\frac{5}{16}$ " bore x $\frac{9}{16}$ "	05	Elope	936	2	
3529	Lead and throttle rod pin	1909-15	$\frac{3}{32}$ " x $\frac{9}{16}$ "	01	Elvan	937	2	
3530	Lead rod lever	1909-15		10	Embank	946	1	
3531	Throttle rod lever	1909-15		15	Ember	947	1	
3532	Throttle rod guide	1909-15	$\frac{3}{4}$ " bore	10	Emblem	938	1	
3534	Commutator pull rod	1909-11	14" long	10	Embroid	1325B	1	3 oz.
3534B	Commutator pull rod	1912-15		10	Embrace	2032	1	3 oz.
3535	Carburetor pull rod	1909-15	13 $\frac{1}{8}$ " long	10	Emboss	1329B	1	3 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
STEERING GEAR—Continued								
3536	Ball and socket joint	1909-15		\$0 05	Embraid	1326	1	1 oz.
3537	Ball and socket joint nut	1909-15	$\frac{3}{8}$ " x 32 thds.	01	Embrute	1327	1	
3538	Carburetor pull rod adjustment	1909-15	$\frac{3}{8}$ " x 32 thds.	10	Empale	1904	1	
3539	Steering post bracket with bushing	1909-10		1 00	Empeach	932A	1	1 lb., 12 oz.
3539B	Steering post bracket with bushing	1911-15	Touring	75	Eupon	932B	1	1 lb., 14 oz.
3539C	Steering post bracket with bushing	1911	Runabout	1 00	Exile	953	1	1 lb., 15 oz.
3540	Steering post bracket bolt and nut	1909-15	$\frac{3}{8}$ " x 2 $\frac{1}{4}$ "	05	Empearl	479-8	1	2 oz.
3541	Steering post bracket bolt and nut	1909-15	$\frac{3}{8}$ " x $\frac{3}{8}$ "	05	Endive	480-8	2	
3544	Steering post bracket felt washer	1909-15		02	Endow	943	1	
3545	Steering post bracket bushing	1909-15	$\frac{3}{4}$ " bore, brass, 2 pieces	20	Envault	944-5027	1	2 oz.
3546	Steering post bracket block	1909-15	Wood	05	Empact	945	1	3 oz.
3547	Steering gear ball arm	1909-15		50	Eparch	929B	1	11 oz.
3548	Steering gear ball arm key	1909-15	Woodruff	03	Ephod	930	1	
3563	Steering post bracket grease cup	1909-15	$\frac{1}{8}$ " pipe thds.	10	Eurite	76	1	1 oz.

BODY PARTS

3601	Body bracket on body	1910-12	Front end	10	Fabius	1002	2	4 oz.
3601B	Body bracket on body	1910-15	Center and rear	10	Fabric	1624	6	8 oz.
3601C	Body bracket on frame	1911-12	Rear	20	Faber	2435	2	8 oz.
3602D	Body bracket con. bolt and nut		Specify size	05	Facade		2	
3624B	Front floor rubber matting	1912	29 $\frac{1}{16}$ " x 29 $\frac{1}{16}$ " Runabout	1 50	Fitch	5215	1	5 lb., 8 oz.
3624C	Front floor rubber matting	1909-14	27 $\frac{1}{16}$ " x 29 $\frac{1}{16}$ "	1 50	Flton	5401	1	
3624E	Front floor rubber matting	1915	28 $\frac{1}{4}$ " x 29 $\frac{1}{16}$ " Tour. & Runabt	1 50	Faith	7299	1	
3626	Floor board (first from dash)	1909-14		35	Farness	1098	1	2 lb., 9 oz.
3626B	Floor board (first)	1915	Tour., Runabout & Coupelet	35	Farm	7296	1	
3627	Floor board (second)		Specify size	35	Farrier	1402	1	2 lb.
3627B	Floor board (second)	1915	Tour., Runabout & Coupelet	35	Faro	7297	1	
3628	Floor board (third)		Specify size	50	Fasces	1404	1	5 lb.
3629	Floor board (fourth)		Specify size	35	Fasti	1403	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
BODY PARTS—Continued								
3630	Floor board forward plate for pedals	1909-15	2 $\frac{1}{8}$ " x 3 $\frac{1}{8}$ "	\$ 0 10	Fateful	1400C	1	6 oz.
3632	Floor board rear plate for pedals	1909-15	2 $\frac{1}{8}$ " x 4 $\frac{7}{8}$ "	10	Father	1095C	1	12 oz.
3633	Floor board plate for side lever	1909-15	23 $\frac{3}{8}$ " x 8 $\frac{3}{4}$ "	10	Fathom	1094B	1	5 oz.
3634B	Dash	1909-10-11	21 $\frac{1}{4}$ " x 31 $\frac{1}{16}$ "	5 00	Flamen	1091B	1	9 lb., 4 oz.
3634C	Dash	1912	23" x 32 $\frac{1}{4}$ "	5 00	Flamemer	5257	1	10 lb., 12 oz.
3634D	Dash	1913-14	21 $\frac{1}{2}$ " x 32 $\frac{1}{4}$ "	5 00	Flamgo	5336	1	9 lb., 4 oz.
3634E	Dash only	1915		2 00	Fleet	7462	1	
3634F	Dash and hood support assembly	1915		3 00	Flirt	7462-7464	1	
3635D	Dash brass moulding	1913-14		60	Flesh	5426	1	13 oz.
3638	Dash shield	1909-15	$\frac{1}{2}$ " x 3 $\frac{7}{8}$ " x 13 $\frac{3}{4}$ "	10	Faubit	1097B	1	5 oz.
3639	Dash shield guide	1909-15	$\frac{1}{4}$ " x 1" x 14 $\frac{3}{4}$ "	10	Fausen	1093	1	3 oz.
3640B	Dash bracket—left	1911-15	10 $\frac{11}{16}$ "	30	Flanker	1017B	1	10 oz.
3641B	Dash bracket—right	1911-15	10 $\frac{11}{16}$ "	30	Flannel	1018B	1	10 oz.
3642	Dash bracket bolt and nut	1909-15	$\frac{3}{8}$ " x $\frac{1}{8}$ " on frame	05	Faunist	1028-8	4	
3645	Dash bracket top bolt and nut	1909-15	$\frac{5}{8}$ " x 1 $\frac{1}{4}$ " x 18 thds.	05	Favos	2427-926	2	
3651	Dash to body bracket	1909-15	$\frac{1}{8}$ " x 1 $\frac{3}{8}$ " x 4 $\frac{3}{8}$ "	10	Febid	1489	2	2 oz.
3653B	Dash to body bracket bolt and nut	1915	Touring car	05		7255	2	
3655	Oil lamp bracket—right	1909-14	Touring cars	30	Feline	1497	1	12 oz.
3656	Oil lamp bracket—left	1909-14	Touring cars	30	Felsire	1498	1	12 oz.
3657	Oil lamp bracket screw and nut	1909-14	$\frac{1}{4}$ " x 1 $\frac{5}{8}$ "	05	Felwort	1603-1603	4	
3660	Tail lamp bracket	1909-12	Also 1913-14 Torpedo	25	Fennel	2634	1	9 oz.
3660B	Tail lamp bracket	1913-14	Touring car	25	Fenor	5442	1	12 oz.
3660C	Tail lamp bracket	1912	Delivery car	25	Sperm	1698	1	1 lb., 1 oz.
3661	Tail lamp bracket bolt and nut	1909-14	Specify size	05	Ferial		2	1 oz.
3663	Gas lamp bracket (right)	1909-14		50	Fertile	1301B	1	1 lb., 3 oz.
3664	Gas lamp bracket (left)	1909-14		50	Fervid	1348B	1	1 lb., 3 oz.
3665	Gas lamp bracket nut	1909-14	$\frac{1}{2}$ " x 20 thds.	03	Festal	60	2	
3667D	Seat cushion	1913	Runabout	8 00	Fanox	5555	1	
3667E	Front seat cushion	1909-15	Touring car	10 00	Farce	7027	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

BODY PARTS—Continued

3670D...	Rear seat cushion	1909-15	Touring car	\$10 00	Forum	7032	1	
3676B...	Cocoa mat	1911-15	30" x 28"	2 25	Flatus	1606B	1	

SPRINGS

3800	Front spring	1909-15	Specify color	4 00	Gadan	332	1	17 lb., 8 oz.
3801	First leaf (main leaf)	1909-15		1 00	Gabblor	354	1	4 lb., 3 oz.
3802	Second leaf	1909-15		80	Gablet	355	1	3 lb., 8 oz.
3803	Third leaf	1909-15		70	Gaddish	356	1	2 lb., 12 oz.
3804	Fourth leaf	1909-15		60	Gadold	357	1	2 lb., 9 oz.
3805	Fifth leaf	1909-15		50	Gallic	358	1	1 lb., 13 oz.
3806	Sixth leaf	1909-15		40	Gafol	359	1	1 lb., 7 oz.
3807	Seventh leaf	1909-15		25	Gaiter	360	1	15 oz.
3808	Front spring clip	1909-15		20	Galena	325B	2	10 oz.
3809	Front spring clip nut	1909-15	½" x 20 thds.	03	Gallant	60	4	
3811	Front spring tie bolt and nut	1909-15	⅝" x 2¼"	05	Galley	1362-1363	1	1 oz.
3813	Front spring hanger	1909-15		35	Gambit	246	4	4 oz.
3815	Front and rear spring hanger nut	1909-15	⅝" x 20 thds.	02	Gambage	220	8	
3817	Front and rear spring hanger oiler	1909-15		05	Gamin	218	8	
3818	Front spring perch—right	1909-15		75	Gamut	222	1	15 oz.
3819	Front spring perch—left	1909-15		75	Gander	222½	1	15 oz.
3820	Front spring perch bushing	1909-15	⅞" x 1½", brass	05	Gangue	230	4	1 oz.
3821	Front spring perch nut	1909-15	¾" x 18 thds.	05	Ganil	242	2	2 oz.
3823	Front spring leather	1909-15	1½" x 5¾"	05	Gannet	262	1	2 oz.
3824	REAR SPRING	1909-15	56" tread, 8 leaf	11 00	Ganoid	333	1	
3825	First leaf (main leaf)	1909-15		2 00	Gantlope	361	1	9 lb.
3826	Second leaf	1909-15		1 70	Gantols	362	1	7 lb., 7 oz.
3827	Third leaf	1909-15		1 50	Ganza	363	1	6 lb., 11 oz.
3828	Fourth leaf	1909-15		1 40	Gaphare	364	1	6 lb., 5 oz.
3829	Fifth leaf	1909-15		1 30	Garden	365	1	5 lb., 13 oz.
3830	Sixth leaf	1909-15		1 20	Garland	366	1	5 lb., 11 oz.




Plate No. 11—Spring Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
SPRINGS—Continued								
3831	Seventh leaf	1909-15		\$ 1 00	Garlic	367	1	5 lb., 7 oz.
3832	Eighth leaf	1909-15		80	Garner	368	1	3 lb., 8 oz.
3833	Rear spring clip	1909-15	4 $\frac{1}{8}$ "	20	Game	326	2	11 oz.
3834	Rear spring clip nut	1909-15	$\frac{1}{8}$ " x 18 thds.	05	Garter	77	4	1 oz.
3835	Rear spring clip bar	1909-15	$\frac{3}{8}$ " x $1\frac{1}{8}$ " x 4" x $\frac{1}{8}$ "	05	Gascon	329	2	7 oz.
3837	Rear spring tie bolt and nut	1909-15	$\frac{3}{8}$ " x 2 $\frac{1}{8}$ "	05	Gastric	1352	1	2 oz.
3840	Rear spring hanger	1909-15		35	Gaulus	91 $\frac{1}{2}$	4	5 oz.
3842	Rear spring leather pad	1909-15	2" x 10 $\frac{1}{4}$ "	05	Gavel	94	1	2 oz.
3843	Rear spring perch	1909-15		60	Gavot	41	2	12 oz.
3844	Rear spring perch bushing	1909-15	$\frac{1}{8}$ " bore x $\frac{3}{4}$ " dia. x 2"	10	Gawky	172	2	2 oz.
3845	Rear spring perch nut	1909-15	$\frac{1}{8}$ " x 16 thds.	05	Gazara	174	2	2 oz.
3847	Front spring retainer clip with bolt and nut	1909-15		05	Gazzam	373-2909	2	3 oz.
3848	Rear spring retainer clip with bolt and nut	1909-15		05	Gecko	375-2907	2	4 oz.
REAR SPRING—60 INCH TREAD								
3850	Rear spring	1909-15	48 $\frac{1}{2}$ " long, 8 leaf	12 00	Geddur	1704	1	
3851	Rear spring clip	1909-15	$\frac{9}{16}$ " x 4 $\frac{1}{16}$ "	20	Gelder	1737	2	12 oz.
3852	Rear spring tie bolt and nut	1909-15	$\frac{3}{8}$ " x 3 $\frac{3}{4}$ "	05	Gemote	1738-1353	1	3 oz.
3853	First leaf (main leaf)	1909-15		2 60	Gembok	1739	1	13 lb., 10 oz.
3854	Second leaf	1909-15		2 25	Gershon	1740	1	9 lb., 1 oz.
3855	Third leaf	1909-15		2 00	Gerper	1741	1	8 lb., 3 oz.
3856	Fourth leaf	1909-15		1 75	Gherkin	1742	1	6 lb.
3857	Fifth leaf	1909-15		1 60	Gibbet	1743	1	5 lb., 8 oz.
3858	Sixth leaf	1909-15		1 50	Ginger	1744	1	6 lb., 10 oz.
3859	Seventh leaf	1909-15		1 30	Gipsire	1745	1	4 lb., 6 oz.
3860	Eighth leaf	1909-15		1 10	Gisarm	1746	1	3 lb., 9 oz.
STARTING CRANK								
3900	Starting crank only	1909-15	Cars above 2500	40	Hernia	519B	1	1 lb., 10 oz.
3901	Starting crank handle	1909-15		15	Heron	520	1	2 oz.
3902	Starting crank handle bolt	1909-15	$\frac{1}{2}$ " x 4 $\frac{5}{8}$ "	10	Herpes	521	1	4 oz.
3903	Starting crank sleeve	1909-15	$\frac{3}{4}$ " bore x $\frac{3}{4}$ " x 2 $\frac{3}{4}$ "	15	Hesper	523B	1	4 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

STARTING CRANK—Continued

3905	Starting crank ratchet pin	1909-15	1 $\frac{3}{8}$ "	\$ 0 02	Hestern	527B	1	
3906	Starting crank ratchet	1909-15		25	Hetman	528B	1	8 oz.
3908	Starting crank spring	1909-15		03	Hilding	626	1	

RADIATOR-THERMO SYPHON

3925	Radiator	1909-15	Cars above 2500	15 00	Hominy	1100C	1	
3926	Radiator cap	1909-15		20	Hothir	1103B	1	2 oz.
3928	Radiator pad	1909-15	Leather	05	Hovel	1105	2	
3929	Radiator stud and nut	1909-15	$\frac{3}{8}$ " x 2 $\frac{1}{16}$ "	05	Hoxy	1162-1154	2	1 oz.
3930	Radiator stud spring	1909-15		02	Hubby	1152	2	
3931 $\frac{1}{2}$	Radiator stud washer nut	1909-15	$\frac{3}{8}$ " x 24 thds.	02	Huffish	1161	2	
3932	Radiator rod	1909-15	20 $\frac{3}{4}$ " long	15	Huller	1111B	1	8 oz.
3934	Radiator rod nut	1909-15	$\frac{3}{8}$ " x 24 thds.	02	Humbler	517	1	
3939	Outlet connection pipe	1909-15	1 $\frac{3}{4}$ " x 12"	25	Humic	1121	1	12 oz.
3940	Outlet connection cock	1909-15	$\frac{1}{8}$ " pet cock	15	Humine	1515	1	2 oz.
3944	Outlet connection hose	1909-15	1 $\frac{3}{4}$ " x 2 $\frac{3}{4}$ "	10	Hungry	507B	2	3 oz.
3945	Outlet connection hose clip	1909-15	2 $\frac{1}{8}$ " dia.	05	Hunter	554B	4	1 oz.
3946	Radiator stay rod	1911	22 $\frac{3}{4}$ " long, runabout	20	Hurden	1167	1	8 oz.

RADIATOR FAN

3960	Fan and pulley assembly	1909-15	Cars above 2500	1 00	Hutten	619	1	1 lb., 8 oz.
3961	Fan blade	1909-15		10	Hyades	611	4	3 oz.
3961B	Fan blade rivets, per dozen	1909-15		05	Hyad	612	16	
3962	Driven fan pulley	1909-15	Brass, upper	60	Hydra	618	1	13 oz.
3963	Fan drive pulley	1909-15	Steel, lower	20	Hydrant	602	1	8 oz.
3964	Fan belt	1909-15		30	Hydrate	609	1	2 oz.
3966	Fan shaft	1909-15	$\frac{1}{16}$ " x 4 $\frac{1}{8}$ "	25	Hyper	606	1	4 oz.
3967	Fan bracket	1909-15		30	Hypo	604	1	7 oz.
3968	Fan bracket bolt	1909-15	$\frac{1}{2}$ " x 2 $\frac{3}{8}$ "	10	Hypere	605	1	3 oz.
3970	Fan grease cup	1909-15		10	Hyppish	601	1	
3973	Fan adjusting screw and nut	1909-15	$\frac{3}{8}$ " x 1 $\frac{3}{4}$ "	05	Hyssop	645	1	1 oz.




Plate No. 12—Radiator Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MUFFLER								
4025	Muffler assembly	1909-15		\$1 25	Jobal	1200B	1	8 lb.
4026	Muffler head and bracket—intake	1909-15	1 $\frac{5}{16}$ " bore x 5 $\frac{5}{16}$ " dia.	25	Jobesh	1202B	1	1 lb., 8 oz.
4027	Muffler shell—outer	1909-15	5" dia. x 12"	15	Jabin	1203	1	1 lb., 1 oz.
4028	Muffler shell—middle	1909-15	3 $\frac{1}{2}$ " dia. x 13"	10	Jackal	1204	1	12 oz.
4029	Muffler shell—inner	1909-15	2" dia. x 14"	15	Jaday	1205	1	1 lb., 3 oz.
4030	Muffler rod only	1909-15	$\frac{3}{16}$ " x 13 $\frac{3}{4}$ "	05	Jadish	1206	3	4 oz.
4031	Muffler rod nut	1909-15	$\frac{5}{16}$ " x 24 thds.	02	Jagger	44	6	
4032	Muffler bracket—exhaust	1909-14		20	Jambee	1217	1	4 oz.
4033	Muffler bracket—intake	1909-14		20	Jantu	1218	1	4 oz.
4034	Muffler bracket bolt and nut	1909-15	$\frac{3}{8}$ " x $\frac{35}{32}$ "	05	Janus	480-517	4	
4037B	Long exhaust pipe	1909-15		80	Jaunty	1829	1	1 lb., 12 oz.
4038	Muffler asbestos	1909-15		05	Jahud	1215	1	7 oz.
4039	Muffler asbestos band	1909-15	Tin	02	Jerboa	1216	3	
4040	Rear muffler head with outlet pipe and bracket	1909-15		35	Jetson	1221	1	2 lb.

HOOD

4050	Hood	1909-15	22" long (specify color)	5 00	Jibsam	1300	1	7 lb., 8 oz.
4051	Hood handle	1909-15	5 $\frac{1}{2}$ " long	25	Jingal	1314	2	2 oz.
4052	Hood clip	1909-15	3 $\frac{11}{16}$ "	05	Jippo	1310	4	2 oz.
4053	Hood clip spring	1909-15		01	Jockey	1311	4	
4056	Hood board—left	1909-15	22 $\frac{3}{4}$ " long	20	Johim	1339	1	11 oz.
4057	Hood board—right	1909-15	22 $\frac{3}{4}$ " long	20	Jorum	1340	1	11 oz.
4058	Hood board bolt and nut	1909-12	$\frac{1}{4}$ " x 1 $\frac{1}{8}$ "	05	Jowter	1308-1309	4	
4060	Hood support on dash	1909-14		1 00	Jupon	1334	1	2 lb., 2 oz.
4060B	Hood support on dash	1915		1 00	Juror	7464	1	
4061	Hood support screw	1909-14	No. 10, $\frac{3}{8}$ " wood screw	01	Jurist	1350	9	
4070	Hood	1911	24" long, runabout	8 00	Junta	2313	1	8 lb., 8 oz.
4071	Hood block—right	1911	24 $\frac{3}{4}$ " long, runabout	40	Justle	2305	1	11 oz.
4072	Hood block—left	1911	24 $\frac{3}{4}$ " long, runabout	40	Juzil	2306	1	11 oz.




Plate No. 13—Muffler and Hood Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

WIRING

4350	Spark plug wire	1909-15	15", No. 1 cyl.	\$0 15	Nohob	1365	1	2 oz.
4351	Spark plug wire (also magneto to coil)	1909-15	11½", No. 2 cyl.	15	Nachor	1366	1	2 oz.
4353	Spark plug wire	1909-15	8", No. 3 and 4 cyls.	10	Nalad	1376	1	1 oz.
4354	Spark plug wire terminal	1909-15	Copper	01	Nailer	1381	8	
4355	COMMUTATOR WIRE ASSEMBLY	1909-15		50	Nandu	1951	1	8 oz.
4356	Commutator wires with terminal, each	1909-15		10	Napaw		4	
4357	Commutator wire terminal (coil end)	1909-15	Copper	01	Napher	1385	4	
4359	Commutator wire loom support	1909-15		01	Napple	1390	2	
4361	Commutator loom rubber nipple	1909-15		02	Nargil	1964	2	
4362	Commutator wire rubber nipple	1909-15	¼" dia. x ⅝"	01	Narsal	1965	4	
4366	Spark plug wire	1911	17½", No. 1 cyl. runabout.	20	Nashon	2357	1	2 oz.

KINGSTON CARBURETOR—1913-14-15

6100	Carburetor complete	1909-15		6 00	Mason	553E	1	3 lb., 14 oz.
4401	Float with lever	1913-14		1 00	Mark	6311	1	1 oz.
6101	Float with lever	1915		1 00	Marsh	6351	1	
4402	Gasoline valve	1913-14-15		40	Mask	3002	1	2 oz.
4403	Gasoline needle valve	1913-14-15		40	Medal	4871	1	

Parts for 1909-10-11 Carburetors supplied by Bryne Kingston Co., Kokomo, Ind.

HOLLEY CARBURETOR—1913-14

4450	Carburetor complete	1909-14		6 00	Mire	553D	1	3 lb., 3 oz.
4451	Float with lever	1913		1 00	Match	6312	1	1 oz.
4451A	Float with lever	1914		1 00	Muzzle	6333	1	
4452	Spray needle assembly	1913		60	Meek	4854	1	2 oz.
4452A	Spray needle assembly	1914		50	Myrtie	6335	1	
4453	Gasoline inlet needle	1913		30	Mend	4860	1	
4453A	Gasoline inlet needle	1914		40	Mystic	6324	1	

HOLLEY CARBURETOR—1912

4554	Float with lever	1912		1 00	Man	6314	1	2 oz.
4559	Spray needle	1912		60	Mare	4807	1	2 oz.
4572	Gasoline inlet elbow assembly	1912		55	Mermaid	4838	1	3 oz.




Plate No. 14—1913 Kingston and Holley Carburetor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

HOLLEY CARBURETOR—1912—Continued

4573	Gasoline inlet needle	1912		\$0 30	Monarch	4828	1	
4581	Air throttle pull rod			10	Monger	2000	1	1 oz.

(Other parts required may be ordered by plate numbers; prices quoted on application.)
Parts for 1909-10-11 Carburetors supplied by Holley Bros. Co., Detroit, Mich.

CARBURETOR ATTACHMENTS

4126	Carburetor adjusting rod head	1909-15		10	Lascar	1356B	1	
4127A	Carb. adjusting rod bracket	1907-15	On dash	05	Lastage	1357	1	
4129A	Carb. adjusting rod	1909-15	Specify length	10	Latten		1	4 oz.
4130	Carb. flange bolt and nut	1909-15		05	Leaper	1388	2	1 oz.
4134	Carb. flange gasket	1909-15		03	Lecturn	1380B	1	
4431	Carb. priming rod	1909-15		05	Loach	2000	1	1 oz.
4582	Carb. hot air pipe	1912-15		20	Monkey	686	1	6 oz.

HEINZE COIL

4602	Coil cover	1910-13	Wood	1 50	Mezzo	4602	1	8 oz.
4604	Coil box with cover	1910-13	Wood	6 00	Micher	4604	1	3 lb., 14 oz.
4611	Coil unit with tungsten points	1910-13	Size, 2 $\frac{1}{16}$ " x 3 $\frac{1}{16}$ " x 5"	4 00	Michtam	4611	4	1 lb., 7 oz.
4616	Vibrator with platinum point	1910-13		75	Mile	4616	4	
	Vibrator with tungsten points	1910-13	Order No. 4736A	50	Mirage	6724	4	
4618	Vibrator bridge with platinum point	1910-13		75	Mileped	4618	4	
	Vibrator bridge with tungsten points	1910-13	Order No. 4737A	50	Mirza	6729	4	
4638	Switch assembly	1910-13		50	Milepore	4638	1	7 oz.
4639	Switch plug	1910-13		15	Militer	4639	1	
4643	Switch lever with knob	1910-13		25	Minnock	4644	1	

K. W. COIL

4676	Coil box with cover	1913	Wood	6 00	Nectar	4692	1	3 lb., 12 oz.
4677	Coil box cover	1913	Wood	1 25	Nerve	4691	1	7 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
K. W. COIL—Continued								
4678	Switch assembly	1913		\$1 00	Nestle	4600	1	10 oz.
4679	Switch plug	1913		15	Nitre	4657	1	
4680	Switch lever with knob	1913		45	Noble	4635	1	2 oz.
4681	Coil unit	1913	Size 5 $\frac{3}{4}$ " x 3 $\frac{1}{4}$ " x 2 $\frac{1}{4}$ "	4 00	Nomad	4693	4	2 lb., 2 oz.
4682	Vibrator spring with tungsten point—lower	1913		50	Nostril	4708	4	
4683	Vibrator bridge with tungsten point—upper	1913		50	Nugget	4711	4	
4682A	Vibrator spring with tungsten point	1913	For K-W unit used	50	Nedder	6710	4	
4683A	Vibrator bridge with tungsten point	1913	In place of T-4611	50	Nihil	6712	4	

KINGSTON COIL—1913

4705	Switch assembly	1911-13		1 00	Merop	3072D	1	11 oz.
4713	Coil unit	1909-13	Size, 2 $\frac{5}{8}$ " x 2 $\frac{5}{8}$ " x 5 $\frac{3}{4}$ "	4 00	Maslach	4715	4	
4714	Coil box with cover	1909-13	Wood	6 00	Martyr	3032D	1	3 lb., 13 oz.
4715	Coil cover	1909-13	Wood	1 50	Marvel	3031	1	10 oz.
4716	Vibrator spring with tungsten point	1912-13		50	Mator	4720	4	
4717	Vibrator bridge with tungsten point	1912-13		50	Matis	4717	4	
4718	Switch key	1911-13		15	Mastpod	3065D	1	

We recommend replacing all makes of wood box coils with the present type coil (T-4725). Exchange price \$10.00 net F. O. B. Branch or Factory.

FORD SPARK COIL

4725	Coil	1909-15	Applies to all cars	16 50	Negus	1383	1	6 lb., 8 oz
4726	Coil box with cover	1914-15	Metal	2 50	Nenia	5858	1	4 lb.
4727	Coil box cover	1914	Metal	40	Nephew	5856	1	11 oz.
4727B	Coil box cover	1915		40	Neptune	7910	1	
4728	Switch assembly	1914-15		80	Nidor	5873	1	9 oz.
4729	Switch base assembly	1914-15		60	Noddy	5841	1	6 oz.
4729B	Switch blade moulding assembly	1914-15		20	Noria	5820	1	
4730	Switch cover	1914-15		15	Nones	5835	1	1 oz.
4731	Switch plug	1914-15		10	Nopal	5815	1	



4683



4202



4717



4616



4736-A



4683-A



4716



4719



4679



4234



4718



4618



4639



4682



4682-A



4666



4663



4737-A



4645



4235



4681



4678



4201



4705



4713



4646



4638



4611


Plate No. 15—Kingston Coil Parts



4736-A



4733



4734




4739



4736



4731




4732



4737




4740



4728



4737-A




4730



4729



4727



4725



4727-B

Plate No. 16—Heinze, K. W. and Ford Coil Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FORD SPARK COIL—Continued								
4732	Coil unit	1914-15	Size, 3½" x 2½" x 5"	\$3 50	Noggin	5845	4	2 lb.
4733	K. W. vibrator with tungsten point	1914-15		50	Nonce	4708	4	
4734	K. W. vibrator bridge with tungsten point	1914-15		50	Novia	4711	4	
4736A	Heinze vibrator with tungsten points	1914		50	Nico	6724	4	
4737A	Heinze vibrator bridge with tungsten points	1914		50	Nitric	6729	4	
4739	Kingston vibrator spring with tungsten point	1914		50	Nyas	6705	4	
4740	Kingston vibrator bridge with tungsten point	1914		50	Nymph	6703	4	

FENDERS—56 INCH TREAD

4800	Front fender—right	1911-15	All Cars	2 50	Scorch	1414C	1	
4801	Front fender—left	1911-15	All Cars	2 50	Scoul	1413C	1	
4802D	Rear fender—right, curved	1915	Tour., Runab't & Coupelet.	2 50	Shanty	1416D	1	
4803D	Rear fender—left, curved	1915	Tour., Runab't & Coupelet.	2 50	Sheen	1415D	1	
4802E	Rear fender—right	1915	Sedan	4 50	Sheik	7924	1	
4803E	Rear fender—left	1915	Sedan	4 50	Shrimp	7925	1	
4802	Rear fender—right	1911-14	Touring Car & Runabout.	3 00	Sexton	1416C	1	
4803	Rear fender—left	1911-14	Touring Car & Runabout.	3 00	Shark	1415C	1	
4804D	Rear fender iron—right and left	1913-15	Touring car	40	Smile	5405	2	12 oz.
4804E	Rear fender iron—right	1913-15	Torpedo & Coupelet	40	Shire	5563	1	1 lb., 7 oz.
4804F	Rear fender iron—left	1913-15	Torpedo & Coupelet	40	Shrub	5390	1	1 lb., 7 oz.
4805	Rear fender iron bolt and nut	1911-14	Touring ⅝" x 1½"	05	Shoal	340A-341	6	
4805B	Rear fender iron bolt and nut	1915	Touring ⅝" x ¾"	05	Signal	7171	6	
4806	Fender eye bolt, nut and washer	1909-15	Old No. 2935	15	Blenny	1945	6	3 oz.
4808	Front fender iron bolt and nut (side)	1910-15	⅝" x ⅜"	05	Shovel	1323	2	1 oz.
4808B	Front fender iron bolt and nut (bottom)	1910-15	⅝" x 1½"	05	Siren	347	2	
4808C	Front fender apron to frame bolt and nut	1915	¼" x ⅝"	05	Sickle	4083	4	
4809	Front fender iron—right or left	1909-15		60	Sistom	343	2	1 lb., 14 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
RUNNING BOARDS AND SHIELDS—56 INCH TREAD								
4812	Running board—right or left	1909-15	.44 $\frac{1}{8}$ " long	50 75	Shrew	5418	1	
4814	Running board metal shield—right	1912-15	Tour., Tor. & Coupelet	1 00	Skylark	1409C	1	
4814B	Running board metal shield—right	1915	Sedan	2 00	Shriek	7496	1	
4815	Running board metal shield—left	1912-15	Touring and Torpedo	1 00	Skylight	1408C	1	
4815B	Running board metal shield—left	1915	Sedan	2 00	Shorl	7497	1	
4816	Running board truss rod—front with nuts	1909-15		20	Skybird	5804	1	2 lb., 2 oz.
4817	Running board truss rod—rear with nuts	1909-15		20	Skyman	5805	1	2 lb., 2 oz.
4818	Running board bracket	1909-15		60	Skyhawk	336	4	1 lb., 13 oz.
4819	Run board fender bolt and nut	1909-15	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	05	Boaster	1344B	8	
4819B	Run board bolt and nut	1909-15	$\frac{3}{16}$ " x $1\frac{3}{4}$ "	05	Bolary	5898-341	8	

FENDERS AND RUNNING BOARDS—60 INCH TREAD—BLUE

4820	Front fender—right	1911-12	Touring and Roadster	3 00	Tablet	1715B	1	
4820B	Front fender—right	1913-15	Touring and Torpedo	3 00	Table	2742	1	
4821	Front fender—left	1911-12	Touring and Roadster	3 00	Tabor	1716B	1	
4821B	Front fender—left	1913-15	Touring and Torpedo	3 00	Tabula	2743	1	
4822	Rear fender—right	1911-12	Touring	3 00	Talent	1749	1	
4822B	Rear fender—right	1913-14	Touring and Torpedo	3 00	Tallon	2741	1	
4822C	Rear fender—right	1915	Tour., Torpedo, Coupelet	3 00	Tartar	2758	1	
4822D	Rear fender—right	1915	Sedan	4 50	Tankard	5723	1	
4823	Rear fender—left	1911-12	Touring	3 00	Tallow	1748	1	
4823B	Rear fender—left	1912	Torpedo and Roadster	4 00	Tallox	2732	1	
4823C	Rear fender—right	1912	Torpedo and Roadster	4 00	Tallis	2733	1	
4823D	Rear fender—left	1913-14	Touring and Torpedo	3 00	Talma	2740	1	
4823E	Rear fender—left	1915	Tour., Torpedo, Coupelet	3 00	Tavern	2759	1	
4823F	Rear fender—left	1915	Sedan	4 50	Tansy	5724	1	
4824	Rear fender iron—right and left	1911-12	Touring, $11\frac{3}{8}$ " long	40	Target	2700	2	
4824B	Rear fender irons—right and left	1912	Torpedo and Roadster	75	Targon	2731	2	
4824C	Rear fender iron—right and left	1915	Touring Car	40	Thatch	1723	2	



4802-D
4803-D



4818




4804-D



2935



4809




4814-B-4815-B



4814-4815



4812



4802
4803




4802-E-4803-E



4817



4816



4800
4801




Plate No. 18—Fender Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

FENDERS AND RUNNING BOARDS—60 INCH TREAD—BLUE—Continued

4825	Front fender irons—right and left	1909-12	Touring and Torpedo	\$1 00	Tempest	1713	2	1 lb., 15 oz.
4826	Running board shield—right	1911-12	Tour., Torp. and Roadster	2 00	Tennis	1717B	1	9 lb., 8 oz.
4827	Running board shield—left	1911-12	Tour., Torp. and Roadster	2 00	Thirst	1718B	1	9 lb., 8 oz.
4828	Running board bracket	1909-12	Tour., Torp. and Roadster	75	Border	1714	4	2 lb.
4829	Running board truss rod—front	1909-12	51" long, Tour. and Torp.	25	Bosset	1708	2	
4830	Running board truss rod—rear	1909-12	Tour., Torp. and Roadster	25	Bounce	1734	1	

SPECIAL TOOLS

1349	Hub cap wrench		Regular equipment	10	Pacal	1349	1	8 oz.
1387	Adjustable wrench		Regular equipment	25	Pacos	1387	1	1 lb.
1902	Screw driver		Regular equipment	15	Padan	1902	1	6 oz.
1903	Pliers		Regular equipment	20	Paddy	1903	1	8 oz.
1917	Double end wrench		Regular equipment	10	Pagan	1917	1	3 oz.
1924	$\frac{3}{8}$ " socket wrench		12" long	30	Pallah	1924	1	1 lb.
1929	Fly wheel cap screw wrench		11 $\frac{3}{8}$ " long	30	Palmy	1929	1	15 oz.
1930X	Valve spring lifter		15" long	40	Palpus	1930-8	1	13 oz.
1957	Valve grinder			75	Palster	1957	1	15 oz.
1933X	Rear wheel puller assembly			75	Panary	1933-45	1	2 lb., 11 oz.
1936X	Cam gear puller			1 00	Pantile	1936-7	1	1 lb., 15 oz.
1953X	Transmission clutch puller			1 25	Papaw	1370-1953-5	1	1 lb., 8 oz.
1974B	Drive shaft housing stud nut wrench for $\frac{11}{16}$ " nut			25	Parent	2073	1	10 oz.
1975	Rear axle housing bolt nut wrench		7 $\frac{3}{4}$ " long	25	Parvis	1975	1	9 oz.
1978	Valve seat reamer		7 $\frac{1}{2}$ " long	1 50	Papula	1978	1	13 oz.
2319	Screw driver for cam shaft set screw		6 $\frac{1}{2}$ " long	30	Parley	2319	1	12 oz.
2320	$\frac{3}{8}$ " T socket wrench		9 $\frac{1}{4}$ " long	50	Parfit	2320	1	1 lb., 2 oz.
2321	Socket wrench for crank shaft bearing bolt nut		12 $\frac{1}{2}$ " long	30	Passim	2321	1	1 lb., 4 oz.
2322	$\frac{3}{8}$ " L socket wrench		12"	30	Pastel	2322	1	1 lb., 4 oz.
2323	$\frac{3}{8}$ " open end wrench		7 $\frac{1}{2}$ " long	20	Pastor	2323	1	6 oz.
2324	Connecting rod clamp screw wrench		10 $\frac{1}{4}$ " long	35	Parrot	2324	1	1 lb., 2 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

SPECIAL TOOLS—Continued

2328	3/8" brace socket wrench		24 3/8" long	\$0 40	Parsee	2328	1	2 lb., 3 oz.
2331	Piston ring squeezer		3 7/8" dia.	20	Patile	2331	1	8 oz.
2332	Magnet screw brace screw driver		13 3/4" long	25	Patrol	2332	1	15 oz.
2333	Large cam gear lock nut wrench		14" long	30	Pavan	2333	1	1 lb., 6 oz.
2335	Spark plug and cyl. head bolt wrench		Regular equipment	30	Pavid	5893	1	15 oz.
2336	Tool roll		Regular equipment	25	Pawky	1979	1	3 oz.
2337	Oil can		Regular equipment	15	Paxos	3426-3425	1	3 oz.
2338	Tire pump		Regular equipment	2 00	Payser	1368	1	4 lb., 13 oz.
2340	Tire irons, each		Regular equipment	10	Pelage	4069	1	8 oz.
2341	Crank shaft bearing bolt special wrench		Oval head	25	Pelox	2069	1	1 lb., 5 oz.
2341B	Crank shaft bearing bolt wrench		Square head	25	Poloy	7427	1	1 lb., 6 oz.

SPARK PLUGS

2345	Spark plug complete		Champion	50	Polar	1386		
2346	Spark plug porcelain with spindle		Champion	25	Police	3760		
2347	Spark plug washer-top		Champion	03	Poppy	3592		
2348	Spark plug lock washer		Champion	03	Porter	3773		
2349	Spark plug washer-bottom		Champion	03	Priest	6571		



1349



1917



1902



2337



1903




2340



2335



1387



2323



2320



1978




1924



2319



1953-X



1929



2331



2324




1974-B



1975



1930-X



2332



1957



2328



1933-X



2336



2333



2341



2341-B




2321



2322



1936-X



2338

Plate No. 19—Special Tools

Parts listed on following pages apply particularly to Model T cars numbered below 2500, but also include fenders and running boards used on 1910-11 cars.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FENDERS AND RUNNING BOARDS—56 INCH TREAD								
2925	Front fender—left	1909-10		\$3 00	Binal	1413A	1	
2926	Front fender—right	1909-10		3 00	Biped	1414A	1	
2927	Rear fender—left	1909-10		3 00	Birken	1415B	1	
2928	Rear fender—right	1909-10		3 00	Bishop	1416B	1	
2930	Rear fender iron—right	1909-10		1 50	Blitter	342B	1	3 lb., 7 oz.
2931	Rear fender iron—left	1909-10		1 50	Blatant	349B	1	3 lb., 7 oz.
2932	Fender iron bolt and nut	1909-10		05	Blatter	345	12	1 oz.
2942	Run board shield—left	1909-10		2 00	Bluing	1408A	1	6 lb., 14 oz.
2943	Run board shield—right	1909-10		2 00	Bluster	1409A	1	6 lb., 14 oz.
2975	Front fender—right	1909-10	60" tread	3 00	Bonfire	1715B	1	
2976	Front fender—left	1909-10	60" tread	3 00	Bongrace	1716B	1	
4802B	Rear fender—right	1912	Torpedo-Roadster	3 50	Sexls	5206	1	
4803B	Rear fender—left	1912	Torpedo-Roadster	3 50	Shaker	5218	1	
4804	Rear fender iron—right and left	1912	10 $\frac{5}{8}$ " long, touring	40	Shear	379	2	14 oz.
4804B	Rear fender irons—right and left	1912	Torpedo-Roadster	75	Sheco	2903	2	1 lb., 11 oz.
FENDERS AND RUNNING BOARDS—RUNABOUT								
4840	Front fender—right	1911	Blue, 56" tread	4 00	Thistle	2561	1	
4841	Front fender—left	1911	Blue, 56" tread	4 00	Thorn	2562	1	
4842	Rear fender—right	1911	Blue, 56" tread	4 00	Thrift	2555	1	
4843	Rear fender—left	1911	Blue, 56" tread	4 00	Throat	2554	1	
4844	Rear fender iron—right	1911	56" tread	1 50	Thug	382	1	3 lb., 3 oz.
4845	Rear fender iron—left	1911	56" tread	1 50	Tiger	381	1	3 lb., 3 oz.
4846	Running board—right	1911	21 $\frac{3}{4}$ " long, 56" tread	60	Toad	2551	1	4 lb., 4 oz.
4847	Running board—left	1911	21 $\frac{3}{4}$ " long, 56" tread	60	Toast	2552	1	4 lb., 4 oz.
4848	Running board shield—right	1911	Blue, 56" tread	2 00	Tonsil	2557	1	5 lb., 12 oz.
4849	Running board shield—left	1911	Blue, 56" tread	2 00	Towel	2556	1	5 lb., 12 oz.
4860	Front fender—right	1911	Blue, 60" tread	4 00	Tulip	2706	1	
4861	Front fender—left	1911	Blue, 60" tread	4 00	Tunic	2707	1	
4863	Rear fender—right	1911	Blue, 60" tread	4 00	Turtle	2702	1	
4864	Rear fender—left	1911	Blue, 60" tread	4 00	Twln	2709	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
Order the Following Parts for Cars Numbering Below 2500								
400A...	CYLINDER.....	1908-09	$\frac{1}{16}$ " hole for cap screws.....	\$20 00	Compound	400A.....	1	
401B...	Cylinder head.....	1908-09	$\frac{1}{16}$ " hole for cap screw.....	4 00	Comprint	401B.....	1	
402A...	Cylinder head gasket.....	1908-09		60	Compunct	402A.....	1	6 oz.
403A...	Cylinder cover (front end).....	1908-09		1 25	Comrade	403A.....	1	2 lb., 15 oz.
505A...	Cylinder cover paper liner.....	1908-09	$\frac{1}{4}$ " thick.....	05	Condite	505A.....	1	
483A...	Cylinder head cap screw.....	1908-09	$\frac{3}{8}$ " x $2\frac{1}{8}$ " x 24 thds.....	05	Concept	483A.....	1	1 oz.
446B...	Outlet brass connection.....	1908-09	$\frac{1}{16}$ " bolt holes.....	60	Concord	446B.....	1	13 oz.
550	Outlet connection screw.....	1908-09	Specify size.....	05	Conscrew	550A.....	2	
445A...	Outlet brass connection gasket.....	1908-09		15	Conder	445A.....	1	
448	Outlet hose.....	1908-09	$1\frac{5}{8}$ " x $4\frac{1}{4}$ ".....	25	Condign	448A.....	1	4 oz.
554B...	Outlet hose clip.....	1908-09	$2\frac{1}{8}$ " dia.....	10	Condole	554A.....	2	2 oz.
442A...	Cylinder water inlet brass connection.....	1908-09	$1\frac{1}{2}$ " long.....	30	Condog	442A.....	1	4 oz.
444	Cylinder water inlet pack nut.....	1908-09	$1\frac{3}{8}$ " x 18 thds.....	15	Conduce	444.....	1	2 oz.
586	Piston assembly (obsolete).....	1908-09	Substitute 3020 and 3024.....					
419A...	Piston pin.....	1908-09	$\frac{1}{4}$ " x $3\frac{3}{4}$ ".....	35	Confess	419A.....	4	5 oz.
420	Piston pin screw.....	1908-09	$\frac{5}{16}$ " x 1" x 18 thds.....	05	Confide	420.....	4	
587	Connecting rod assembly (obsolete).....	1908-09	Substitute 3020 and 3024.....					
423	Connecting rod piston pin bushing.....	1908-09	$\frac{1}{4}$ " bore x $\frac{1}{8}$ " dia. x $1\frac{1}{4}$ " long.....	25	Congee	423.....	4	3 oz.
498A...	Crank shaft.....	1908-09	$.25$ " long.....	12 00	Conger	498A.....	1	14 lb., 8 oz.
530	Crank shaft ratchet.....	1908-09	$1\frac{3}{8}$ " dia. x $1\frac{1}{4}$ " long.....	40	Congius	530.....	1	5 oz.
529A...	Crank shaft ratchet pin.....	1908-09	$\frac{1}{16}$ " x $1\frac{1}{16}$ " long.....	02	Conglobe	529A.....	1	
543A...	Crank case oil tube.....	1908-09		50	Congon	543A.....	1	4 oz.
800	Crank case and transmission lower case.....	1908-09		12 00	Conjoin	800A.....	1	
551	PUMP ASSEMBLY.....	1908-09		9 00	Hakot	551.....	1	6 lb., 3 oz.
434	Pump body.....	1908-09		4 00	Hallux	434.....	1	2 lb., 3 oz.
435	Pump cover.....	1908-09		2 00	Halser	435.....	1	1 lb., 8 oz.
443	Pump cover gasket.....	1908-09	$\frac{1}{4}$ " x $5\frac{1}{2}$ " out. dia.....	10	Hamite	443.....	1	
452	Pump cover screw.....	1908-09	No. 10, 24 thds.....	05	Hamose	452.....	8	
436	Pump fan.....	1908-09		1 00	Hansa	436.....	1	7 oz.
437	Pump shaft.....	1908-09	$.4\frac{1}{2}$ " long.....	1 00	Harab	437.....	1	4 oz.




Plate No. 20—Old Style Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

Order the Following Parts for Cars Numbering Below 2500—Continued

454.	Pump fan pin.	1908-09.	$\frac{3}{8}$ " x $1\frac{1}{4}$ " long.	\$ 0 01.	Harbor.	636.	1	
451.	Pump packing nut.	1908-09.	$\frac{3}{4}$ " x 18 thds., right hand.	25.	Harcute.	451.	1	1 oz.
451 $\frac{1}{2}$.	Pump packing nut.	1908-09.	$\frac{3}{4}$ " x 18 thds., left hand.	25.	Harlock.	451 $\frac{1}{2}$.	1	1 oz.
450.	Pump washer (steel).	1908-09.	$\frac{3}{8}$ " x $\frac{23}{32}$ " x $\frac{7}{8}$ " dia.	10.	Harod.	450.	1	
576.	Pump drive gear and shaft.	1908-09.		2 50.	Harpy.	576.	1	1 lb., 2 oz.
438.	Pump drive gear only.	1908-09.	26 teeth, $3\frac{1}{2}$ " dia.	1 50.	Haruz.	438.	1	14 oz.
439.	Pump drive gear shaft only.	1908-09.	$\frac{5}{8}$ " dia. x $2\frac{1}{16}$ "	1 00.	Hawser.	439.	1	4 oz.
440.	Pump drive gear shaft bushing—rear.	1908-09.	$\frac{1}{8}$ " x 1"	25.	Hazer.	440.	1	1 oz.
453.	Pump drive gear shaft bushing—front.	1908-09.	$1\frac{1}{8}$ " dia. x $\frac{5}{16}$ "	25.	Hebant.	453.	1	2 oz.
577.	Pump inlet connection assembly.	1908-09.		1 00.	Hebron.	577.	1	10 oz.
556.	Pump inlet connection pet cock.	1908-09.	$\frac{1}{8}$ " pet cock.	30.	Heifer.	556.		3 oz.
455.	Pump inlet nut.	1908-09.	$1\frac{1}{8}$ " x 18 thds.	30.	Helek.	455.	1	2 oz.
507A.	Pump inlet hose.	1908-09.	$1\frac{1}{4}$ " x 3"	20.	Helix.	507A.	1	2 oz.
555.	Pump inlet hose clip.	1908-09.	$1\frac{1}{2}$ " dia.	05.	Helpath.	555.	2	
456.	Pump support screw.	1908-09.	$\frac{1}{16}$ " x 1" x 24 thds.	05.	Hemal.	456.	3	
496 $\frac{1}{2}$.	Radiator fan and shaft.	1908-09.		2 00.	Hepvil.	496-437.	1	1 lb., 4 oz.
496.	Radiator fan only.	1908-09.		1 00.	Herbar.	496.	1	1 lb.
519.	STARTING CRANK ONLY.	1908-09.		50.	Hinny.	519A.	1	1 lb., 1 oz.
522.	Starting crank handle bolt nut.	1908-09.	$\frac{7}{16}$ " x 20 thds.	05.	Hippa.	522.	1	1 oz.
523A.	Starting crank sleeve.	1908-09.	1" dia. x $3\frac{3}{4}$ "	50.	Hippola.	523A.	1	6 oz.
524.	Starting crank collar pin.	1908-09.	$\frac{3}{16}$ " x $1\frac{1}{16}$ "	02.	Hipwart.	524.	1	
525.	Starting crank collar.	1908-09.	$1\frac{1}{16}$ " x $\frac{1}{2}$ "	25.	Hispid.	525.	1	
526.	Starting crank spring.	1908-09.	$\frac{1}{16}$ " dia. x $1\frac{9}{16}$ "	05.	Hitite.	526.	1	
527A.	Starting crank ratchet pin.	1908-09.	$\frac{1}{8}$ " x $1\frac{1}{8}$ "	02.	Hobah.	527A.	1	
528A.	Starting crank ratchet.	1908-09.	$1\frac{5}{8}$ " dia. x 1" long.	35.	Hobit.	528A.	1	3 oz.
1100.	RADIATOR.	1908-09.	Pump circulator	28 00.	Hussar.	1100A.	1	

BRASS BODY COMMUTATOR

3200.	Commutator.	1909-11.	Substitute new design on cars above 2500.	2 00.	Cortan.	404.	1	1 lb., 1 oz.
3201.	Com. body with fibre.	1909-11.	Brass.	1 00.	Cortum.	457C.	1	

General Index

	Page
Rear Axle.....	6
Rear Axle, Plates No. 1 and 2.....	8-10
Front Axle.....	11
Front Axle, Plate No. 3.....	13
Body Parts.....	34
Carburetor, Kingston.....	43
Carburetor, Holley.....	43
Kingston and Holley, Plate No. 14..	44
Coil, Heinze.....	45
Coil, K. W.....	45
Heinze, K. W. and Ford, Plate No. 16	48
Coil, Kingston.....	46
Kingston, Plate No. 15.....	47
Commutator.....	22
Commutator and Magneto, Plate No. 7	24
Fenders.....	49
Fenders, Plates No. 17 and 18.....	51-52
Frame.....	15
Gasoline Tank.....	15

	Page
Hood.....	41
Hood and Muffler, Plate No. 13.....	42
Magneto.....	23
Motor.....	17
Motor, Plates No. 5 and 6.....	18-20
Muffler.....	41
Radiator.....	39
Radiator, Plate No. 12.....	40
Running Boards.....	50
Special Tools.....	53
Tools, Plate No. 19.....	55
Springs.....	36
Springs, Plate No. 11.....	37
Starting Crank.....	38
Steering Gear.....	31
Steering Gear, Plate No. 10.....	32
Transmission.....	25
Transmission, Plates No. 8 and 9....	26-29
Wheels.....	14
Wheels and Gasoline Tank, Plate No. 4	16
Wiring.....	43

For Parts of Model T cars built during 1910-11—See Page 56.

PRICE
LIST *of*
PARTS



Model T





