

PRICE LIST of PARTS



Model T



PRICE LIST OF PARTS

FORD MODEL T 1909 - 1910 - 1911 - 1912 - 1913 - 1914 - 1915 - 1916

EFFECTIVE APRIL 1, 1916

Ford Motor Company

FORD FACTORIES AND BRANCHES

Ford Factory, Detroit—Parent Plant

Ford Factory, Ford, Ont., Canada

Ford Factory, Manchester, England

American Branches and Service Stations

Atlanta—465 Ponce de Leon Ave.
Boston—567 Boylston St.
The Bronx (New York City)—
607 Bergen Ave.
Brooklyn—1476 Bedford Ave.
Buffalo—2495 Main St.
Cambridge—Charles River Rd.
Charlotte, N. C.—206 E. Sixth St.
Chicago—3915 Wabash Ave. and
2526 Michigan Blvd.
Cincinnati—660 Lincoln Ave.
Cleveland—11610 Euclid Ave.
Columbus—427 Cleveland Ave.
Council Bluffs—612 S. Main St.
Dallas—2800 Williams St.
Davenport—324 W. Fourth St.
Denver—920 S. Broadway and
1551 Broadway
Detroit—1550 Woodward Ave.

Fargo—509 Broadway
Ft. Worth—200 Commerce St.
Houston—4006 Harrisburg Road
Indianapolis—1315 E. Washington St.
Jacksonville—16 E. Ashley St.
Kansas City, Kan.—744 Minnesota Ave.
Kansas City, Mo.—1710 Grand Ave.
and Winchester Ave. at 11th St.
Long Island City—564 Jackson Ave.
Los Angeles—2060 E. Seventh St.
Louisville—2400 S. Third St.
Memphis—495 Union Ave.
Milwaukee—397 Prospect Ave.
Minneapolis—420 N. Fifth St.
Nashville—533 S. Broadway
Newark—17 Halsey St.
New York—1723 Broadway and
607 Bergen Ave.

Norfolk, Va.—713 Granby St.
Oklahoma City—205 W. First St.
Omaha—1916 Harney St.
Pasadena—89 N. Marengo Ave.
Philadelphia—2700 North Broad St.
Pittsburgh—5000 Baum Boulevard
Portland, Ore.—481 E. Eleventh St.
Reading—305 Greenwich St.
St. Louis—4100 Forest Park Blvd.
St. Paul—117 University Ave.
San Diego—1040 First St.
San Francisco—2905 21st St.
Scranton—324 Washington Ave.
Seattle—724 Fairview Ave.
Syracuse—428 E. Jefferson St.
Utica—331 Bleecker St.
Washington, D. C.—613 G. St. N. W.
Wichita—218 W. Douglas Ave.
Yonkers—219 S. Broadway

Ford Assembling Plants are located in the following Cities

Atlanta	Buffalo	Cambridge	Chicago	Cincinnati	Cleveland	Columbus	Dallas	Denver	Detroit
Fargo	Houston	Indianapolis	Kansas City	Long Island City	Los Angeles	Louisville	Memphis		
Milwaukee	Minneapolis	Oklahoma City	Omaha	Philadelphia	Pittsburgh	Portland, Ore.	San Francisco	Seattle	St. Louis

Foreign Branches and Service Stations

Bordeaux, France—63 Rue de la
Fondaudege
Buenos Aires, Argentina—Calle
Lavallo 1702
Calgary, Alta.—127 11th Ave. E.
Hamilton, Ont.—74 John St.

London, Eng.—57 Shaftesbury Ave.
London, Ontario—680 Waterloo St.
Melbourne, Aus.—103 Williams St.
Montreal, Que.—119 Laurier Ave. E.
Paris, France—61 Rue de Cormeilles

Saskatoon, Sask.—1st and 25th Sts.
St. John, N. B.—Rothesay Avenue
Toronto, Ont.—672 Dupont St.
Vancouver, B. C.—1531 15th Ave. W.
Winnipeg, Manitoba—81 Water St.

Foreign Department—1136 Whitehall Bldg., 17 Battery Place, New York

There are Ford Agents in all other Principal Cities

Telegraph Code

To save expense, to expedite ordering and for the convenience of those purchasing parts, we have arranged a code word for each part of the Ford Model T car. In addition to the Parts Code we list below a brief General Code covering miscellaneous instructions, questions and answers relative to the entering and shipping of parts ordered.

In telegraphing an order for parts start with the code telling us how to ship, then use the word for the part wanted, stating the number required and then give the number of your car.

The following will illustrate how to send in an express order for Eight Push Rods No. 3058, and Three Transmission Band Springs No. 3425:

FORD MOTOR COMPANY, DETROIT, MICHIGAN.

Toperig eight Carat three Dispark for car No. 2841.

Signed.....

Toperig—Ship to me (us) by express.

Toperkleur—Ship by express to——

Tpermolen—Ship to me (us) by American Express.

Toperal—Ship to me (us) by Wells, Fargo Express.

Toperpool—Ship to me (us) by Dominion Express.

Topersteen—Ship to me (us) by freight.

Toper—Ship to me (us) by parcel post.

Topfton—When and how did you ship parts called for in my (our) telegram of——

Topflutch—When and how will you ship parts called for in my (our) telegram of——

Topfwasser—When and how will you ship parts called for in my (our) letter of——

Topfgeld—Cancel order for parts our (my) telegram of——


Topfgicht—Cancel order for parts my (our) letter of——

Topfkiemer—Add to our (my) telegraph order of——

Instructions for Ordering Parts

1—Order all parts through the nearest Branch or Dealer in your territory, as parts for the Model T car are carried in stock by them.

2—Always specify **Model** and **give Number** of motor. Give **Catalog Number** and **Name** of each part ordered.



3—Mail and Parcel Post orders must be accompanied by an amount sufficient **to cover Postage**.

4—All prices are net f. o. b. Detroit.

5—Specify whether shipments are to be forwarded by mail, express or freight.

6—Orders for parts should be written separately from correspondence pertaining to other matters.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE								
2500...	Rear axle assembly.....	1909-16.	.56-inch tread.....	\$55 00.	Aband.....	95E.....	1	
*.....	Axle housing—right.....	1909-12.	Dia. of bell, 10 $\frac{7}{16}$ " , obsolete.					
*.....	Axle housing—right.....	1913-14.	.26" L., dia. of bell, 9 $\frac{1}{4}$ " , obsolete.....					
2501E...	Axle housing—right.....	1915-16.		7 50.	Absolve.....	2835C.....	1	
*.....	Axle housing—left.....	1909-12.	Dia. of bell, 10 $\frac{7}{16}$ " , obsolete.					
*.....	Axle housing—left.....	1913-14.	.26" L., dia. of bell, 9 $\frac{1}{4}$ " , obsolete.....					
2502E...	Axle housing—left.....	1915-16.		7 50.	Absume.....	2836C.....	1	
2503B...	Axle housing bolt and nut.....		$\frac{5}{16}$ " x $2\frac{3}{4}$ ".....	05	Abide.....	315.....	5	
2503C...	Axle housing bolt and nut.....		$\frac{5}{16}$ " x 1 $\frac{1}{4}$ ".....	05	Abject.....	42C.....	7	
2503E...	Axle housing bolt and nut.....		$\frac{5}{16}$ " x 1 $\frac{5}{16}$ ".....	05	Ajoy.....	2854.....	7	
2505D...	Axle shaft—tapered.....	1912-16.	.56" tread, 1 $\frac{5}{32}$ " x 31 $\frac{1}{16}$ ".....	1 50.	Abode.....	2818.....	2	8 lb.
2506...	Axle shaft washer.....	1909-16.	1 $\frac{1}{32}$ " dia. fibre.....	03	Abound.....	39.....	1	
2508...	Axle shaft roller bearing.....	1909-16.	2 $\frac{1}{4}$ " x 4".....	75	Abrase.....	97.....	4	1 lb., 3 oz.
2509...	Axle shaft roller bearing sleeve—right.....	1909-16.	.4" long.....	20	Abray.....	170.....	2	8 oz.
2509B...	Axle shaft roller bearing sleeve—left.....	1909-15.		20	Abate.....	161.....	2	8 oz.
2510...	Axle housing cap.....	1909-16.	2 $\frac{1}{8}$ " dia.....	05	Abroad.....	56.....	2	2 oz.
2510A...	Axle outer roller bearing steel washer.....	1909-16.	2 $\frac{1}{4}$ " dia.....	03	Absinthe.....	199.....	2	
2510B...	Axle outer roller bearing felt washer.....	1909-16.	2 $\frac{1}{16}$ " dia.....	05	Absist.....	54.....	2	
+2512C...	Diff. case—left (no bushing used).....	1914-16.		1 25.	Abut.....	10D.....	1	
+2513C...	Diff. case—right (no bushing used).....	1914-15.		75	Ache.....	11D.....	1	
2514...	Diff. case stud and nut.....	1909-15.	$\frac{3}{8}$ " x 2 $\frac{3}{4}$ ".....	05	Arcadian.....	52-8.....	3	2 oz.
2514B...	Diff. case stud and nut.....	1915-15.	$\frac{3}{8}$ " x 2 $\frac{1}{4}$ ".....	05	Ale.....	2865-8.....	3	
2517...	Diff. case bushing.....	1909-13.	1 $\frac{3}{16}$ " bore—1 $\frac{1}{8}$ " dia.....	30	Accite.....	19.....	2	4 oz.
2518...	Diff. drive gear.....	1909-16.	.40 teeth.....	2 50	Accost.....	12B.....	1	3 lb., 5 oz.
2519...	Diff. drive gear screw.....	1909-16.	$\frac{5}{16}$ " x $2\frac{1}{2}$ ".....	02	Accoy.....	103.....	10	

*Substitute 2501E and 2502E. Write nearest Branch or Factory for exchange proposition.

+Order bushing No. 2517 when required for repairing old style axles.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued								
2519A...	Diff. gear lock ring	1909-16		\$0 03.	Acetic	118	2	
*2520B...	Diff. gear	1909-15	24 teeth not drilled for pin	1 30.	Ace	13B	2	1 lb., 6 oz.
2521...	Diff. gear key	1909-10	$\frac{11}{16}$ " long	05.	Acquiet	21B	2	
2521B...	Diff. gear key	1911-16	$1\frac{3}{8}$ " long	05.	Acrid	137	2	
2522B...	Diff. gear pin		Specify length	03.	Acher	2866	2	
2523...	Diff. gear thrust washer	1909-14	Fibre, $3\frac{1}{16}$ " dia.	10.	Actress	32	2	
2524B...	Diff. pinion with bushing	1911-14	$\frac{5}{8}$ " bore, 12 teeth	60.	Adage	14C	3	5 oz.
†2524C...	Diff. pinion	1915-16	12 teeth (no bushing)	50.	Admire	14D	3	
2525B...	Diff. pinion bushing	1911-14	$\frac{5}{8}$ " bore	05.	Addict	93C	3	
†2526B...	Diff. spider	1909-16		75.	Adduce	15D	1	15 oz.
2527...	Diff. spider bushing	1909-15	$1\frac{1}{16}$ " bore, brass	20.	Adfect	18	1	3 oz.
2528...	Diff. thrust plate	1909-16	$3\frac{3}{4}$ " dia. bronze	30.	Adieu	30	2	6 oz.
2529...	Diff. thrust plate	1909-16	$3\frac{3}{4}$ " dia. steel	10.	Adjoin	31	4	3 oz.
2530...	Diff. thrust plate pin	1909-16	$\frac{11}{16}$ " long	03.	Admix	17	2	
2531...	Diff. thrust plate pin	1909-16	$\frac{1}{2}$ " long	03.	Adgase	37	4	
2532...	Diff. housing oil plug	1909-16	$\frac{3}{4}$ " x 24 thds.	05.	Agger	817	1	
2545B...	Rear axle grease cup	1909-16	Order 3563					
2547...	Rear radius rod	1909-16		2 25.	Altar	152	2	4 lb., 9 oz.
2548...	Radius rod nut	1909-16	$\frac{9}{16}$ " x 18 thds.	05.	Amass	77	2	1 oz.
2549...	Radius rod lock nut	1909-16	$\frac{9}{16}$ ", 18 thds.	03.	Amber	78	2	1 oz.
2550...	Radius rod lock washer	1909-16	$\frac{9}{16}$ "	01.	Ambush	2823	2	
2551...	Radius rod bolt and nut	1909-16	$\frac{1}{2}$ " x $1\frac{1}{2}$ "	05.	Ampite	83-60	4	2 oz.
2554...	Ball joint support bolt and nut	1909-14	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	05.	Amlabe	79 & 8	4	

*When used in place of the gear having the thin hub, remove the differential case bushings, and fibre washers.

†2524B can be used with 2526B by removing the bushings.

†These parts should be used in repairing old type differentials.




Plate No. 1—Rear Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued								
2557	Hub cam shaft—right	1909-16	3 1/8" long.	\$0 20	Amuck	92B	1	3 oz.
2558	Hub cam shaft—left	1909-16	3 1/8" long.	20	Anchor	61B	1	3 oz.
2559	Hub cam shaft bushing	1909-16	1/2" bore, 1 1/8" dia.	10	Ancient	173	2	1 oz.
2562	Cam shaft lever	1909-16	1/2" bore.	20	Arab	62	2	2 oz.
2563	Cam shaft lever pin	1909-16	3/16" x 7/8"	02	Arbor	7	4	
2564	Lever clevis pin	1909-16	3/16" x 1"	02	Arcade	65	4	
2566	Hub brake shoe	1909-16	Cast iron	30	Arctic	55	2	1 lb., 9 oz.
2567	Brake shoe support bolt	1909-16	1/2" x 1 1/8"	05	Argus	59	2	2 oz.
2568	Brake shoe support nut	1909-16	1/2" x 20 thds.	03	Armor	60	2	
2570B	Brake shoe coil spring	1913-16	3 3/8" long.	03	Asug	2862	4	
2571	UNIVERSAL JOINT ASSEMBLY	1909-16		2 25	Ashore	151B	1	2 lb., 12 oz.
2572	Joint knuckle (male)	1909-16		60	Ashust	45B	1	1 lb.
2573	Joint knuckle (female)	1909-16		80	Askew	46B	1	1 lb.
2574	Joint knuckle pin	1909-16	3/8" x 1 1/2"	01	Asleep	6	1	
2575	Joint ring, complete	1909-16	3 1/8" dia.	80	Astert	49B	1	13 oz.
2576	Joint ring rivets (per set 4)	1909-16	1/4" x 1 1/8"	05	Atche	50	4	
2577	Joint housing	1909-14	4 1/16" long.	75	Atlas	70	1	2 lb.
2578	Joint housing plug	1909-16	1/2" x 20 thds.	05	Atom	75	2	
2579	Ball joint grease cup	1909-16	1/4" pipe thds.	15	Attic	195	1	5 oz.
2580	Ball cap gasket	1909-16	Felt.	03	Auburn	1518	1	
2582	D. S. tubing	1911-16	50 5/8" long.	4 00	Ballad	153D	1	
2583	D. S. roller bearing housing	1911-16	3 11/16" long.	75	Ballot	191B	1	2 lb., 12 oz.
2584	D. S. roller bearing stud and nut	1910-11	3/8" x 4 1/16"	05	Bamily	183-8	6	3 oz.
2584B	D. S. roller bearing stud and nut	1912-16	11/16" x 4 5/8"	05	Balneal	183B-184	6	3 oz.
2586	D. S. roller bearing housing set screw	1911-16	1/2" x 20 thds.	05	Banco	101	1	
2587	D. S. roller bearing	1911-16	2 5/8" long.	1 30	Balsam	108	1	1 lb., 3 oz.




Plate No. 2—Rear Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued								
2588	D. S. roller bearing distance plate	1911-16	2 $\frac{1}{2}$ " dia.	\$0 05	Bandlet	106	1	
2589B	D. S. ball bearing assembly	1911-16		75	Bander	185	1	9 oz.
2589	D. S. ball race	1911-16	2 $\frac{5}{8}$ " dia.	35	Bandon	186	1	5 oz.
2590	D. S. ball retainer	1911-16	2 $\frac{1}{2}$ " dia.	03	Bandroe	190	1	
2591	D. S. ball thrust collar	1911-16	2 $\frac{1}{4}$ " dia.	40	Bandault	188	1	3 oz.
2592	D. S. ball bearings, each	1911-16	Order 2811					
2593	D. S. roller bearing sleeve	1911-16	2 $\frac{5}{8}$ " dia., 2 $\frac{7}{8}$ " long	90	Bangle	107	1	13 oz.
2595B	D. S. only (tapered)	1911-16	1 $\frac{3}{4}$ " x 53 $\frac{1}{16}$ "	3 50	Banjo	87D	1	13 lb., 8 oz.
2595C	D. S. with sleeve and ball bearing	1911-16	1 $\frac{3}{4}$ " x 53 $\frac{1}{16}$ "	5 00	Bannock	2859	1	14 lb., 8 oz.
2595D	D. S. with pinion, complete	1911-16	1 $\frac{3}{4}$ " x 53 $\frac{1}{16}$ "	6 00	Banquet	154D	1	15 lb., 4 oz.
2596	D. S. sleeve	1911-16	1" bore, 3 $\frac{1}{16}$ " long	75	Banshee	163B	1	6 oz.
2597B	D. S. pinion	1911-16	Taper bore, 11 teeth	1 00	Banewort	16C	1	11 oz.
2598	D. S. castle nut	1911-16	$\frac{5}{8}$ " x 18 thds	05	Banket	124	1	
2598B	D. S. pinion key	1911-16		05	Banker	57B	1	
2540	D. S. housing front bushing	1909-16	1" bore, 1 $\frac{3}{4}$ " babbitt	30	Balkish	69	1	5 oz.
REAR AXLE—60 INCH TREAD								
2599	Rear axle assembly	1909-16	.60" tread	55 00	Bankrupt	1727C	1	
*2600	Rear axle housing—right	1909-12	Dia. of bell 10 $\frac{7}{16}$ ", obsolete			1701G	1	
2600B	Rear axle housing—right	1913-14	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bantor	2728A	1	
2600C	Rear axle housing—right	1915-16	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bang	2728C	1	
*2601	Rear axle housing—left	1909-12	Dia. of bell 10 $\frac{7}{16}$ ", obsolete			1702G	1	
2601B	Rear axle housing—left	1913-14	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bamon	2729A	1	
2601C	Rear axle housing—left	1915-16	Dia. of bell 9 $\frac{1}{4}$ "	7 50	Bard	2729C	1	
2602B	Rear axle shaft—tapered	1911-16	1 $\frac{5}{16}$ " x 33 $\frac{1}{16}$ "	2 50	Baptism	2725	2	8 lb., 10 oz.
2604	Rear radius rod	1909-16	.53 $\frac{5}{8}$ " tube only	2 25	Barbett	1726	2	4 lb., 10 oz.
FRONT AXLE								
2690	Front axle assembly	1909-16	.56" tread	24 00	Barila	261B	1	
2691	Front axle only	1909-16	.56" tread	8 00	Barber	202B	1	

*Substitute 2600C and 2601C. Write nearest Branch or Factory for exchange proposition.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FRONT AXLE—Continued								
2694...	Spindle body—right.....	1911-16.		\$2 00.	Bardash.....	203B.....	1	2 lb., 11 oz.
2695...	Spindle body—left.....	1911-16.		2 00.	Bardish.....	204B.....	1	2 lb., 11 oz.
2696...	Spindle arm—left.....	1911-16.		60.	Bardism.....	270.....	1	12 oz.
2696B...	Spindle arm—right.....	1911-16.		60.	Bardo.....	282.....	1	12 oz.
2697...	Spindle arm nut.....	1911-16.	Order 2548.					
*2702...	Spindle assembly—right.....	1909-10.		4 00.	Barkate.....	203A.....	1	3 lb., 8 oz.
*2703...	Spindle assembly—left.....	1909-10.		4 00.	Barker.....	204A.....	1	3 lb., 8 oz.
2704...	Stationary cone.....	1909-16.	1 $\frac{1}{16}$ " bore.....	20.	Barkless.....	205.....	2	4 oz.
2705...	Adjusting cone—right thread.....	1909-16.	$\frac{3}{4}$ " x 16 thds., R. T.....	15.	Barley.....	206.....	1	2 oz.
2706...	Adjusting cone—left thread.....	1909-16.	$\frac{3}{4}$ " x 16 thds., L. T.....	15.	Barrack.....	207.....	1	2 oz.
2707...	Spindle nut—right thread.....	1909-16.	$\frac{3}{4}$ " x 16 R. H. thds.....	05.	Barrow.....	209B.....	1	2 oz.
2708...	Spindle nut—left thread.....	1909-16.	$\frac{3}{4}$ " x 16 L. H. thds.....	05.	Baron.....	208B.....	1	2 oz.
2709...	Spindle washer.....	1909-16.	$\frac{25}{32}$ " hole x 1 $\frac{3}{8}$ ".....	02.	Barras.....	210.....	2	
2710...	Spindle bolt with oiler.....	1910-16.	$\frac{1}{2}$ " x 6 $\frac{3}{4}$ ".....	20.	Barter.....	7703.....	2	7 oz.
2711...	Spindle bolt nut.....	1909-16.	Order 2568.					
2713...	Spindle body bushing (pair).....	1909-16.	$\frac{1}{2}$ " bore.....	30.	Bartram.....	223.....	2	2 oz.
2714...	Spindle arm bushing.....	1909-16.	$\frac{1}{8}$ " bore, $\frac{1}{8}$ " dia., 1" L.....	05.	Barwood.....	225.....	2	
2715...	Spindle oiler.....	1909-14.	Order 3817.					
2715B...	Spindle oiler cap assembly.....	1915-16.		05.	Beard.....	7702-7705-7707.	4	
2717...	Spindle con. rod.....	1909-16.	46 $\frac{3}{4}$ " long.....	1 45.	Basalt.....	268.....	1	3 lb., 2 oz.
2718...	Spindle con. rod bolt with oiler.....	1909-16.	$\frac{7}{16}$ " x 2 $\frac{1}{4}$ ".....	15.	Basan.....	7706.....	2	3 oz.
2719...	Spindle con. rod bolt nut.....	1909-16.	$\frac{7}{16}$ " x 20 thds.....	02.	Bashful.....	220.....	2	
2721...	Spindle con. rod yoke.....	1909-16.	2 $\frac{3}{4}$ " long.....	40.	Bashule.....	248.....	1	5 oz.
2722...	Steering yoke clamp bolt and nut.....	1909-16.	Order 2554.					
2725B...	Steering gear con. rod.....	1909-16.	Includes ball sockets.....	75.	Baslard.....	289.....	1	2 lb., 2 oz.
2728...	Ball socket cap.....	1909-16.		15.	Basent.....	254B.....	2	2 oz.
2729...	Ball socket bolt and nut.....	1909-16.	$\frac{3}{8}$ " x 1 $\frac{3}{32}$ ".....	05.	Basined.....	255-8.....	4	
2733...	Front radius rod.....	1909-16.		2 50.	Beardless.....	263.....	1	
2734...	Front radius rod nut.....	1909-16.	Order 2548.					
2736...	Front radius rod ball cap.....	1909-16.		15.	Beaufet.....	217.....	1	3 oz.

*Write nearest Branch or Factory for exchange proposition on new style front axle with spindle.




Plate No. 3—Front Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FRONT AXLE—Continued								
2737	Front radius rod ball socket	1911-16		\$0 20	Beckon	809B	1	11 oz.
2738	Front radius rod ball cap screw	1909-10	$\frac{3}{8}$ " x 24 thds.	05	Beaver	810A	2	
2741	Radius rod ball cap stud and nut	1911-16		05	Berth		2	
2742	Radius rod ball cap spring	1911-16		02	Bicep		2	
2760	FRONT AXLE ONLY	1909-16	.60" tread	8 00	Bechance	1720B	1	
2761	Steering spindle con. rod	1909-16	.60" tread	1 45	Becket	1725	1	3 lb., 7 oz.
2762	Steering gear con. rod	1909-16	.60" trd. includes ball sockets	75	Becloud	2739	1	

WHEELS

2800B	Front wheel (specify color)	1909-16	.30" x 3"	5 00	Becomb	291	2	
2803C	Front hub assembly	1909-16		2 00	Bedew	232	2	4 lb., 9 oz.
2804	Outer race	1909-16	1 $\frac{11}{16}$ " dia.	10	Bedferre	234	2	2 oz.
2805	Inner race	1909-16	2 $\frac{11}{16}$ "	15	Bedight	235	2	5 oz.
2806	Outer ball retainer	1909-16	1 $\frac{33}{64}$ " dia.	02	Bedim	236	2	
2807	Inner ball retainer	1909-16	2 $\frac{11}{16}$ " dia.	03	Bedside	237	2	
2808	Dust ring	1909-16	Steel, 2 $\frac{11}{16}$ " dia.	05	Bedward	238	2	1 oz.
2809	Felt washer front and rear hub	1909-16	2 $\frac{1}{2}$ " dia.	05	Bedije	239	2	
2810	Large balls, each	1909-16	$\frac{1}{2}$ "	04	Beefing	241	24	
2811	Small balls, each	1909-16	$\frac{3}{8}$ "	03	Beemol	249	22	
2814C	Rear wheel—blue (taper hub)	1912-16	.30" x 3 $\frac{1}{2}$ "	5 00	Beggah	2815	2	
2815B	Rear hub (straight bore)	1909-11	1 $\frac{1}{16}$ " bore x 4 $\frac{1}{4}$ "	1 50	Beggart	4CB	2	4 lb., 7 oz.
2815C	REAR HUB (TAPERED)	1912-16	3 $\frac{1}{4}$ " long	1 20	Begol	2819	2	4 lb., 3 oz.
2816	Rear hub key (for straight axle)	1909-10	$\frac{1}{4}$ " x $\frac{1}{4}$ " x 4 $\frac{9}{16}$ "	05	Begone	26	2	2 oz.
2816B	Rear hub key (for taper axle)	1912-16	$\frac{1}{4}$ " x $\frac{1}{4}$ " x 2 $\frac{11}{16}$ "	05	Begloom	2820	2	1 oz.
2817	Rear hub pin	1909-10	$\frac{3}{8}$ " x 2"	02	Begore	27	2	1 oz.
2818	Rear hub brake drum	1909-16	3" hole, 8" dia.	30	Beguiler	3	2	2 lb., 9 oz.
2819	Hub cap	1909-16	2 $\frac{1}{8}$ " x 24 thds.	15	Behave	249	4	3 oz.
2820	Hub bolt and nut	1909-10	$\frac{5}{16}$ " x 2" x 18 thds.	05	Beheld	28A	24	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
WHEELS—Continued								
2825	Hub bolt and nut	1911-16	$\frac{7}{8}$ " x $2\frac{1}{8}$ " x 16 thds.	\$0 03	Belay	28B	24	
2827	Hub flange	1911-15	6" dia.	10	Bellow	233B	4	1 lb., 5 oz.
2828	Rear hub lock nut	1912-16	$\frac{5}{8}$ " x 18 thds.	05	Bengal	242	2	2 oz.
FRAME								
*2850	Frame assembly	1909-16	Specify Car No.	8 00	Belone	2916	1	
2851B	Side member—right	1914-15		3 00	Benign	2914	1	
2852B	Side member—left	1914-16		3 00	Berdash	2915	1	
2853	Front cross member	1909-15	22 $\frac{3}{4}$ " long	1 00	Beluga	303	1	3 lb., 15 oz.
2854	Rear cross member	1909-13	22 $\frac{11}{16}$ " long	1 00	Bemoan	304	1	6 lb., 3 oz.
2854B	Rear cross member	1914-16		1 00	Bendlet	2913	1	7 lb., 8 oz.
2855	Front corner bracket—right	1909-16		30	Benumb	305	1	8 oz.
2856	Front corner bracket—left	1909-16		30	Bequest	306	1	8 oz.
2857	Rear corner bracket—right	1909-16		30	Besiege	307	1	9 oz.
2858	Rear corner bracket—left	1909-15		30	Bespawl	308	1	9 oz.
2863	Body bracket	1909-16	On frame	15	Bestow	344	4	4 oz.
GASOLINE TANK—RUNABOUT								
2875	Gasoline tank	1911-12	16 $\frac{1}{2}$ gallons	6 00	Bethel	2083	1	
2876	Filler cap	1911-12	2 $\frac{1}{8}$ " out. dia.	30	Bethump	2315	1	7 oz.
2878	Feed pipe	1911-12	Brass, 78" long	50	Betrap	1394	1	8 oz.
GASOLINE TANK—TOURING CAR								
2900	Gasoline tank	1909-16	10 gallons	3 00	Bibber	1303	1	
2901	Filling plug	1909-16	2 $\frac{1}{8}$ "	15	Biblist	1317	1	1 oz.
2902B	Sediment bulb	1909-16	Brass	80	Bickers	2088	1	1 lb., 2 oz.

*Rear cross member extension must be cut off when used on 1909-12.



2805




2804



2806



2807



2909



2816

2816-B



2818



2809



2908



2907



2876



2815-C



2815-B



2803-C




2819




2901



2902-B



2814-C



2800-B



2828



2900

Plate No. 4—Wheel and Gasoline Tank Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

GASOLINE TANK—TOURING CAR—Continued

2903	Tank bolt and nut	1909-16	Specify length	\$ 0 05	Bight	1320	3	1 oz.
2907	Stop cock	1909-16		20	Bigot	1343	1	3 oz.
2908	Pet cock	1909-16	1/8" pipe thds.	15	Billb	1515	1	2 oz.
2909	Feed pipe	1909-16	1/4" x 40 3/4" long	35	Billet	1364	1	4 oz.
2910	Feed pipe pack nut	1909-16	1/2" x 18 thds.	05	Billow	1374	2	

MOTOR

3000	Cylinder	1909-16	Cars above 2500	15 00	Cabal	400C	1	
3001	Cylinder head	1909-16	Cars above 2500	3 00	Cabin	401C	1	
3002	Cyl. head gasket	1909-16	Copper-Asbestos	40	Caboose	402B	1	5 oz.
3003	Cyl. head cap screw	1909-16	7/16" x 2 1/8"	05	Cackle	483B	15	2 oz.
3004	Cyl. head outlet connection	1909-16	Cast iron	15	Caddow	446C	1	11 oz.
3005	Cyl. head outlet con. gasket	1909-16	Copper	05	Caddy	445B	1	
3006	Cyl. head outlet hose	1909-16	2" x 3 1/4"	10	Cadet	448B	1	4 oz.
3007	Cyl. head outlet hose clip	1909-16	2 3/4" dia.	05	Cadger	607B	2	1 oz.
3008	Cyl. head outlet con. screw	1909-16	1/8" x 1 1/8"	05	Cadmean	550C	2	1 oz.
3009B	Cyl. front cover with set screw	1909-16	Cars above 2500	75	Cage	690	1	2 lb., 1 oz.
3010	Cyl. cover bolt and nut	1909-16	3/8" x 7/8"	05	Cafe	1028-8	1	1 oz.
3011	Cyl. cover cap screw	1909-16	3/8" x 1 1/8"	03	Cahoot	432	3	
3012	Cyl. cover felt	1909-13	Felt	05	Caitiff	504	1	
3013	Cyl. cover liner	1909-16	Paper	01	Cajole	505B	1	
3014	Cyl. cover and crank case bolt and nut	1909-16	3/8" x 1 3/8"	05	Calash	484-8	16	
3015	Cyl. water inlet connection	1909-16	Cast iron	20	Calcine	442B	1	1 lb., 3 oz.
3016	Cyl. inlet con. screw	1909-16	1/8" x 1 1/4"	03	Caldron	597	2	
3018	Cyl. water inlet gasket	1909-16	Copper	05	Calefy	596	1	
3019	Cyl. water jacket plug	1909-13	1/2" pipe plug	05	Capin	557	3	1 oz.
3019B	Cyl. water jacket plug	1914-16		01	Canon	5919	3	
3020	PISTON COMPLETE	1909-16	3 3/4" dia.	1 35	Caliph	586C	4	3 lb., 9 oz.
3020C	PISTON COMPLETE	1909-16	.0025" oversize	1 35	Canopy	683A	4	
3020D	PISTON COMPLETE	1909-16	.03125" oversize	1 35	Capon	683C	4	
3021	Piston only	1909-16	3 3/4" dia.	85	Callous	418	4	2 lb., 15 oz.



3009



3009-B



3163



3110



3107




3101-B



3001



3176



3221




3111



3165




3102



3071



3112



3076



3002



3013



3169




3175




3012



3084



3000



3100



3085

Plate No. 5 -Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued								
3022	Piston pin	1909-16	.47" dia. x 3½" long	\$ 0 20	Callot	419B	4	4 oz.
3022½	Piston pin bushing (pair)	1909-16	.1½" dia. x 1 ⅜" long	35	Callow	668	4	3 oz.
3023	Piston ring	1909-16	¼" x 3¾"	10	Calmy	422	12	2 oz.
3023B	Piston ring	1909-16	.03125" oversize	10	Calf	5917	12	
*3024	CONNECTING ROD	1909-16	Includes bearings	1 50	Calvish	641	4	1 lb., 9 oz.
3025	Con. rod cap bolt and nut	1909-16	⅜" x 2" x 24 thds.	10	Calyz	489B	8	
3029	Con. rod clamp screw	1909-16	⅜" x 1 ⅛"	05	Cambrie	578	4	
3030	CRANK SHAFT	1909-16	25 ⅜" long	7 50	Camel	498B	1	
3031	C. S. rear bearing cap	1909-16	3 ⅛" long, babbitted	60	Cameo	405B	1	1 lb., 1 oz.
3032	C. S. front bearing cap	1909-16	1 ⅛" long, babbitted	50	Camera	406B	1	10 oz.
3033	C. S. center bearing cap	1909-16	2 ⅜" long, babbitted	50	Camlet	407B	1	10 oz.
3034	C. S. bearing bolt—center and front	1909-16	½" x 6 ⅛" x 20 thds.	15	Camphor	408	4	6 oz.
3035	C. S. bearing bolt nut	1909-16	Order 256S					
3036	C. S. rear bearing bolt	1909-16	½" x 4 ⅜"	15	Candle	478	2	4 oz.
3038	C. S. bearing liner—center and front	1909-16	1 ⅛" long, brass	01	Cannon	502B		
3039	C. S. rear bearing liner	1909-16	3" long, brass	01	Canny	503B		
3040	C. S. starting pin	1909-16	⅜" x 2¾"	05	Canoe	529B	1	2 oz.
3041	CAM SHAFT	1909-16	Drop forging	3 50	Canteen	410	1	3 lb., 4 oz.
3042	Cam shaft front bearing	1909-16	Cast iron, 2" long	20	Canter	411	1	6 oz.
3043	Cam shaft center bearing	1909-16	Cast iron, 2 ⅛" long	20	Canthus	412B	1	6 oz.
3044	Cam shaft rear bearings	1909-16	Bronze, 1 ⅞" long	25	Canto	413	1	3 oz.
3045	Cam shaft bearing ring	1909-16	⅜" x 1 ⅛"	01	Canvas	534	2	
3046	Cam shaft bearing set screw	1909-16	⅞" x ⅝"	03	Capelin	414	2	
3047	Time gear—large (on cam shaft)	1909-16	42 teeth	75	Caper	415	1	1 lb., 10 oz.
3048	Time gear—small (on crank shaft)	1909-16	21 teeth	60	Capat	416	1	11 oz.
3049	Cam shaft gear dowel pin	1909-16	⅜" x ⅞"	03	Capra	417	2	
3050B	Cam shaft large gear lock nut	1912-16	Used with com. No. 3160	10	Captive	4453	1	2 oz.

*Connecting rods requiring new bearings will be exchanged at Branch or Factory for 75c each.




Plate No. 6—Motor Parts


Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued								
3051	Cam shaft small gear key	1909-16	Special Woodruff key	\$0 03	Capsize	477	1	
3052	Valve	1909-16	Exhaust and inlet	15	Capstan	424	8	3 oz.
3052B	Valve	1909-16	$\frac{1}{4}$ " oversize	15	Cake	5913	8	
3053	Valve bushing	1909-10	$\frac{9}{16}$ " dia. x 2" long	15	Capsule	428	8	2 oz.
3053½	Valve bushing	1911-12	$\frac{9}{8}$ " O. D. x 2" long	15	Captain	428B	8	2 oz.
3054	Valve spring	1909-16	2 $\frac{7}{8}$ " long	05	Capture	431	8	1 oz.
3056	Valve spring seat	1909-16	1 $\frac{1}{4}$ " dia.	01	Carack	425	8	
3057	Valve spring seat pin	1909-16	$\frac{1}{4}$ " x $\frac{11}{16}$ "	01	Caranx	429	8	
3058	Push rod	1909-16	$\frac{1}{16}$ " dia., 2 $\frac{11}{16}$ "	15	Carat	426	8	2 oz.
3058B	Push rod	1909-16	$\frac{1}{4}$ " oversize	15	Canine	5914	8	
3059½	Push rod bushing	1909-16	Iron	15	Chippy	427B	8	2 oz.
3060	Exhaust manifold	1909-12	Iron	75	Chisley	511	1	4½ lb.
3060B	Exhaust manifold	1913-16	Iron	75	Chirp	4483	1	4½ lb.
3061	Exhaust pipe pack nut	1909-16	1 $\frac{7}{8}$ " x 18 thds., brass	20	Chitter	518	1	4 oz.
3062	Inlet pipe	1909-16		60	Chloris	512B	1	2 lb., 8 oz.
3063	Inlet and exhaust pipe gasket	1909-16	1½" O. D. copper	03	Choker	513	6	1 oz.
3064	Inlet and exhaust pipe gland	1909-16	1 $\frac{1}{4}$ " dia., iron	03	Chopper	514	6	
3065	Inlet and exhaust pipe clamp	1909-16	2 $\frac{3}{4}$ " long	10	Choral	515	4	3 oz.
3066	Inlet and exhaust clamp stud and nut	1909-16	$\frac{3}{4}$ " x 3 $\frac{1}{4}$ "	05	Chorus	516-517	4	2 oz.
3068	Breather pipe	1909-16	1 $\frac{3}{16}$ " long, brass	15	Chuck	4468	1	2 oz.
3069	Crank case (substitute 3100 and 3376)	1909-10	Used with No. 3361			1526A	1	
3069B	Crank case front end bearing	1911-16		50	Clam	801C	1	
3070	Crank case and cyl. gasket—left	1909-16	Felt	03	Cider	886	1	
3071	Crank case and cyl. gasket—right	1909-16	Felt	03	Cigar	887	1	
3072	Crank case and cyl. cover cap screw	1909-16	$\frac{3}{8}$ " x 1"	03	Cinter	1388	2	
3073	Crank case arm bolt and nut—side	1909-16	$\frac{3}{8}$ " x 2 $\frac{1}{4}$ "	05	Cippers	479	2	2 oz.
3074	Crank case arm bolt and nut—top	1909-16	$\frac{3}{8}$ " x $\frac{31}{32}$ "	05	Circlet	480-8	2	
3076	Crank case front frame bearing	1909-16	Iron	50	Circus	320B	1	1 lb., 6 oz.
3077	Crank case front bearing cap	1909-16	Iron	10	Cizar	321	1	3 oz.
3078	Crank case front bearing screw	1909-16	$\frac{1}{16}$ " x $\frac{7}{16}$ "	05	Clabber	322	2	1 oz.
3079	Crank case oil cock	1909-16	Order 2908					

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued								
3080	Crank case drain cup plug	1909-16	Order 2532					
3080B	Crank case drain cup plug gasket	1909-16		\$ 0 01	Cliff	4339	1	
3081	Crank case oil tube	1909-15	Brass	15	Cleavast	543B	1	2 oz.
3083	Crank case arm block	1909-15	Wood	05	Clergy	890	2	3 oz.
3084	Engine pan—right	1909-16		25	Clicket	1330	1	1 lb., 14 oz.
3085	Engine pan—left	1909-16		25	Clientage	1331B	1	1 lb., 11 oz.
3088B	Engine pan and hood board bolt and nut	1909-16	Short, $\frac{1}{4}$ " x $3\frac{1}{4}$ "	03	Clog	4074-1309	2	
3088C	Engine pan and hood board bolt and nut	1909-16	Size, $\frac{1}{4}$ " x $3\frac{3}{8}$ "	03	Clod	4073-1307	2	
3100	CRANK CASE WITH LOWER COVER	1912-16	Used only with No. 3376	7 50	Closet	1526C	1	
3101	Crank case lower cover	1912-16	$6\frac{7}{8}$ " x $15\frac{1}{2}$ "	30	Closure	1582	1	2 lb., 13 oz.
3101B	Crank case lower cover reinforcement	1912-16		30	Clothes	4378-4379	1	1 lb., 11 oz.
3102	Crank case lower cover gasket	1912-15	Felt	10	Clotting	1586	1	
3103	Crank case lower cover screw	1912-16	$\frac{5}{16}$ " x $\frac{1}{16}$ "	03	Cloudlet	4328	14	
3110	Cylinder valve cover	1912-16	$3\frac{3}{4}$ " x 8"	10	Clovate	656	2	9 oz.
3111	Cylinder valve cover gasket	1912-16	Felt	02	Cloven	660	2	
3112	Cylinder valve cover stud and nut	1912-16	$\frac{3}{8}$ " x $3\frac{5}{8}$ "	05	Compone	654	2	2 oz.
3115	Set of motor felt gaskets		Including 2580, 3070, 3071, 3102, 3111, 3363 and 3377	30	Con. h			
COMMUTATOR								
3155	Commutator only	1912-16	Used with No. 3009B	1 00	Cook		1	9 oz.
3162	Com. case support bolt	1912-16	$\frac{3}{8}$ " x $2\frac{1}{4}$ " x 24 thds.	05	Connote	4441	1	2 oz.
3163	Com. case spring	1912-16	$3\frac{1}{4}$ " C. to C.	03	Conoid	689	1	1 oz.
3165	Com. brush assembly	1912-16		40	Conquest	4481	1	3 oz.
3167	Com. roller	1912-16	$\frac{43}{32}$ " out. dia., $\frac{7}{16}$ " long	10	Consense	673	1	
3168	Com. roller pin	1912-16	$\frac{7}{32}$ " x $\frac{33}{32}$ "	03	Conserve	675	1	
3169	Com. arm with roller	1912-16		25	Console	4474	1	1 oz.
3170	Com. roller arm spring	1912-16	Coil spring	01	Consort	469	1	
3173	Com. arm pin	1911-16	$\frac{7}{8}$ " x $\frac{33}{32}$ "	02	Contex	476B	1	
3176	Com. oiler	1912-16	$\frac{1}{8}$ " pipe thds.	10	Coomb	2383	1	
3177	Com. felt ring	1912-16	Felt	03	Coombox	4467	1	
3206	Com. brush cap	1909-16	$\frac{1}{8}$ " dia.	01	Convert	468	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
COMMUTATOR -Continued								
3207	Com. brush cap pin	1909-16	$1\frac{1}{8}" \times \frac{25}{32}"$	\$0	01..Convict	466	1	
3210	Com. contact point nut	1910-16	$\frac{7}{16}"$ hex.		02..Cooper	472B	4	
3212	Com. thumb nut	1909-16	No. 10, 32 thds.		03..Copeck	467	4	
3220	Com. lock nut	1909-16	$\frac{9}{16}" \times 18$ thds.		03..Crater	471	1	
3221	Com. case with fibre assembled	1912-16		69	Crato	5908	1	
3222	Com. shield	1912-16		02	Crash	5923	1	

MAGNETO

3250B	Magneto coil assembly	1909-10	Used with $\frac{7}{16}"$ magnets	6 00	Coquet	591B	1	11 lb., 8 oz.
3250C	Magneto coil assembly	1911-14	Used with $\frac{5}{8}"$ magnets	6 00	Corel	591C	1	11 lb., 4 oz.
3250D	Magneto coil assembly	1915-16	Used with $\frac{3}{4}"$ magnets	6 00	Craft	5941	1	
3252	Magneto spool support screw	1909-16	Order 3371					
3254	Magnet bolt	1909-16	$\frac{3}{8}" \times 1\frac{1}{2}"$	05	Corbeil	537B	16	1 oz.
3255B	Magnet bolt washer	1911-16	$\frac{25}{64}"$ hole, $\frac{7}{8}"$ dia.	01	Corrupt	624	16	
3256B	Magnet washer screw	1909-10	$2" \times 24$ thds., brass	05	Cordals	541B	16	
3257	Magnet brass support	1911-16	$\frac{5}{8}" \times \frac{3}{4}"$, brass	05	Cordial	535C	16	
3257B	Magnet brass support	1909-10	$\frac{5}{8}" \times \frac{3}{4}"$, brass	05	Cordon	535B	16	1 oz.
3260	Magneto contact assembly	1909-16	On trans. cover	25	Cormus	1545	1	2 oz.
3261	Magneto contact thumb nut	1909-16	Brass	03	Cornet	1508	1	
3262	Magneto contact spring	1909-16	Coil spring	03	Cornise	1509	1	
3262B	Magneto primary contact point	1909-16	$\frac{3}{32}"$ dia.	03	Corpse	4331	1	
3266	Magneto contact fibre screw	1909-16	$1\frac{1}{2}"$ long	01	Cortile	1505B	3	
3269C	Fly wheel	1911-16	Used on cars over 20500	3 50	Cosmic	701B	1	
3269E	Fly wheel with magnets assembled	1915-16	$\frac{3}{4}"$ magnets	12 00	Cramp	5946	1	
3270	Fly wheel cap screw	1909-16	$\frac{7}{16}" \times 1\frac{3}{16}"$	10	Cossack	721	4	2 oz.
3271	Fly wheel dowel pin	1909-16	$\frac{15}{32}" \times 1\frac{3}{16}"$	05	Costard	722	2	



3250-D



3254



3272



3270



3278



3260



3257-B




3255-B



3279




3257



3269-C




3277




3276-B



3277-B



3250-C



3269-E

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
MAGNETO—Continued								
3272	Magneto coil support shim	1909-16	Sheet steel	\$ 0 03	Costrel	584	1	
3275	Magnet (16) per set	1909-10	Thickness at face $\frac{1}{16}$ "	set 12 00	Cote	536B	16	
3276	Magnet (16) per set	1911-14	Thickness at face $\frac{5}{8}$ "	set 6 00	Coupon	536C	16	
3276B	Magnet (16) per set	1915-16	$\frac{3}{4}$ "	set 6 00	Court	5933	16	
3277	Magnet clamp	1911-16		02	Cotland	623	16	
3277B	Magnet clamp	1913-14		02	Cotta	4499	16	
3278	Magnet clamp screw	1911-16	2 $\frac{3}{16}$ " x 24 thds., brass	03	Cottage	625	16	
3279	Magneto-contact washer	1909-16	On trans. cover	01	Cough	560	1	

TRANSMISSION

3300	Transmission assembly	1909-16		35 00	Delester	744B	1	
3301	Trans. reverse plate assembly	1909-16		3 25	Dacolt	747	1	4 lb., 14 oz.
3304	Trans. reverse gear bushing	1909-16	2 $\frac{1}{16}$ " rear	75	Daddy	705	1	9 oz.
3305	Trans. reverse and S. S. rivet	1909-16	$\frac{1}{32}$ " x $\frac{11}{16}$ "	05	Dado	708	8	
3306	TRANS. SLOW SPEED PLATE ASSEMBLY	1909-16		3 50	Dagger	748	1	4 lb., 8 oz.
3309	Trans. slow speed gear bushing	1909-16	1 $\frac{11}{16}$ " ream	50	Dairy	745	1	5 oz.
3310	Trans. brake drum rivet	1909-16	$\frac{5}{16}$ " x $\frac{11}{16}$ "	05	Daisy	711	8	
3311	TRANS. BRAKE DRUM ASSEMBLY	1909-16		3 50	Dakir	750	1	6 lb., 2 oz.
3313	TRANS. TRIPLE GEAR ASSEMBLY	1909-16		3 00	Dallop	751B	3	2 lb.
3314	Trans. triple gear bushing	1909-10	1" dia. x 1 $\frac{13}{16}$ " long	30	Dally	716A	3	3 $\frac{1}{2}$ oz.
3314 $\frac{1}{2}$	Trans. triple gear flanged bushing	1911-16	1 $\frac{1}{16}$ " dia. x 1 $\frac{3}{4}$ "	30	Dalriad	716B	3	4 oz.
3315	Trans. triple gear shaft	1909-16	$\frac{11}{16}$ " dia. x 2 $\frac{1}{4}$ "	30	Dalrotz	715	3	4 oz.
3316	Trans. triple gear riveting pin	1909-16	$\frac{1}{16}$ " x 1 $\frac{1}{16}$ "	01	Damar	720	24	
3317	Trans. driven gear	1909-16	27 teeth	1 00	Damask	713	1	13 oz.
3318	Trans. driven gear key	1909-16	"B" Woodruff key	03	Dampen	714	2	4 oz.
3320B	Trans. driven gear sleeve bushing	1909-16	1" ream x flange 2 $\frac{3}{4}$ "	50	Dankish	769	1	4 oz.
3320C	Trans. driven gear sleeve bushing	1909-16	1 $\frac{1}{2}$ " long	25	Dark	712	1	3 oz.
3321	TRANS. DRIVING PLATE ASSEMBLY	1909-16		4 00	Dannock	749	1	5 lb.
3323	Trans. driving plate screw	1909-16	Order 3371					
3325	Trans. driving plate rivet	1909-16	$\frac{1}{8}$ " x $\frac{5}{8}$ "	per doz. 05	Darner	736	8	




Plate No. 8—Transmission Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION CONTROL—Continued								
3458	Hand brake lever pawl	1909-16		\$ 0 10	Doucet	875	1	
3459	Hand brake lever pawl pin	1909-16	$\frac{1}{16}$ " x $\frac{1}{8}$ "	02	Doura	876	1	
3460	Hand brake lever pawl rod	1909-16		10	Dovecote	877	1	3 oz.
3462	Hand brake lever pawl lift assembly	1909-16	Handle and spring	10	Dovekie	879	1	2 oz.
3463	Hand brake lever pawl lift spring	1909-16		02	Dawcet	888	1	
3465	HUB BRAKE LEVER ON CONTROLLER SHAFT	1909-16		20	Dawdy	864	1	3 oz.
3466	Hub brake lever pin	1909-16	Order 3405					
3467	Hub brake lever clevis	1909-16	2 $\frac{1}{16}$ ", Order 3147					
3468	Hub brake pull rod—right	1909-16	54 $\frac{1}{8}$ " long	30	Drongo	891B	1	
3469	Hub brake pull rod—left	1909-16	54 $\frac{1}{8}$ " long	30	Dropax	1513B	1	
3470	Hub brake rod support—right	1909-16		10	Dropsy	1367	1	4 oz.
3471	Hub brake rod support—left	1909-16		10	Drugger	1398	1	4 oz.
3472	Hub brake rod support bolt and nut	1909-16	$\frac{1}{4}$ " x 1 $\frac{1}{8}$ "	03	Duchess	1399B-1900	2	
STEERING GEAR								
3500C	Steering gear assembly	1911-16	51" long	10 00	Estopped	5005	1	
3500D	Steering gear assembly	1911	60" long, runabout	16 00	Eurus	979	1	
3501	Steering gear rim	1909-10	14" dia., wood, Order 3503C					
3501B	Steering gear rim	1911-16	15" dia., wood	90	Estrade	901B	1	1 lb., 6 oz.
3502	Steering gear rim screw	1909-16	No. 12, $\frac{3}{4}$ "	02	Eblis	919	4	
3503B	Steering gear spider	1911-16	13 $\frac{5}{8}$ " over all	1 00	Estrepe	902B	1	1 lb., 10 oz.
3503C	Steering gear spider and rim	1909-16	15" dia.	1 90	Eudora	995	1	
3504	Steering gear cover	1909-16	2 $\frac{1}{2}$ " x 18 thds.	69	Ecbole	903	1	10 oz.
3505	Steering gear cover screw	1909-16	No. 6, 32 x $\frac{3}{4}$ "	02	Eccope	910	1	
3506	Steering gear cover bushing	1909-14	1" long, steel	10	Echo	914	1	2 oz.
3506B	Steering gear driving pinion washer	1909-16	Steel	05	Elf	5026	1	
3507	Steering gear internal gear case and bushing	1909-16		1 00	Egg	5029	1	
3509	Steering gear quadrant	1909-14	Brass	40	Ectype	906	1	7 oz.
3510	Steering gear quadrant pin	1909-14	$\frac{3}{8}$ " x 1 $\frac{1}{4}$ ", brass	01	Eden	907	2	




Plate No. 10—Steering Gear Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
STEERING GEAR—Continued								
3511...	Steering gear wheel nut.....	1909-16..	$\frac{5}{8}$ " x 16 thds.....	\$0 10..	Edict.....	913.....	1	2 oz.
3512C...	Steering gear tubing assembly.....	1912-16..	Applies to No. 3500C.....	5 00..	Ethicer.....	5016.....	1	
3512D...	Steering gear tubing assembly.....	1911.....	Applies to No. 3500D.....	8 00..	Euryale.....	5011.....	1	
3513B...	Steering tubing flange screw and nut.....	1911-16..	$\frac{1}{16}$ " x 1 $\frac{5}{16}$ ".....	03..	Ethule.....	5019.....	1	
3513C...	Steering tubing flange screw and nut.....	1911-16..	$\frac{1}{16}$ " x 1 $\frac{5}{16}$ ".....	03..	Ettle.....	5018.....	3	
3516...	Steering gear post.....	1909-10..	Applies to No. 3500.....	2 50..	Effray.....	915A.....	1	
3516C...	Steering gear post.....	1912-16..	Applies to No. 3500C.....	1 50..	Estricked.....	5002.....	1	
3516D...	Steering gear post.....	1911.....	Applies to No. 3500D.....	2 50..	Eutaxy.....	959.....	1	
3517...	Steering gear pinions, each.....	1909-16..	12 teeth.....	15	Egad.....	916.....	3	
3518...	Steering gear pinion pin.....	1909-16..	$\frac{3}{8}$ " x 1 $\frac{5}{16}$ ".....	03..	Egest.....	917.....	3	
3519...	Steering gear drive pinion.....	1909-16..	12 teeth.....	50..	Egger.....	911.....	1	7 oz.
3520...	Steering gear drive pinion key.....	1909-16..	$\frac{1}{16}$ " sq. x $\frac{11}{16}$ ".....	03..	Egma.....	909.....	2	
3521...	Steering gear pinion shaft bushing.....	1909-14..	$\frac{1}{8}$ " bore x 1 $\frac{1}{2}$ ".....	20..	Egress.....	912.....	1	
3523...	Steering gear post castle nut.....	1909-16..	Order 2568.....					
3524E...	Throttle rod.....	1912-16..	.47 $\frac{11}{16}$ " Applies to 3500C.....	30..	Euter.....	5003.....	1	1 lb., 3 oz.
3525E...	Lead rod.....	1912-16..	.51 $\frac{9}{16}$ " Applies to 3500C.....	30..	Evans.....	5004.....	1	1 lb., 4 oz.
3526...	Lead and throttle handle.....	1909-12..	1 $\frac{1}{8}$ " long, rubber.....	15..	Elfin.....	918.....	2	
3527...	Lead and throttle rod spring.....	1909-16..		03..	Elite.....	935.....	2	
3528...	Lead and throttle rod collar.....	1909-16..	$\frac{5}{16}$ " bore x $\frac{5}{16}$ ".....	02..	Elope.....	936.....	2	
3529...	Lead and throttle rod pin.....	1909-16..	$\frac{3}{32}$ " x $\frac{5}{16}$ ".....	01..	Elvan.....	937.....	5	
3530...	Lead rod lever.....	1909-16..		10..	Embank.....	946.....	1	
3531...	Throttle rod lever.....	1909-16..		15..	Ember.....	947.....	1	
3532...	Throttle rod guide.....	1909-16..	$\frac{3}{4}$ " bore.....	10..	Emblem.....	938.....	1	
3534...	Commutator pull rod.....	1909-11..	14" long.....	10..	Embroid.....	1325B.....	1	3 oz.
3534B...	Commutator pull rod.....	1912-16..		10..	Embrace.....	2082.....	1	3 oz.
3535...	Carburetor pull rod.....	1909-16..	14 $\frac{5}{16}$ " long.....	10..	Emboss.....	1329.....	1	3 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
STEERING GEAR—Continued								
3536	Ball and socket joint	1909-16		\$0 05	Embraid	1326	1	1 oz.
3537	Ball and socket joint nut	1909-16	$\frac{3}{8}$ " x 32 thds.	01	Embrute	1327	1	oz.
3538	Carburetor pull rod adjustment	1909-16	(Substitute with 3535)					
3539	Steering post bracket with bushing	1909-10		1 00	Empeach	932A	1	1 lb., 12 oz.
3539B	Steering post bracket with bushing	1911-16	Touring	75	Eupon	932B	1	1 lb., 14 oz.
3539C	Steering post bracket with bushing	1911	Runabout	1 00	Exile	953	1	1 lb., 15 oz.
3540	Steering post bracket bolt and nut	1909-16	Order 3073					
3541	Steering post bracket bolt and nut	1909-16	Order 3074					
3544	Steering post bracket felt washer	1909-16		02	Endow	943	1	
3545	Steering post bracket bushing	1909-16	$\frac{3}{4}$ " bore, brass, 2 pieces	20	Envault	944-5027	1	2 oz.
3546	Steering post bracket block	1909-16	Wood	05	Empact	945	1	3 oz.
3547	Steering gear ball arm	1909-16		50	Eparch	929B	1	11 oz.
3548	Steering gear ball arm key	1909-16	Woodruff	03	Ephod	930	1	
3563	Steering post bracket grease cup	1909-16	$\frac{1}{8}$ " pipe thds.	10	Eurite	76	1	1 oz.

BODY PARTS

3601	Body bracket on body	1910-12	Front end	10	Fabius	1002	2	4 oz.
3601B	Body bracket on body	1910-16	Center and rear	10	Fabric	1624	6	8 oz.
3601C	Body bracket on frame	1911-12	Rear	20	Faber	2435	2	8 oz.
3602D	Body bracket con. bolt and nut		Specify size.	05	Facade		2	
3624B	Front floor rubber matting	1912	29 $\frac{1}{8}$ " x 29 $\frac{1}{8}$ " Runabout	1 50	Fitch	5215	1	5 lb., 8 oz.
3624C	Front floor rubber matting	1909-14	27 $\frac{1}{8}$ " x 29 $\frac{1}{8}$ "	1 50	Fiton	5401	1	
3624E	Front floor rubber matting	1915-16	28 $\frac{1}{4}$ x 29 $\frac{1}{8}$ " Tour.&Runab't	1 50	Faith	7299	1	
3626	Floor board (first from dash)	1909-14		35	Farness	1098	1	2 lb., 9 oz.
3626B	Floor board (first)	1915-16	Tour., Runabout & Coupelet	35	Farm	7296	1	
3627	Floor board (second)		Specify size.	35	Farrier	1402	1	2 lb.
3627B	Floor board (second)	1915-16	Tour., Runabout & Coupelet	35	Faro	7297	1	
3628	Floor board (third)		Specify size.	50	Fasces	1404	1	5 lb.
3629	Floor board (fourth)		Specify size.	35	Fasti	1403	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
BODY PARTS—Continued								
3630...	Floor board forward plate for pedals.....	1909-16.	2 1 ¹ / ₈ " x 3 1 ¹ / ₈ "	\$ 0 10.	Fateful.....	1400G.	1	6 oz.
3632...	Floor board rear plate for pedals.....	1909-16.	2 1 ¹ / ₈ " x 4 1 ¹ / ₈ "	10.	Father.....	1095C.	1	12 oz.
3633...	Floor board plate for side lever.....	1909-16.	2 3 ³ / ₈ " x 8 3 ³ / ₄ "	10.	Fathom.....	1994B.	1	5 oz.
3634B...	Dash.....	1909-10-11.	21 1 ¹ / ₄ " x 31 1 ¹ / ₈ "	5 00.	Flamen.....	1091B.	1	9 lb., 4 oz.
3634C...	Dash.....	1912.	23" x 32 1 ¹ / ₄ "	5 00.	Flamemer.....	5257.	1	10 lb., 12 oz.
3634D...	Dash.....	1913-14.	21 1 ¹ / ₂ " x 32 1 ¹ / ₄ "	5 00.	Flango.....	5336.	1	9 lb., 4 oz.
3634E...	Dash only.....	1915-16.		2 00.	Fleet.....	7462.	1	
3634F...	Dash and hood support assembly.....	1915-16.		3 00.	Flirt.....	7462-7464.	1	
3635D...	Dash brass moulding.....	1913-14.		60.	Flesh.....	5426.	1	13 oz.
3638...	Dash shield.....	1909-16.	3 1 ¹ / ₄ " x 3 7 ¹ / ₈ " x 13 3 ³ / ₄ "	10.	Faubit.....	1097B.	1	5 oz.
3639...	Dash shield guide.....	1909-16.	3 1 ¹ / ₄ " x 1" x 14 3 ³ / ₄ "	10.	Fausen.....	1093.	1	3 oz.
3640B...	Dash bracket—left.....	1911-16.	10 3 ³ / ₄ "	30.	Flanker.....	1017B.	1	10 oz.
3641B...	Dash bracket—right.....	1911-16.	10 3 ³ / ₄ "	30.	Flannel.....	1018B.	1	10 oz.
3642...	Dash bracket bolt and nut.....	1909-16.	3 ³ / ₈ " x 7 ¹ / ₈ " on frame	Order 3010.				
3645...	Dash bracket top bolt and nut.....	1909-16.	1 ¹ / ₈ " x 1 1 ¹ / ₄ " x 18 thds.	05.	Favos.....	2427-341.	2	
3651...	Dash to body bracket.....	1909-16.	1 ¹ / ₈ " x 1 3 ³ / ₈ " x 4 5 ⁵ / ₈ "	10.	Febid.....	1489.	2	2 oz.
3653B...	Dash to body bracket bolt and nut.....	1915-16.	Touring car.	05.	Feud.....	7255.	2	
3655...	Oil lamp bracket—right.....	1909-14.	Touring cars.	30.	Feline.....	1497.	1	12 oz.
3656...	Oil lamp bracket—left.....	1909-14.	Touring cars.	30.	Felsire.....	1498.	1	12 oz.
3657...	Oil lamp bracket screw and nut.....	1909-14.	1 ¹ / ₄ " x 1 5 ⁵ / ₈ "	05.	Felwort.....	5393-2582.	4	
3660...	Tail lamp bracket.....	1909-12.	Also 1913-14 Torpedo.....	25.	Fennel.....	2634.	1	9 oz.
3660B...	Tail lamp bracket.....	1913-14.	Touring car.....	25.	Fenor.....	5442.	1	12 oz.
3661...	Tail lamp bracket bolt and nut.....	1909-14.	Specify size.....	05.	Ferial.....		2	1 oz.
3663...	Gas lamp bracket (right).....	1909-14.		75.	Fertile.....	1301B.	1	1 lb., 3 oz.
3664...	Gas lamp bracket (left).....	1909-14.		75.	Fervid.....	1348B.	1	1 lb., 3 oz.
3665...	Gas lamp bracket nut.....	1909-14.	Order 2568.....					
3667D...	Seat cushion.....	1913.	Runabout.....	8 00.	Fanax.....	5565.	1	
3667E...	Front seat cushion.....	1909-16.	Touring car.....	8 00.	Farce.....	7027.	1	
3670D...	Rear seat cushion.....	1909-16.	Touring car.....	8 00.	Forum.....	7032.	1	
3676B...	Cocoa mat.....	1911-16.	30" x 28".....	2 25.	Flatus.....	1606B.	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
SPRINGS								
3800	Front spring	1909-16		\$ 4 00	Gadan	2942	1 16 lb., 11 oz.	
3801	First leaf (main leaf)	1909-16	(for 7 leaf spring)	1 00	Gabbler	354	1 4 lb., 3 oz.	
3801B	First leaf (main leaf)	1916	(for 6 leaf spring)	1 00	Golf	2934	1 4 lb., 2 oz.	
3802	Second leaf	1909-16	(for 7 leaf spring)	80	Gablet	355	1 3 lb., 6 oz.	
3802B	Second leaf	1916	(for 6 leaf spring)	80	Goose	2935	1 3 lb., 7 oz.	
3803	Third leaf	1909-16	(for 7 leaf spring)	70	Gaddish	356	1 2 lb., 11 oz.	
3803B	Third leaf	1916	(for 6 leaf spring)	70	Gopher	2936	1 2 lb., 10 oz.	
3804	Fourth leaf	1909-16	(for 7 leaf spring)	60	Gadoid	357	1 2 lb., 6 oz.	
3804B	Fourth leaf	1916	(for 6 leaf spring)	60	Gosling	2937	1 2 lb., 3 oz.	
3805	Fifth leaf	1909-16	(for 7 leaf spring)	50	Gallic	358	1 1 lb., 13 oz.	
3805B	Fifth leaf	1916	(for 6 leaf spring)	50	Gossip	2938	1 1 lb., 8 oz.	
3806	Sixth leaf	1909-16	(for 7 leaf spring)	40	Gafol	359	1 1 lb., 5 oz.	
3806B	Sixth leaf	1916	(for 6 leaf spring)	40	Gothic	2939	1 1 lb., 1 oz.	
3807	Seventh leaf	1909-16	(for 7 leaf spring)	25	Gaiter	360	1 15 oz.	
3808	Front spring clip	1909-16		20	Galena	325B	2 10 oz.	
3809	Front spring clip nut	1909-16	Order 2568					
3811	Front spring tie bolt and nut	1909-16	$\frac{3}{8}$ " x 2 $\frac{1}{4}$ "	05	Galley	1362-1363	1 1 oz.	
3811B	Front spring tie bolt and nut	1916	(for 6 leaf spring)	05	Graill	2941-1363	1	
3813	Front spring hanger	1909-16		35	Gambit	246	4 4 oz.	
3815	Front and rear spring hanger nut	1909-16	Order 2719					
3817	Front and rear spring hanger oiler	1909-16		05	Gamin	218	8	
3818	Front spring perch—right	1909-16		75	Gamut	222	1 15 oz.	
3819	Front spring perch—left	1909-16		75	Gander	222 $\frac{1}{2}$	1 15 oz.	
3820	Front spring perch bushing	1909-16	$\frac{11}{16}$ " x 1 $\frac{1}{2}$ "	05	Gangue	230	4 1 oz.	
3821	Front spring perch nut	1909-16	$\frac{5}{8}$ " x 18 thds, Order 2828					
3823	Front spring leather	1909-16	1 $\frac{1}{2}$ " x 5 $\frac{3}{4}$ "	05	Gannet	262	1 2 oz.	
3824	REAR SPRING	1909-16	.56" tread, 8 leaf	11 00	Ganoid	333	1	
3825	First leaf (main leaf)	1909-16		2 00	Gantlope	361	1 9 lb.	
3826	Second leaf	1909-16		1 70	Gantois	362	1 7 lb., 7 oz.	
3827	Third leaf	1909-16		1 50	Ganza	363	1 6 lb., 11 oz.	




Plate No. 11—Spring Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
SPRINGS—Continued								
3828	Fourth leaf	1909-16		\$ 1 40	Gaphare	364	1	6 lb., 5 oz.
3829	Fifth leaf	1909-16		1 30	Garden	365	1	5 lb., 13 oz.
3830	Sixth leaf	1909-16		1 20	Garland	366	1	5 lb., 11 oz.
3831	Seventh leaf	1909-16		1 00	Garlic	367	1	5 lb., 7 oz.
3832	Eighth leaf	1909-16		80	Garner	368	1	3 lb., 8 oz.
3833	Rear spring clip	1909-16	4 $\frac{1}{16}$ "	20	Game	326	2	11 oz.
3834	Rear spring clip nut	1909-16	Order 2548					
3835	Rear spring clip bar	1909-16	$\frac{3}{8}$ " x 1 $\frac{1}{8}$ " x 4" x $\frac{1}{16}$ "	05	Gascon	329	2	7 oz.
3837	Rear spring tie bolt and nut	1909-16	$\frac{3}{8}$ " x 2 $\frac{1}{8}$ "	05	Gastric	1352	1	2 oz.
3840	Rear spring hanger	1909-16		35	Gaulus	91 $\frac{1}{2}$	4	5 oz.
3842	Rear spring leather pad	1909-16	2" x 10 $\frac{1}{4}$ "	05	Gavel	94	1	2 oz.
3843	Rear spring perch	1909-16		60	Gavot	41	2	12 oz.
3844	Rear spring perch bushing	1909-16	$\frac{9}{16}$ " bore x $\frac{3}{4}$ " dia. x 2"	16	Gawky	172	4	2 oz.
3845	Rear spring perch nut	1909-16	$\frac{1}{16}$ " x 16 thds.	05	Gazara	174	2	2 oz.
3847	Front spring retainer clip with bolt and nut	1909-16		05	Gazzam	373-2909	2	3 oz.
3847B	Front spring retainer clip with bolt and nut	1916	(for 6 leaf spring)	05	Gown	2940-2909-2908	2	
3848	Rear spring retainer clip with bolt and nut	1909-16		05	Gecko	375-2907	2	4 oz.
REAR SPRING—60 INCH TREAD								
3850	Rear spring	1909-16	48 $\frac{1}{2}$ " long, 8 leaf	12 00	Geddur	1704	1	
3851	Rear spring clip	1909-16	$\frac{1}{16}$ " x 4 $\frac{1}{16}$ "	20	Gelder	1737	2	12 oz.
3852	Rear spring tie bolt and nut	1909-16	$\frac{3}{8}$ " x 3 $\frac{3}{8}$ "	05	Gemote	1738-1353	1	3 oz.
3853	First leaf (main leaf)	1909-16		2 60	Gemsbok	1739	1	10 lb., 10 oz.
3854	Second leaf	1909-16		2 25	Gershon	1740	1	9 lb., 1 oz.
3855	Third leaf	1909-16		2 00	Gerper	1741	1	8 lb., 3 oz.
3856	Fourth leaf	1909-16		1 75	Gherkin	1742	1	6 lb.
3857	Fifth leaf	1909-16		1 60	Gibbet	1743	1	5 lb., 8 oz.
3858	Sixth leaf	1909-16		1 50	Ginger	1744	1	6 lb., 10 oz.
3859	Seventh leaf	1909-16		1 30	Gipsire	1745	1	4 lb., 6 oz.
3860	Eighth leaf	1909-16		1 10	Gisarm	1746	1	3 lb., 9 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
STARTING CRANK								
3900	Starting crank only	1909-16	Cars above 2500	\$ 0 40	Hernia	519B	1	1 lb., 10 oz.
3901	Starting crank handle	1909-15		15	Heron	520	1	2 oz.
3902	Starting crank handle bolt	1909-16	$\frac{1}{2}$ " x $4\frac{5}{8}$ "	10	Herpes	521	1	4 oz.
3903	Starting crank sleeve	1909-15	$\frac{11}{16}$ " bore x $\frac{11}{16}$ " x $2\frac{3}{4}$ "	15	Hesper	523B	1	4 oz.
3905	Starting crank ratchet pin	1909-16	$1\frac{3}{8}$ "	02	Hestern	527B	1	
3906	Starting crank ratchet	1909-16		25	Hetman	528B	1	8 oz.
3908	Starting crank spring	1909-16		03	Hilding	626	1	

RADIATOR-THERMO SYPHON

3925	Radiator	1909-16	Cars above 2500	18 00	Hominy	1100C	1	
3926	Radiator cap	1909-16		30	Hothir	1103B	1	2 oz.
3928	Radiator pad	1909-16	Leather	05	Hovel	1105	2	
3929	Radiator stud and nut	1909-16	$\frac{3}{8}$ " x $2\frac{1}{8}$ "	05	Hoxy	1162-1154	2	1 oz.
3930	Radiator stud springs	1909-16		02	Hubby	1152	2	
3931 $\frac{1}{2}$	Radiator stud washer nut	1909-16	$\frac{3}{8}$ " x 24 thds.	02	Huffish	1161	2	
3932	Radiator rod	1909-16	$20\frac{3}{4}$ " long	15	Huller	1111B	1	8 oz.
3934	Radiator rod nut	1909-16	$\frac{3}{8}$ " x 24 thds.	02	Humbler	517	1	
3939	Outlet connection pipe	1909-16	$1\frac{3}{4}$ " x 12"	25	Humic	1121	1	12 oz.
3940	Outlet connection cock	1909-16	Order 2908					
3944	Outlet connection hose	1909-16	$1\frac{3}{4}$ " x $2\frac{3}{4}$ "	10	Hungry	507B	2	3 oz.
3945	Outlet connection hose clip	1909-16	$2\frac{1}{8}$ " dia.	05	Hunter	554B	4	1 oz.
3946	Radiator stay rod	1911	$22\frac{3}{4}$ " long, runabout	30	Hurden	1167	1	8 oz.

RADIATOR FAN

3960	Fan and pulley assembly	1909-16	Cars above 2500	1 00	Hutten	619	1	1 lb., 8 oz.
3961	Fan blade	1909-16		10	Hyades	611	4	3 oz.
3961B	Fan blade rivets, per dozen	1909-16		05	Hyad	612	16	
3962	Driven fan pulley	1909-16	Brass, upper	60	Hydra	618	1	13 oz.
3963	Fan drive pulley	1909-16	Steel, lower	20	Hydrant	602	1	8 oz.
3964	Fan belt	1909-16		30	Hydrate	609	1	2 oz.
3966	Fan shaft	1909-16	$\frac{1}{16}$ " x $4\frac{9}{16}$ "	15	Hyper	606	1	4 oz.




Plate No. 12—Radiator Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
RADIATOR FAN—Continued								
3967	Fan bracket	1909-16		30	Hypo	604	1	7 oz.
3968	Fan bracket bolt	1909-16	$1\frac{1}{2}" \times 2\frac{3}{4}"$	10	Hypere	605	1	3 oz.
3970	Fan grease cup	1909-15		10	Hyppish	601	1	
3973	Fan adjusting screw and nut	1909-16	$\frac{3}{8}" \times 1\frac{3}{4}"$	05	Hyssop	645	1	1 oz.
MUFFLER								
4025	Muffler assembly	1909-16		1 25	Jobal	1200B	1	8 lb.
4026	Muffler head and bracket—intake	1909-16	$1\frac{5}{8}"$ bore x $5\frac{5}{8}"$ dia.	25	Jobesh	1202B	1	1 lb., 8 oz.
4027	Muffler shell—outer	1909-16	$5"$ dia. x $12"$	15	Jabin	1203	1	1 lb., 1 oz.
4028	Muffler shell—middle	1909-16	$3\frac{1}{2}"$ dia. x $13"$	10	Jackal	1204	1	12 oz.
4029	Muffler shell—inner	1909-16	$2"$ dia. x $14"$	15	Jaday	1205	1	1 lb., 3 oz.
4030	Muffler rod only	1909-16	$\frac{5}{16}" \times 13\frac{3}{8}"$	05	Jadish	1206	3	4 oz.
4031	Muffler rod nut	1909-16	$\frac{5}{16}" \times 2\frac{1}{2}$ thds. Order 3146					
4032	Muffler bracket—exhaust	1909-14		20	Jambee	1217	1	4 oz.
4033	Muffler bracket—intake	1909-14		20	Jantu	1218	1	4 oz.
4034	Muffler bracket bolt and nut	1909-16	Order 3074					
4037B	Long exhaust pipe	1909-16		80	Jaunty	1829	1	1 lb., 12 oz.
4038	Muffler asbestos	1909-16		05	Jahud	1215	1	7 oz.
4039	Muffler asbestos band	1909-16	Tin	02	Jerboa	1216	3	
4040	Rear muffler head with outlet pipe and bracket	1909-16		35	Jetson	1221	1	2 lb.
HOOD								
4050	Hood	1909-16	$22"$ long	3 00	Jibsam	1300	1	7 lb., 8 oz.
4051	Hood handle	1909-16	$5\frac{1}{2}"$ long	25	Jingal	1314	2	2 oz.
4052	Hood clip	1909-16	$3\frac{1}{8}"$	05	Jippo	1310	4	2 oz.
4053	Hood clip spring	1909-16		01	Jockey	1311	4	
4056	Hood board—left	1909-16	$22\frac{3}{4}"$ long	20	Johim	1339	1	11 oz.
4057	Hood board—right	1909-15	$22\frac{3}{4}"$ long	20	Jorum	1340	1	11 oz.
4058	Hood board bolt and nut	1909-12	$\frac{1}{4}" \times 1\frac{1}{8}"$	05	Jowter	1308-1309	4	
4060	Hood support on dash	1909-14		1 00	Jupon	1334	1	2 lb., 2 oz.



4056



4038



4040



4026



4057



4030



4039



4029



4037-B



4033



4032



4028



4025




4027

4053




4052



1060-B



4050



4060

Plate No. 13—Muffler and Hood Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
HOOD—Continued								
4060B...	Hood support on dash.	1915-16		\$1 00.	Juror	7464	1	
4061...	Hood support screw	1909-14	No. 10, 5/8" wood screw	01.	Jurist	1350	9	
4070...	Hood	1911	24" long, runabout	8 00.	Junta	2313	1	3 lb., 8 oz.
4071...	Hood block—right	1911	24 3/4" long, runabout	40.	Justle	2305	1	11 oz.
4072...	Hood block—left	1911	24 3/4" long, runabout	40.	Juzil	2306	1	11 oz.

WIRING

4350...	Spark plug wire	1909-16	15", No. 1 cyl.	15.	Nohob	1365	1	2 oz.
4351...	Spark plug wire (also magneto to coil)	1909-16	11 1/2", No. 2 cyl.	15.	Nachor	1366	1	2 oz.
4353...	Spark plug wire	1909-16	8", No. 3 and 4 cyls.	10.	Nalad	1376	1	1 oz.
4354...	Spark plug wire terminal	1909-16	Copper	01.	Nailer	1381	8	
4355...	COMMUTATOR WIRE ASSEMBLY	1909-16		60.	Nandu	7502	1	8 oz.
4357...	Commutator wire terminal (coil end)	1909-16	Copper	01.	Napher	1385	4	
4359...	Commutator wire loom support	1909-16		01.	Napple	1390	2	
4362...	Commutator wire rubber nipple	1909-16	1/4" dia. x 5/8"	01.	Narsal	1965	4	
4366...	Spark plug wire	1911	17 1/2", No. 1 cyl. runabout	20.	Nashon	2357	1	2 oz.

KINGSTON CARBURETOR

6100...	Carburetor complete	1909-16		6 00.	Mason	553E	1	3 lb., 14 oz.
4401A...	Float with lever	1913-14		1 00.	Mark	6311	1	1 oz.
6101...	Float with lever	1915-16		1 00.	Marsh	6351	1	
6127...	Gasoline valve	1910-16		40.	Mask	3002	1	2 oz.
6115...	Spray needle assembly	1910-16		40.	Medal	4871	1	

Parts for 1909-10-11 Carburetors supplied by Bryne Kingston Co., Kokomo, Ind.

HOLLEY CARBURETOR

6040...	Carburetor complete	1909-16		6 00.	Mire	553D	1	3 lb., 3 oz.
4451...	Float with lever	1913		1 00.	Match	6312	1	1 oz.
4451A...	Float with lever	1914-16		1 00.	Muzzle	6333	1	
4452...	Spray needle assembly	1913		60.	Meek	4854	1	2 oz.




Plate No. 14—1913 Kingston and Holley Carburetor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

HOLLEY CARBURETOR—Continued

4452A...	Spray needle assembly	1914-16		\$0 50	Myrtle	6335	1	
4453...	Gasoline inlet needle	1913		30	Mend	4860	1	
4453A...	Gasoline inlet needle	1914-16		40	Mystic	6324	1	

HOLLEY CARBURETOR PARTS—1912

4554...	Float with lever	1912		1 00	Man	6314	1	2 oz.
4559...	Spray needle	1912		60	Mare	4807	1	2 oz.
4572...	Gasoline inlet elbow assembly	1912		55	Mermaid	4838	1	3 oz.
4573...	Gasoline inlet needle	1912		30	Monarch	4828	1	

(Other parts required may be ordered by plate numbers; prices quoted on application.)

Parts for 1909-10-11 Carburetors supplied by Holley Bros. Co., Detroit, Mich.

CARBURETOR ATTACHMENTS

4126...	Carburetor adjusting rod head	1909-16		10	Lascar	1356B	1	
4127A...	Carb. adjusting rod bracket	1909-16	On dash	05	Lastage	1357	1	
4129A...	Carb. adjusting rod	1909-16	Specify length	10	Latten		1	4 oz.
4130...	Carb. flange bolt and nut	1909-16		05	Leaper	1388	2	1 oz.
4134...	Carb. flange gasket	1909-16		03	Lecturn	1380B	1	
4431...	Carb. priming rod	1909-16		05	Loach	2000	1	1 oz.
4582...	Carb. hot air pipe	1912-16		20	Monkey	686	1	6 oz.


COIL PARTS—1909-13 CARS

4611...	Coil unit	1910-13	Size 2 $\frac{5}{16}$ " x 3 $\frac{1}{16}$ " x 5", Heinze	4 00	Michtam	4611	4	1 lb., 7 oz.
4616...	Vibrator with platinum point	1910-13	Heinze	75	Mile	4616	4	
	Vibrator with tungsten points	1910-13	Order 4739, Heinze	50	Mirage	6705	4	
4618...	Vibrator bridge with platinum point	1910-13	Heinze	75	Mileped	4618	4	
	Vibrator bridge with tungsten points	1910-13	Order 4740, Heinze	50	Mirza	6703	4	
4638...	Switch assembly	1910-13	Heinze	50	Milepore	4638	1	7 oz.
4639...	Switch plug	1910-13	Heinze	15	Milter	4639	1	
4678...	Switch assembly	1913	K. W.	1 50	Nestle	4600	1	10 oz.
4679...	Switch plug	1913	K. W.	15	Nitre	4657	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
COIL PARTS—1909-13 CARS—Continued								
4681	Coil unit	1913	Size $5\frac{3}{8}" \times 3\frac{1}{4}" \times 2\frac{1}{4}"$, K. W.	\$4 00	Nomad	4693	4	2 lb., 2 oz.
4682	Vibrator spring with tungsten point—lower	1913	K. W.	30	Nostril	4708	4	
4683	Vibrator bridge with tungsten point—upper	1913	K. W.	35	Nugget	4711	4	
4682A	Vibrator spring with tungsten point	1913	For K. W. unit used	50	Nedder	6710	4	
4683A	Vibrator bridge with tungsten point	1913	In place of T-4611	50	Nihil	6712	4	
4705	Switch assembly	1911-13	Kingston	1 00	Merop	3072D	1	11 oz.
4713	Coil unit	1909-13	Size $2\frac{3}{16}" \times 2\frac{5}{16}" \times 5\frac{3}{4}"$, Kingston	4 00	Maslach	4715	4	
4716	Vibrator spring with tungsten point	1912-13	Kingston	50	Mator	4720	4	
4717	Vibrator bridge with tungsten point	1912-13	Kingston	50	Matis	4717	4	
4718	Switch key	1911-13	Kingston	15	Mastpod	3065D	1	

FORD SPARK COIL

4725	Coil	1909-16	Applies to all cars	12 00	Negus	1383	1	6 lb., 8 oz.
4726	Coil box with cover	1914-16	Metal	2 50	Nenia	5858	1	4 lb.
4727	Coil box cover	1914	Metal	40	Nephew	5856	1	11 oz.
4727B	Coil box cover	1915-16		40	Neptun	7910	1	
4728	Switch assembly	1914-16		80	Nidor	5873	1	9 oz.
4729	Switch base assembly	1914-16		60	Noddy	5841	1	6 oz.
4729B	Switch blade moulding assembly	1914-16		20	Noria	5820	1	
4730	Switch cover	1914-16		15	Nones	5835	1	1 oz.
4731	Switch plug	1914-16		10	Nopal	5815	1	
4732	Coil unit	1914-16	Size $3\frac{1}{2}" \times 2\frac{1}{4}" \times 5"$	2 50	Noggin	5845	4	2 lb.
4733	K. W. vibrator with tungsten point	1914-16		30	Nonce	4708	4	
4734	K. W. vibrator bridge with tungsten point	1914-16		35	Novia	4711	4	
4739	Vibrator spring with tungsten point	1914	Heinze or Kingston order pairs	50	Nyas	6705	4	
4740	Vibrator bridge with tungsten point	1914	Heinze or Kingston	50	Nymph	6703	4	



4736-A



4733



4734



4739



4736



4731



4732



4737



4740




4728



4737-A




4730




4729



4727



4725



4727-B


Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

FENDERS—56 INCH TREAD

4800	Front fender—right	1910-16	All Cars	\$2 50	Scorch	1414C	1	
4801	Front fender—left	1910-16	All Cars	2 50	Scoul	1413C	1	
4802D	Rear fender—right, curved	1915-16	Tour., Runab't & Coupelet.	2 50	Shanty	1416D	1	
4803D	Rear fender—left, curved	1915-16	Tour., Runab't & Coupelet.	2 50	Sheen	1415D	1	
4802E	Rear fender—right	1915	Sedan	4 50	Sheik	7924	1	
4803E	Rear fender—left	1915	Sedan	4 50	Shrimp	7925	1	
4802	Rear fender—right	1911-14	Touring Car & Runabout.	3 00	Sexton	1416C	1	
4803	Rear fender—left	1911-14	Touring Car & Runabout.	3 00	Shark	1415C	1	
4804D	Rear fender iron—right and left	1913-16	Touring car	25	Smile	5405	2	12 oz.
4804E	Rear fender iron—right	1913-16	Torpedo & Coupelet.	40	Shire	5563	1	1 lb., 7 oz.
4804F	Rear fender iron—left	1913-16	Torpedo & Coupelet.	40	Shrub	5390	1	1 lb., 7 oz.
4805	Rear fender iron bolt and nut	1911-14	Touring $\frac{5}{8}$ " x $1\frac{1}{2}$ "	05	Shoal	340A-341	6	
4805B	Rear fender iron bolt and nut	1915-16	Touring $\frac{5}{8}$ " x $\frac{3}{4}$ "	05	Signet	7171	6	
4806	Fender eye bolt, nut and washer	1909-16	O'd No. 2935	15	Blenny	1915	6	3 oz.
4808	Front fender iron bolt and nut (side)	1910-16	$\frac{3}{8}$ " x $\frac{1}{2}$ "	05	Shovel	1323	2	1 oz.
4808B	Front fender iron bolt and nut (bottom)	1910-16	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	05	Siren	347	2	
4808C	Front fender apron to frame bolt and nut	1915-16	$\frac{1}{4}$ " x $\frac{5}{8}$ "	05	Sickle	4088	4	
4809	Front fender iron—right or left	1909-16		60	Sistom	343	2	1 lb., 14 oz.

RUNNING BOARDS AND SHIELDS—56 INCH TREAD

4812	Running board—right or left	1909-16	.44 $\frac{7}{8}$ " long	75	Shrew	5418	1	
4814	Running board metal shield—right	1912-16	Tour., Tor. & Coupelet	1 00	Skylark	1409C	1	
4814B	Running board metal shield—right	1915	Sedan	2 00	Shriek	7496	1	
4815	Running board metal shield—left	1912-16	Touring and Torpedo	1 00	Skylight	1408C	1	
4815B	Running board metal shield—left	1915	Sedan	2 00	Shorl	7497	1	
4816	Running board truss rod—front with nuts	1909-16		20	Skybird	5804	1	2 lb., 2 oz.
4817	Running board truss rod—rear with nuts	1909-16		20	Skyman	5805	1	2 lb., 2 oz.
4818	Running board bracket	1909-16		60	Skyhawk	336	4	1 lb., 13 oz.
4819	Run board fender bolt and nut	1909-16	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	05	Boaster	1344B	8	
4819B	Run board bolt and nut	1909-16	$\frac{5}{16}$ " x $1\frac{1}{4}$ "	05	Bolary	5898-341	8	



4802-D
4803-D



4818




4804-D




2935



4809




4814-B-4815-B



4814-4815



4812



4802
4803




4802-E-4803-E



4817



4816



4800
4801

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
FENDERS AND RUNNING BOARDS—50 INCH TREAD—BLUE								
4820	Front fender—right	1911-12	Touring and Roadster	\$3 00	Tablet	1715B	1	
4820B	Front fender—right	1913-16	Touring and Torpedo	3 00	Table	2742	1	
4821	Front fender—left	1911-12	Touring and Roadster	3 00	Tabor	1716B	1	
4821B	Front fender—left	1913-16	Touring and Torpedo	3 00	Tabula	2743	1	
4822	Rear fender—right	1911-12	Touring	3 00	Talent	1749	1	
4822B	Rear fender—right	1913-14	Touring and Torpedo	3 00	Talion	2741	1	
4822C	Rear fender—right	1915-16	Tour., Torpedo, Coupelet	3 00	Tartar	2758	1	
4822D	Rear fender—right	1915	Sedan	4 50	Tankard	5723	1	
4823	Rear fender—left	1911-12	Touring	3 00	Tallow	1748	1	
4823B	Rear fender—left	1912	Torpedo and Roadster	4 00	Tallox	2732	1	
4823C	Rear fender—right	1912	Torpedo and Roadster	4 00	Tallis	2733	1	
4823D	Rear fender—left	1913-14	Touring and Torpedo	3 00	Talma	2740	1	
4823E	Rear fender—left	1915-16	Tour., Torpedo, Coupelet	3 00	Tavern	2759	1	
4823F	Rear fender—left	1915	Sedan	4 50	Tansy	5724	1	
4824	Rear fender iron—right and left	1911-12	Touring, 11 1/8" long	40	Target	2700	2	
4824B	Rear fender irons—right and left	1912	Torpedo and Roadster	75	Targon	2731	2	
4824C	Rear fender iron—right and left	1915-16	Touring Car	40	Thatch	1723	2	
4825	Front fender irons—right and left	1909-12	Touring and Torpedo	1 00	Tempest	1713	2	1 lb., 15 oz.
4825B	Front fender iron—right and left	1915-16	Touring and Torpedo	1 00	Tempo	2752	2	1 lb., 15 oz.
4826	Running board shield—right	1911-12	Tour., Torp. and Roadster	2 00	Tennis	1717B	1	9 lb., 8 oz.
4827	Running board shield—left	1911-12	Tour., Torp. and Roadster	2 00	Thirst	1718B	1	9 lb., 8 oz.
4828	Running board bracket	1909-12	Tour., Torp. and Roadster	75	Border	1714	4	2 lb.
4829	Running board truss rod—front	1909-12	.51" long, Tour. and Torp.	25	Bosset	1708	2	
4830	Running board truss rod—rear	1909-12	Tour., Torp. and Roadster	25	Bounce	1734	1	
SPECIAL TOOLS								
1349	Hub cap wrench		Regular equipment	10	Pacal	1349	1	.8 oz.
1387	Adjustable wrench		Regular equipment	25	Pacos	1387	1	1 lb.
1902	Screw driver		Regular equipment	15	Padan	1902	1	.6 oz.




Plate No. 17—Fender Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
SPECIAL TOOLS—Continued								
1903...	Pliers.....		Regular equipment.....	\$0 20	Paddy.....	1903.....	1	8 oz.
1917...	Double end wrench.....		Regular equipment.....	10	Pagan.....	1917.....	1	3 oz.
1924...	$\frac{3}{8}$ " socket wrench.....		12" long.....	30	Pallah.....	1924.....	1	1 lb.
1929...	Fly wheel cap screw wrench.....		11 $\frac{3}{8}$ " long.....	30	Palmy.....	1929.....	1	15 oz.
1930X...	Valve spring lifter.....		15" long.....	40	Palpus.....	1930-8.....	1	13 oz.
1957...	Valve grinder.....			75	Palster.....	1957.....	1	15 oz.
1933X...	Rear wheel puller assembly.....			75	Panary.....	1933-35.....	1	2 lb., 11 oz.
1936X...	Cam gear puller.....			1 00	Pantile.....	1936-7.....	1	1 lb., 15 oz.
1953X...	Transmission clutch puller.....			1 25	Papaw.....	1370-1953-5.....	1	1 lb., 8 oz.
1974B...	Drive shaft housing stud nut wrench for $\frac{11}{16}$ " nut.....			25	Parent.....	2073.....	1	10 oz.
1975...	Rear axle housing bolt nut wrench.....		7 $\frac{1}{16}$ " long.....	25	Parvis.....	1975.....	1	9 oz.
1978...	Valve seat reamer.....		7 $\frac{1}{2}$ " long.....	1 50	Papula.....	1978.....	1	13 oz.
2319...	Screw driver for cam shaft set screw.....		6 $\frac{1}{2}$ " long.....	40	Parley.....	2319.....	1	12 oz.
2320...	$\frac{3}{8}$ " T socket wrench.....		9 $\frac{1}{4}$ " long.....	50	Parfit.....	2320.....	1	1 lb., 2 oz.
2321...	Socket wrench for crank shaft bearing bolt nut.....		12 $\frac{3}{4}$ " long.....	30	Passim.....	2321.....	1	1 lb., 4 oz.
2322...	$\frac{3}{8}$ " L socket wrench.....		12".....	30	Pastel.....	2322.....	1	1 lb., 4 oz.
2323...	$\frac{3}{8}$ " open end wrench.....		7 $\frac{1}{2}$ " long.....	20	Pastor.....	2323.....	1	6 oz.
2324...	Connecting rod clamp screw wrench.....		10 $\frac{1}{4}$ " long.....	35	Parrot.....	2324.....	1	1 lb., 2 oz.
2328...	$\frac{3}{8}$ " brace socket wrench.....		24 $\frac{3}{8}$ " long.....	75	Parsee.....	2328.....	1	2 lb., 3 oz.
2331...	Piston ring squeezer.....		3 $\frac{1}{8}$ " dia.....	20	Patile.....	2331.....	1	8 oz.
2332...	Magnet screw brace screw driver.....		13 $\frac{3}{4}$ " long.....	50	Patrol.....	2332.....	1	15 oz.
2333...	Large cam gear lock nut wrench.....		14" long.....	30	Pavan.....	2333.....	1	1 lb., 6 oz.
2335...	Spark plug and cyl. head bolt wrench.....		Regular equipment.....	30	Pavid.....	5893.....	1	15 oz.
2336...	Tool roll.....		Regular equipment.....	25	Pawky.....	1979.....	1	3 oz.
2337...	Oil can.....		Regular equipment.....	15	Paxos.....	3426-3425.....	1	3 oz.
2338...	Tire pump.....		Regular equipment.....	2 00	Payser.....	1368.....	1	4 lb., 13 oz.
2340...	Tire irons, each.....		Regular equipment.....	10	Pelage.....	4069.....	1	8 oz.
2341...	Crank shaft bearing bolt special wrench.....		Oval head.....	25	Pelox.....	2069.....	1	1 lb., 5 oz.
2341B...	Crank shaft bearing bolt wrench.....		Square head.....	25	Poloy.....	7427.....	1	1 lb., 6 oz.















Plate No. 18—Special Tools

Part No.	Name of Part	Year	Specifications	Price	Code Word	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	----------	------------------	----------------

COTTER PINS

Fac. No.

Fac. No.

$\frac{3}{32}$ " x 1" cotter pins.....	421	$\frac{3}{32}$ " x $\frac{1}{2}$ " cotter pins.....	66
$\frac{3}{16}$ " x $\frac{3}{4}$ " cotter pins.....	753	$\frac{1}{16}$ " x $\frac{1}{2}$ " cotter pins.....	544
$\frac{1}{8}$ " x 1" cotter pins.....	82	$\frac{3}{32}$ " x $\frac{5}{8}$ " cotter pins.....	88
Price, each.....			\$0 01
Price, per dozen.....			05
Price, per gross.....			25
Trans. band rivets, per thousand.....			2 00

NUTS

$\frac{3}{8}$ "—24 thds.....	02
------------------------------	----

This size nut used on following parts: 2514, 2554, 2584, 2722, 2729, 2932, 3073, 3074, 3362, 3437, 3443, 3540, 3541, 3642, 3929, 4034.

General Index

	Page
Rear Axle.....	6
Rear Axle, Plates No. 1 and 2.....	8-10
Front Axle.....	11
Front Axle, Plate No. 3.....	13
Body Parts.....	34
Carburetor, Kingston.....	43
Carburetor, Holley.....	43
Kingston and Holley, Plate No. 14..	44
Coil Parts—1909-13 cars.....	45
Heinze, K. W. and Ford, Plate No. 15	47
Commutator.....	22
Commutator and Magneto, Plate No. 7	24
Cotter Pins.....	54
Fenders.....	48
Fenders, Plates No. 16 and 17.....	49-51
Frame.....	15
Gasoline Tank.....	15
Hood.....	41
Hood and Muffler, Plate No. 13.....	42
Magneto.....	23

	Page
Motor.....	17
Motor, Plates No. 5 and 6.....	18-20
Muffler.....	41
Nuts.....	54
Radiator.....	39
Radiator, Plate No. 12.....	40
Running Boards.....	48
Spark Plugs.....	54
Special Tools.....	50
Tools, Plate No. 18.....	53
Springs.....	36
Springs, Plate No. 11.....	37
Starting Crank.....	39
Steering Gear.....	31
Steering Gear, Plate No. 10.....	32
Transmission.....	25
Transmission, Plates No. 8 and 9....	26-29
Wheels.....	14
Wheels and Gasoline Tank, Plate No. 4	16
Wiring.....	43

PRICE LIST of PARTS



Model T

